


The diagram illustrates the cross-section of a road structure, labeled "Konstrukcja nr 1". The main components and dimensions are as follows:

- Top Surface:** The road surface is shown with a central elevation of 0.00. It slopes down to 6.0% on both sides. The side slopes are labeled "Zgodnie z PZT min. 0.75".
- Shoulders (Pobocze):** The shoulders are indicated by the label "Pobocze" and have a width of 0.75 on each side.
- Main Roadway (Jezdnia):** The main roadway has a width of 5.50.
- Subgrade (Łuku 3%):** The subgrade is labeled "Na łuku 3%" and is shown with a cross-hatched pattern.
- Construction Layers:** The construction is labeled "Konstrukcja nr 1" and is shown with a diagonal hatched pattern.
- Centerline (oś jezdni):** The centerline is marked with a vertical line and labeled "oś jezdni".
- Dimensions:** The total width of the road structure is 5.50. The shoulder width is 0.75. The side slopes are 6.0%.
- Elevations:** The central elevation is 0.00. The side slopes are 6.0%.
- Notes:** The diagram includes the note "zgodnie z planem warstwicowym" (according to the layer plan) and "Na łuku 3%" (on a 3% curve).

konstrukcja jezdni na poszerzeniu, zjazdu

| | |
|---|------------|
| warstwa ścieralna, mieszanka mineralno-asfaltowa AC 11S | - gr 4 cm |
| warstwa wiążąca, mieszanka mineralno-asfaltowa AC 16W | - gr 4 cm |
| podbudowa zasadnicza, mieszanka niezwiązana, kruszywo 0/31,5 C _{90/3} | - gr 12 cm |
| podbudowa zasadnicza, mieszanka związana spoiwem hydraulicznym C _{3/4} | - gr 15 cm |

| | | |
|---|--|--|
| Faza: | PROJEKT TECHNICZNY | |
| Inwestor: | Gmina Biata Podlaska ul. Prosta 31, 21-500 Biata Podlaska | Nr ark.: 10 |
| Zadanie: | Odprowadzenie wód opadowych i roztopowych z terenu drogi gminnej ul. Tadeusza Koca, dz. ewid. nr 232/158, w miejscowości Grabanów w gm. Biata Podlaska | Skala: 1:50 |
| Adres obiektu: | dz. ewid. nr 232, 158, ul. Tadeusza Koca, m. Grabanów, gm. Biata Podlaska, pow. bialski, woj. lubelskie | Data: 18.12.2025 |
| Przedmiot rysunku: | Przekrój poprzeczny nawierzchni drogi | |
| Projektant: | inż. Paweł Wójcik upr. LUB/0172/PBD/19 w spec. inż. drogowej | Podpis:  |
| Instalacje Sanitarne Jakub Wasiluk, 21-500 Biata Podl., ul. Ogrodowa 20, tel. 792 990 170 | | |