



## WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK

Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

| Nazwa procesora                   | Passmark CPU Mark |
|-----------------------------------|-------------------|
| AMD Ryzen Threadripper PRO 7995WX | 153,961           |
| AMD Ryzen Threadripper PRO 7985WX | 136,632           |
| AMD Ryzen Threadripper 7980X      | 135,646           |
| AMD EPYC 9654                     | 122,091           |
| AMD EPYC 9654P                    | 113,949           |
| AMD EPYC 9554                     | 111,635           |
| AMD EPYC 9554P                    | 109,858           |
| AMD EPYC 9474F                    | 104,894           |
| AMD Ryzen Threadripper 7970X      | 96,254            |
| AMD EPYC 9454P                    | 95,894            |
| Intel Xeon w9-3495X               | 95,164            |
| AMD Ryzen Threadripper PRO 7975WX | 93,978            |
| AMD Ryzen Threadripper PRO 5995WX | 92,987            |
| AMD EPYC 7773X                    | 91,491            |
| Intel Xeon Platinum 8470 @2.00GHz | 89,850            |
| AMD EPYC 9534                     | 88,716            |
| AMD EPYC 7763                     | 86,223            |
| AMD EPYC 7J13                     | 84,786            |
| AMD Ryzen Threadripper PRO 7965WX | 83,812            |
| AMD Ryzen Threadripper PRO 3995WX | 83,597            |



## WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK

Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |        |
|-----------------------------------|--------|
| AMD EPYC 7713                     | 83,566 |
| AMD EPYC 7V13                     | 82,878 |
| AMD Ryzen Threadripper 7960X      | 82,512 |
| AMD EPYC 7T83                     | 81,757 |
| AMD EPYC 9754                     | 81,404 |
| AMD EPYC 7663                     | 81,228 |
| AMD Ryzen Threadripper 3990X      | 80,866 |
| AMD EPYC 7713P                    | 80,373 |
| AMD EPYC 9354P                    | 78,872 |
| AMD EPYC 7B13                     | 77,460 |
| AMD EPYC 7643                     | 76,455 |
| AMD Ryzen Threadripper PRO 5975WX | 75,889 |
| Intel Xeon Platinum 8461V         | 74,982 |
| AMD EPYC 9274F                    | 73,463 |
| AMD EPYC 7662                     | 73,321 |
| AMD EPYC 7573X                    | 70,868 |
| AMD EPYC 9254                     | 70,630 |
| AMD EPYC 7702                     | 69,872 |
| AMD EPYC 7H12                     | 69,633 |
| AMD EPYC 7742                     | 69,183 |
| AMD EPYC 75F3                     | 68,505 |
| Intel Xeon w7-3465X               | 67,041 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |        |
|------------------------------------|--------|
| AMD EPYC 7543P                     | 66,687 |
| AMD Ryzen Threadripper PRO 5965WX  | 66,582 |
| Intel Xeon w9-3475X                | 66,165 |
| AMD EPYC 7B12                      | 65,658 |
| AMD EPYC 9334                      | 65,279 |
| AMD EPYC 7R32                      | 64,727 |
| AMD EPYC 7702P                     | 63,633 |
| AMD Ryzen Threadripper 3970X       | 63,271 |
| AMD Ryzen 9 7950X                  | 63,005 |
| AMD Ryzen Threadripper PRO 3975WX  | 62,904 |
| AMD EPYC 9224                      | 62,900 |
| AMD Ryzen 9 7950X3D                | 62,596 |
| Intel Xeon Platinum 8380 @ 2.30GHz | 62,318 |
| AMD EPYC 8434P                     | 62,182 |
| Intel Core i9-13900KS              | 61,851 |
| AMD EPYC 8534P 64-Core             | 61,570 |
| AMD Ryzen Threadripper PRO 7955WX  | 61,073 |
| Intel Core i9-14900K               | 61,058 |
| AMD EPYC 74F3                      | 60,666 |
| Intel Xeon Gold 6448Y              | 60,449 |
| Intel Core i9-14900KF              | 60,149 |
| AMD EPYC 7543                      | 60,132 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |        |
|-------------------------------------|--------|
| AMD EPYC 7513                       | 59,988 |
| Intel Core i9-13900K                | 59,408 |
| AMD EPYC 7642                       | 59,390 |
| AMD EPYC 7473X                      | 59,280 |
| Intel Xeon w7-2495X                 | 59,191 |
| AMD Ryzen 9 7945HX3D                | 59,124 |
| Intel Xeon W-3375 @ 2.50GHz         | 59,069 |
| Intel Xeon W-3365 @ 2.70GHz         | 59,038 |
| Intel Xeon Gold 6421N               | 58,797 |
| Intel Core i9-13900KF               | 58,652 |
| Intel Xeon Gold 5420+               | 57,593 |
| Intel Xeon Gold 6423N               | 57,434 |
| Intel Xeon Gold 6414U               | 57,200 |
| AMD EPYC 7443P                      | 57,139 |
| AMD Ryzen 9 7940HX                  | 56,520 |
| AMD EPYC 7443                       | 55,901 |
| Intel Xeon Platinum 8375C @ 2.90GHz | 55,705 |
| AMD EPYC 9174F                      | 55,485 |
| AMD Ryzen 9 7945HX                  | 55,134 |
| Intel Core i9-14900F                | 54,981 |
| AMD Ryzen Threadripper 3960X        | 54,871 |
| Intel Xeon Platinum 8358 @ 2.60GHz  | 54,416 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |        |
|-------------------------------------|--------|
| Intel Xeon w7-2475X                 | 54,097 |
| Intel Xeon Platinum 8360Y @ 2.40GHz | 54,078 |
| Intel Core i7-14700K                | 53,710 |
| Intel Core i7-14700KF               | 53,407 |
| AMD EPYC 8324P 32-Core              | 53,373 |
| AMD EPYC 7532                       | 53,051 |
| Intel Xeon Gold 6438N               | 52,789 |
| Intel Xeon Gold 5412U               | 52,695 |
| Intel Xeon Gold 6348 @ 2.60GHz      | 52,276 |
| Intel Core i9-13900F                | 52,027 |
| AMD Ryzen 9 7900X                   | 51,975 |
| Intel Core i9-14900                 | 51,165 |
| AMD EPYC 7552                       | 51,104 |
| AMD Ryzen Threadripper PRO 7945WX   | 50,835 |
| AMD EPYC 7453                       | 50,575 |
| AMD Ryzen 9 7900X3D                 | 50,475 |
| AMD EPYC 9184X                      | 50,344 |
| AMD Ryzen Threadripper PRO 5955WX   | 50,327 |
| AMD EPYC 7502P                      | 50,298 |
| AMD EPYC 7413                       | 50,223 |
| AMD EPYC 7F72                       | 50,050 |
| Intel Xeon Platinum 8347C @ 2.10GHz | 49,386 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |        |
|-----------------------------------|--------|
| AMD EPYC 7K62                     | 49,104 |
| AMD EPYC 7R12                     | 48,934 |
| AMD Ryzen 9 7900                  | 48,873 |
| Apple M2 Ultra 24 Core            | 48,741 |
| Intel Xeon W-3345 @ 3.00GHz       | 48,261 |
| Intel Core i9-13900               | 48,115 |
| Intel Xeon Gold 6314U @ 2.30GHz   | 48,013 |
| AMD EPYC 7452                     | 47,951 |
| AMD Ryzen 9 PRO 7945              | 47,938 |
| Intel Core i9-13980HX             | 47,691 |
| AMD EPYC 7542                     | 47,626 |
| AMD EPYC 7402                     | 47,554 |
| Intel Xeon Gold 6342 @ 2.80GHz    | 47,320 |
| Intel Core i7-14700F              | 47,158 |
| Intel Core i9-14900HX             | 46,699 |
| Intel Xeon w5-3435X               | 46,616 |
| Intel Core i7-13700K              | 46,580 |
| ARM Neoverse-N1 128 Core 3000 MHz | 46,480 |
| Intel Core i7-13700KF             | 46,432 |
| Intel Core i7-14700               | 46,411 |
| Intel Xeon w5-2465X               | 46,270 |
| AMD Ryzen 9 7845HX                | 46,211 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |        |
|-----------------------------------|--------|
| Intel Core i7-13790F              | 46,110 |
| AMD EPYC 73F3                     | 46,103 |
| AMD EPYC 7502                     | 45,839 |
| AMD Ryzen 9 5950X                 | 45,693 |
| Intel Xeon Gold 6336Y @ 2.40GHz   | 45,517 |
| Intel Xeon Silver 4416+           | 45,127 |
| INTEL XEON GOLD 6538N             | 44,895 |
| Intel Core i9-13900HX             | 44,628 |
| Intel Core i9-13950HX             | 44,564 |
| AMD EPYC 7343                     | 44,189 |
| Intel Core i9-12900KS             | 44,173 |
| Intel Core i9-13900T              | 44,130 |
| AMD EPYC 9124                     | 43,823 |
| AMD EPYC 8224P 24-Core            | 43,782 |
| Intel Core i9-14900T              | 43,527 |
| ARM Neoverse-N1 128 Core 2800 MHz | 43,111 |
| Intel Xeon Gold 6330 @ 2.00GHz    | 43,056 |
| AMD EPYC 7402P                    | 42,928 |
| AMD EPYC 7D12                     | 42,762 |
| Intel Xeon Gold 6338N @ 2.20GHz   | 42,552 |
| Intel Xeon Gold 6312U @ 2.40GHz   | 42,124 |
| AMD EPYC 7313P                    | 42,032 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |        |
|--------------------------------------|--------|
| Intel Xeon w7-3445                   | 41,588 |
| Intel Xeon W-3275 @ 2.50GHz          | 41,554 |
| Intel Xeon Gold 6426Y                | 41,447 |
| Intel Xeon Gold 6354 @ 3.00GHz       | 41,445 |
| Intel Core i9-12900K                 | 41,364 |
| Intel Core i9-12900KF                | 41,179 |
| Apple M1 Ultra 20 Core               | 40,898 |
| Intel Xeon Platinum 8275CL @ 3.00GHz | 40,794 |
| AMD Ryzen Threadripper PRO 5945WX    | 40,610 |
| AMD Ryzen Threadripper PRO 3955WX    | 40,374 |
| AMD EPYC 7352                        | 40,096 |
| AMD EPYC 7313                        | 40,075 |
| Apple M3 Max 16 Core                 | 39,997 |
| AMD EPYC 7F52                        | 39,923 |
| Intel Core i5-14600K                 | 39,371 |
| Intel Core i7-13700F                 | 39,346 |
| Intel Core i5-14600KF                | 39,302 |
| Intel Xeon W-3335 @ 3.40GHz          | 39,293 |
| Intel Core i7-14650HX                | 39,206 |
| AMD Ryzen 9 5900X                    | 39,199 |
| Intel Core i5-14600                  | 39,027 |
| AMD Ryzen 9 3950X                    | 38,824 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |        |
|------------------------------------|--------|
| Intel Xeon W-3275M @ 2.50GHz       | 38,622 |
| AMD EPYC 7551P                     | 38,366 |
| Intel Core i7-13850HX              | 38,289 |
| Intel Xeon Platinum 8180 @ 2.50GHz | 38,259 |
| Intel Core i5-13600K               | 38,195 |
| Intel Core i5-13600KF              | 37,980 |
| Intel Xeon w5-2455X                | 37,867 |
| Intel Core i7-13700                | 37,844 |
| Intel Xeon Gold 6346 @ 3.10GHz     | 37,722 |
| Intel Xeon Gold 5320 @ 2.20GHz     | 37,558 |
| Intel Xeon Gold 6238R @ 2.20GHz    | 37,511 |
| Intel Xeon Silver 4316 @ 2.30GHz   | 37,264 |
| Intel Xeon W-3175X @ 3.10GHz       | 37,167 |
| Intel Core i9-12900F               | 36,957 |
| Intel Xeon Gold 6268CL @ 2.80GHz   | 36,878 |
| Intel Xeon Gold 5416S              | 36,735 |
| ARM Neoverse-N1 80 Core 3000 MHz   | 36,435 |
| Intel Xeon w5-3425                 | 36,404 |
| Intel Xeon Gold 6330N @ 2.20GHz    | 36,360 |
| AMD Ryzen 7 7700X                  | 36,052 |
| Intel Core i7-14700HX              | 35,807 |
| AMD EPYC 8124P 16-Core             | 35,766 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |        |
|-------------------------------------|--------|
| Intel Xeon Gold 6248R @ 3.00GHz     | 35,626 |
| Apple M3 Max 14 Core                | 35,439 |
| Intel Xeon Gold 6326 @ 2.90GHz      | 35,224 |
| Intel Core i9-12900TE               | 35,057 |
| Intel Xeon Gold 6242R @ 3.10GHz     | 34,963 |
| AMD Ryzen 7 PRO 7745                | 34,803 |
| AMD Ryzen 9 PRO 5945                | 34,756 |
| Intel Core i7-12700K                | 34,663 |
| AMD Ryzen 7 7700                    | 34,613 |
| Intel Core i9-12900HX               | 34,605 |
| Intel Core i7-12700KF               | 34,468 |
| AMD Ryzen 9 5900                    | 34,410 |
| AMD Ryzen 7 7800X3D                 | 34,402 |
| Intel Core i9-12900                 | 34,353 |
| Intel Core i7-13700HX               | 34,084 |
| AMD EPYC 7601                       | 34,079 |
| Intel Core i9-13900E                | 34,049 |
| Intel Xeon Platinum 8260M @ 2.30GHz | 33,970 |
| Intel Xeon Gold 6338 @ 2.00GHz      | 33,814 |
| Intel Xeon D-2799 @ 2.40GHz         | 33,792 |
| Intel Xeon Gold 6230R @ 2.10GHz     | 33,724 |
| AMD Ryzen Threadripper PRO 3945WX   | 33,522 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |        |
|------------------------------------|--------|
| Intel Xeon Gold 5220R @ 2.20GHz    | 33,370 |
| Intel Xeon Gold 6240R @ 2.40GHz    | 33,353 |
| Intel Xeon Gold 5318Y @ 2.10GHz    | 33,283 |
| AMD EPYC 7302                      | 33,002 |
| AMD Ryzen 7 7745HX                 | 32,888 |
| Intel Core i9-10980XE @ 3.00GHz    | 32,875 |
| Intel Xeon Gold 6278C @ 2.60GHz    | 32,835 |
| Intel Xeon Platinum 8168 @ 2.70GHz | 32,811 |
| Intel Xeon Platinum 8280 @ 2.70GHz | 32,781 |
| Intel Core i5-13600                | 32,758 |
| AMD Ryzen 9 3900XT                 | 32,741 |
| AMD Ryzen 9 3900X                  | 32,669 |
| Intel Core i7-12800HX              | 32,626 |
| AMD EPYC 7302P                     | 32,612 |
| Intel Core i9-12950HX              | 32,524 |
| AMD Ryzen Threadripper 2990WX      | 32,501 |
| Intel Core i5-14500                | 32,494 |
| Intel Xeon w5-2445                 | 32,354 |
| Intel Core i5-13500                | 32,085 |
| Intel Core i9-9980XE @ 3.00GHz     | 32,054 |
| Intel Xeon W-3265M @ 2.70GHz       | 32,025 |
| Intel Core i7-13650HX              | 31,916 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |        |
|--------------------------------------|--------|
| Intel Xeon Platinum 8173M @ 2.00GHz  | 31,837 |
| AMD Ryzen 9 8945H                    | 31,671 |
| AMD Ryzen 7 8700G                    | 31,638 |
| Intel Xeon Platinum 8268 @ 2.90GHz   | 31,632 |
| AMD Ryzen 9 PRO 3900                 | 31,591 |
| Intel Core i9-13900HK                | 31,303 |
| Intel Xeon Platinum 8259CL @ 2.50GHz | 31,142 |
| AMD EPYC 7371                        | 31,094 |
| AMD Ryzen 9 7940H                    | 30,873 |
| Intel Core i7-12700                  | 30,863 |
| AMD Ryzen 9 3900                     | 30,834 |
| Intel Core i7-12850HX                | 30,742 |
| Intel Core i7-12700F                 | 30,688 |
| Intel Xeon W-2295 @ 3.00GHz          | 30,673 |
| Intel Core i9-9960X @ 3.10GHz        | 30,638 |
| Intel Xeon Platinum 8171M @ 2.60GHz  | 30,632 |
| Intel Core Ultra 7 165H              | 30,596 |
| AMD EPYC Embedded 7292P              | 30,542 |
| AMD Ryzen 9 7940HS                   | 30,540 |
| Intel Core i9-13905H                 | 30,519 |
| Intel Xeon W-3245 @ 3.20GHz          | 30,505 |
| Intel Xeon Gold 6246R @ 3.40GHz      | 30,468 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |        |
|------------------------------------|--------|
| Intel Xeon Gold 6254 @ 3.10GHz     | 30,381 |
| Intel Xeon E-2488                  | 30,368 |
| AMD Ryzen 7 8845H                  | 30,338 |
| Intel Core i9-7980XE @ 2.60GHz     | 30,237 |
| AMD Ryzen 9 8945HS                 | 30,226 |
| Intel Core i9-9990XE @ 4.00GHz     | 30,162 |
| Intel Core i9-12900T               | 30,113 |
| Intel Xeon W-3265 @ 2.70GHz        | 30,105 |
| Intel Xeon Platinum 8270 @ 2.70GHz | 29,986 |
| AMD Ryzen Threadripper 2970WX      | 29,949 |
| AMD Ryzen 7 8845HS                 | 29,904 |
| Intel Core i7-12800HE              | 29,805 |
| AMD EPYC 7282                      | 29,548 |
| Intel Xeon Gold 6248 @ 2.50GHz     | 29,504 |
| AMD Ryzen Threadripper 2950X       | 29,387 |
| Intel Xeon Platinum 8260 @ 2.40GHz | 29,360 |
| Intel Xeon Silver 4314 @ 2.40GHz   | 29,346 |
| Intel Core i9-13900H               | 29,337 |
| Intel Core i5-13600HX              | 29,322 |
| Intel Core i7-12700E               | 29,289 |
| AMD Ryzen 7 7840HS                 | 29,035 |
| Intel Xeon Gold 6148 @ 2.40GHz     | 28,999 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |        |
|------------------------------------|--------|
| Intel Xeon Gold 6210U @ 2.50GHz    | 28,915 |
| Intel Xeon Silver 4410T            | 28,859 |
| Intel Xeon W-2191B @ 2.30GHz       | 28,803 |
| AMD Ryzen 7 7840H                  | 28,778 |
| Intel Core i9-7960X @ 2.80GHz      | 28,754 |
| Intel Xeon Gold 6238 @ 2.10GHz     | 28,668 |
| Intel Xeon w5-3423                 | 28,666 |
| Intel Xeon Gold 6154 @ 3.00GHz     | 28,632 |
| AMD Ryzen 5 7600X                  | 28,609 |
| Intel Xeon Gold 6253CL @ 3.10GHz   | 28,549 |
| Intel Core i5-13500HX              | 28,491 |
| Intel Xeon D-2795NT @ 2.00GHz      | 28,463 |
| AMD EPYC 7401P                     | 28,293 |
| AMD Ryzen 7 5800X3D                | 28,288 |
| Intel Core i9-12900H               | 28,263 |
| AMD Ryzen 9 PRO 7940HS             | 28,195 |
| ARM Neoverse-N1 64 Core 0 MHz      | 28,064 |
| Intel Core i9-9940X @ 3.30GHz      | 28,059 |
| Intel Core i5-13500E               | 28,036 |
| Intel Xeon W-2195 @ 2.30GHz        | 27,985 |
| Intel Core i9-12900HK              | 27,982 |
| Intel Xeon Platinum 8160 @ 2.10GHz | 27,968 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |        |
|-------------------------------------|--------|
| AMD Ryzen 7 5800X                   | 27,928 |
| Intel Xeon W-2275 @ 3.30GHz         | 27,859 |
| Intel Core i9-10940X @ 3.30GHz      | 27,856 |
| Intel Core i5-12600K                | 27,761 |
| AMD Ryzen Threadripper 1950X        | 27,614 |
| AMD Ryzen Threadripper 2990X        | 27,606 |
| Intel Core i5-13490F                | 27,539 |
| Intel Core i7-13700T                | 27,512 |
| Intel Core i7-13700H                | 27,504 |
| Intel Xeon Gold 6212U @ 2.40GHz     | 27,470 |
| AMD EPYC 7571                       | 27,445 |
| Intel Core i5-12600KF               | 27,432 |
| AMD Ryzen 5 PRO 7645                | 27,409 |
| Intel Xeon Gold 5317 @ 3.00GHz      | 27,387 |
| Intel Xeon Gold 6150 @ 2.70GHz      | 27,337 |
| Intel Xeon Platinum 8124M @ 3.00GHz | 27,336 |
| AMD Ryzen 5 7600                    | 27,306 |
| Intel Xeon D-2775TE @ 2.00GHz       | 27,299 |
| Intel Core i7-13800H                | 27,254 |
| AMD EPYC 72F3                       | 27,252 |
| Intel Core Ultra 9 185H             | 27,184 |
| Intel Xeon Gold 6252 @ 2.10GHz      | 27,148 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |        |
|-------------------------------------|--------|
| Intel Xeon Gold 6208U @ 2.90GHz     | 27,085 |
| Intel Xeon Gold 6230 @ 2.10GHz      | 27,069 |
| Intel Xeon w3-2435                  | 26,946 |
| AMD Ryzen 5 7500F                   | 26,937 |
| Apple M3 Pro 12 Core                | 26,932 |
| Intel Core i5-14400                 | 26,923 |
| AMD Ryzen 5 7645HX                  | 26,868 |
| Intel Xeon W-3245M @ 3.20GHz        | 26,814 |
| AMD Ryzen 7 5700X                   | 26,728 |
| AMD Ryzen 7 5700X3D                 | 26,725 |
| Intel Xeon Platinum 8175M @ 2.50GHz | 26,659 |
| Intel Xeon D-2796TE @ 2.00GHz       | 26,342 |
| Intel Core i7-12700H                | 26,316 |
| Intel Core i9-10920X @ 3.50GHz      | 26,296 |
| Intel Xeon Gold 6242 @ 2.80GHz      | 26,288 |
| Apple M2 Pro 12 Core 3480 MHz       | 26,250 |
| Apple M2 Max 12 Core 3680 MHz       | 26,241 |
| Intel Xeon Gold 6226R @ 2.90GHz     | 26,206 |
| AMD Ryzen 7 PRO 5845                | 26,162 |
| AMD Ryzen 7 PRO 7840HS              | 26,117 |
| Intel Xeon W-2265 @ 3.50GHz         | 26,045 |
| Intel Core i9-7940X @ 3.10GHz       | 25,964 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |        |
|-------------------------------------|--------|
| Intel Core i7-13620H                | 25,947 |
| Intel Core i9-12900E                | 25,921 |
| Intel Xeon W-3323 @ 3.50GHz         | 25,875 |
| AMD Ryzen 7 5800                    | 25,834 |
| Intel Core i5-13600T                | 25,834 |
| Intel Xeon W-3235 @ 3.30GHz         | 25,789 |
| AMD EPYC 7351P                      | 25,657 |
| Intel Core i5-14400F                | 25,648 |
| AMD Ryzen 7 7840S                   | 25,622 |
| Intel Xeon E5-2698R v4 @ 2.20GHz    | 25,605 |
| AMD EPYC 7272                       | 25,568 |
| AMD Ryzen Z1 Extreme                | 25,555 |
| Intel Xeon Gold 6142 @ 2.60GHz      | 25,490 |
| Intel Xeon W-1390P @ 3.50GHz        | 25,451 |
| Intel Core i5-13600H                | 25,417 |
| Intel Xeon Platinum 8167M @ 2.00GHz | 25,396 |
| Intel Xeon E5-2699 v4 @ 2.20GHz     | 25,386 |
| Intel Core i9-11900K @ 3.50GHz      | 25,342 |
| AMD Ryzen Threadripper 2920X        | 25,301 |
| Intel Core i5-13400F                | 25,268 |
| Intel Core i9-11900KF @ 3.50GHz     | 25,258 |
| Intel Core i9-9920X @ 3.50GHz       | 25,216 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| AMD Ryzen 5 8600G                | 25,178 |
| Intel Core i5-13450HX            | 25,169 |
| AMD Ryzen 7 7840U                | 25,100 |
| Intel Xeon Gold 5415+            | 25,012 |
| Intel Xeon E5-2699A v4 @ 2.40GHz | 25,000 |
| Intel Core i7-12800H             | 24,992 |
| Intel Core i5-13400              | 24,980 |
| AMD EPYC 7501                    | 24,925 |
| AMD Ryzen 9 6900HX               | 24,869 |
| Intel Xeon Gold 6434             | 24,836 |
| Intel Xeon Gold 6246 @ 3.30GHz   | 24,829 |
| Intel Xeon Gold 6143 @ 2.80GHz   | 24,786 |
| AMD Ryzen 7 PRO 7840U            | 24,759 |
| Intel Xeon Gold 5218R @ 2.10GHz  | 24,742 |
| Intel Xeon Gold 6152 @ 2.10GHz   | 24,680 |
| Intel Core i7-11700K @ 3.60GHz   | 24,674 |
| Intel Xeon E5-2696 v4 @ 2.20GHz  | 24,653 |
| AMD Ryzen 7 5700G                | 24,618 |
| Intel Core i5-12600HE            | 24,599 |
| Intel Xeon W-1370P @ 3.60GHz     | 24,540 |
| AMD Ryzen 7 PRO 5750G            | 24,465 |
| Intel Core i5-12600HX            | 24,321 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |        |
|---------------------------------|--------|
| AMD Ryzen 7 7735H               | 24,298 |
| Intel Core Ultra 5 135H         | 24,276 |
| AMD Ryzen 7 7735HS              | 24,238 |
| Intel Core i7-13705H            | 24,219 |
| AMD Ryzen 7 5700                | 24,187 |
| Intel Core Ultra 7 155H         | 24,176 |
| Intel Xeon Gold 5220 @ 2.20GHz  | 24,154 |
| Intel Xeon W-2170B @ 2.50GHz    | 24,132 |
| Intel Xeon E5-2679 v4 @ 2.50GHz | 24,131 |
| Intel Core i7-11700KF @ 3.60GHz | 24,037 |
| Intel Xeon W-1390 @ 2.80GHz     | 23,902 |
| Apple M3 Pro 11 Core            | 23,833 |
| Intel Xeon Gold 6122 @ 1.80GHz  | 23,781 |
| AMD Ryzen 9 6900HS              | 23,767 |
| Intel Xeon W-11865MRE @ 2.60GHz | 23,702 |
| Intel Xeon E-2388G @ 3.20GHz    | 23,700 |
| AMD Ryzen 7 3800XT              | 23,629 |
| Intel Xeon E5-2698 v4 @ 2.20GHz | 23,617 |
| Intel Core i9-7920X @ 2.90GHz   | 23,616 |
| AMD Ryzen 7 6800H               | 23,583 |
| AMD EPYC 7351                   | 23,566 |
| AMD Ryzen 9 5980HX              | 23,561 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |        |
|------------------------------------|--------|
| Intel Xeon Silver 4410Y            | 23,554 |
| Intel Core i5-13500T               | 23,507 |
| AMD EPYC 7F32                      | 23,453 |
| Intel Xeon W-1370 @ 2.90GHz        | 23,449 |
| Intel Core i5-14500T               | 23,439 |
| Intel Xeon W-2175 @ 2.50GHz        | 23,398 |
| Intel Xeon E E-2456                | 23,330 |
| Intel Xeon Gold 6146 @ 3.20GHz     | 23,296 |
| AMD Ryzen 7 3800X                  | 23,181 |
| Intel Xeon Platinum 8176 @ 2.10GHz | 23,179 |
| Intel Core i7-12650H               | 23,131 |
| AMD Ryzen Threadripper 1920X       | 23,128 |
| Intel Core i5-13500H               | 23,076 |
| Intel Core i7-13700TE              | 23,074 |
| Intel Xeon Gold 6140 @ 2.30GHz     | 23,016 |
| Intel Core i9-10900K @ 3.70GHz     | 22,984 |
| AMD Ryzen 9 PRO 6950HS             | 22,977 |
| AMD Ryzen 7 PRO 6850H              | 22,975 |
| Intel Core i9-11900 @ 2.50GHz      | 22,956 |
| AMD Ryzen 7 PRO 3700               | 22,930 |
| AMD Ryzen 7 6800HS                 | 22,929 |
| AMD Ryzen 5 PRO 7640HS             | 22,923 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |        |
|--------------------------------------|--------|
| Intel Core i9-11900KB @ 3.30GHz      | 22,901 |
| Intel Core i9-11980HK @ 2.60GHz      | 22,894 |
| Intel Core i7-11700B @ 3.20GHz       | 22,851 |
| AMD Ryzen 5 7640HS                   | 22,838 |
| Intel Xeon Silver 4310 @ 2.10GHz     | 22,797 |
| Intel Xeon Gold 6138 @ 2.00GHz       | 22,765 |
| Intel Xeon W-11955M @ 2.60GHz        | 22,761 |
| Intel Core i5-12600H                 | 22,742 |
| Intel Core i9-10900KF @ 3.70GHz      | 22,706 |
| Intel Xeon Platinum P-8124 @ 3.00GHz | 22,674 |
| AMD Ryzen 9 5900HX                   | 22,632 |
| Intel Xeon W-1290P @ 3.70GHz         | 22,617 |
| Intel Core i9-11900F @ 2.50GHz       | 22,585 |
| AMD Ryzen 7 3700X                    | 22,584 |
| AMD Ryzen 7 7736U                    | 22,560 |
| Intel Core i9-10900X @ 3.70GHz       | 22,483 |
| Intel Core i9-10850K @ 3.60GHz       | 22,472 |
| AMD EPYC 7551                        | 22,463 |
| Intel Xeon E5-2696 v3 @ 2.30GHz      | 22,427 |
| AMD Ryzen 9 PRO 6950H                | 22,417 |
| Intel Xeon W-2255 @ 3.70GHz          | 22,321 |
| Intel Xeon E5-2699C v4 @ 2.20GHz     | 22,308 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |        |
|------------------------------------|--------|
| Intel Xeon E-2378G @ 2.80GHz       | 22,302 |
| Montage Jintide C5318Y             | 22,237 |
| AMD Ryzen 7 6800HS Creator Edition | 22,228 |
| AMD Ryzen 7 5700GE                 | 22,196 |
| AMD Ryzen 9 5900HS Creator Edition | 22,138 |
| AMD Ryzen 5 5600X3D                | 22,101 |
| AMD Ryzen 9 6900HS Creator Edition | 22,094 |
| AMD Ryzen Threadripper 1920        | 22,066 |
| Intel Xeon E E-2486                | 22,060 |
| AMD Ryzen 7 PRO 5750GE             | 22,037 |
| Apple M1 Max 10 Core 3200 MHz      | 22,013 |
| AMD Ryzen 7 PRO 6850HS             | 21,998 |
| Intel Xeon Gold 5218 @ 2.30GHz     | 21,986 |
| AMD Ryzen 5 5600X                  | 21,916 |
| AMD Ryzen 5 PRO 5645               | 21,904 |
| AMD Ryzen 5 8500G                  | 21,825 |
| Intel Xeon Gold 6132 @ 2.60GHz     | 21,809 |
| Intel Core i9-9900X @ 3.50GHz      | 21,805 |
| Intel Xeon Gold 6130T @ 2.10GHz    | 21,804 |
| Apple M1 Pro 10 Core 3200 MHz      | 21,793 |
| AMD Ryzen 9 5900HS                 | 21,783 |
| AMD EPYC 7281                      | 21,621 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |        |
|------------------------------------|--------|
| Intel Xeon E7-8891 v3 @ 2.80GHz    | 21,615 |
| Intel Core i7-12700T               | 21,613 |
| AMD Ryzen 5 5600                   | 21,585 |
| Intel Core i9-10910 @ 3.60GHz      | 21,582 |
| Apple M2 Pro 10 Core 3480 MHz      | 21,541 |
| Intel Xeon Gold 6334 @ 3.60GHz     | 21,521 |
| AMD Ryzen 5 7640U                  | 21,517 |
| Intel Core i5-13500TE              | 21,478 |
| Intel Core i5-12500H               | 21,448 |
| Intel Xeon Gold 5218T @ 2.10GHz    | 21,433 |
| AMD Ryzen 7 7735U                  | 21,431 |
| Intel Core i9-11950H @ 2.60GHz     | 21,419 |
| Intel Xeon Gold 6136 @ 3.00GHz     | 21,413 |
| AMD Ryzen 9 5980HS                 | 21,320 |
| Intel Core i5-12600                | 21,308 |
| Intel Xeon E5-2697A v4 @ 2.60GHz   | 21,250 |
| Intel Core i9-7900X @ 3.30GHz      | 21,209 |
| AMD Ryzen 7 5800HS Creator Edition | 21,166 |
| AMD Ryzen 7 5800H                  | 21,094 |
| Intel Core i7-11700F @ 2.50GHz     | 21,069 |
| Intel Core Ultra 5 125H            | 21,031 |
| Intel Xeon W-2155 @ 3.30GHz        | 21,019 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |        |
|-----------------------------------|--------|
| Intel Core i7-7900X @ 3.30GHz     | 21,008 |
| Intel Xeon Silver 4310T @ 2.30GHz | 20,973 |
| AMD Ryzen 9 5900H                 | 20,960 |
| Intel Xeon Gold 6250 @ 3.90GHz    | 20,915 |
| AMD Ryzen 7 PRO 6860Z             | 20,901 |
| AMD Ryzen 7 PRO 6850U             | 20,890 |
| Intel Core i5-13400T              | 20,880 |
| Intel Xeon E5-2686 v4 @ 2.30GHz   | 20,873 |
| Intel Xeon E5-2697R v4 @ 2.30GHz  | 20,843 |
| Intel Xeon Gold 5315Y @ 3.20GHz   | 20,820 |
| AMD Ryzen 5 PRO 5650G             | 20,819 |
| AMD EPYC 7262                     | 20,795 |
| AMD Ryzen 7 Pro 7735U             | 20,753 |
| Intel Xeon E5-2697 v4 @ 2.30GHz   | 20,722 |
| Intel Core i5-12500E              | 20,699 |
| Intel Xeon E5-2673 v4 @ 2.30GHz   | 20,691 |
| Intel Core i7-11800H @ 2.30GHz    | 20,672 |
| Intel Core i9-11900H @ 2.50GHz    | 20,671 |
| Intel Core i7-1280P               | 20,670 |
| AMD Ryzen 7 6800U                 | 20,665 |
| Intel Core i7-11850H @ 2.50GHz    | 20,655 |
| Intel Xeon Gold 6138T @ 2.00GHz   | 20,649 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| Intel Xeon D-2753NT @ 2.00GHz    | 20,626 |
| Intel Xeon Silver 4216 @ 2.10GHz | 20,613 |
| Intel Xeon W-2150B @ 3.00GHz     | 20,549 |
| Intel Core i5-12490F             | 20,526 |
| AMD EPYC 8024P 8-Core            | 20,497 |
| AMD Ryzen 5 5500GT               | 20,492 |
| AMD EPYC 7451                    | 20,471 |
| AMD Ryzen 7 PRO 4750G            | 20,467 |
| Intel Xeon Gold 6226 @ 2.70GHz   | 20,429 |
| Intel Xeon Gold 6130 @ 2.10GHz   | 20,411 |
| Intel Xeon E5-2699 v3 @ 2.30GHz  | 20,357 |
| Intel Core i7-1370P              | 20,320 |
| Intel Xeon E5-4667 v4 @ 2.20GHz  | 20,319 |
| Intel Core i5-1250P              | 20,287 |
| Intel Core i5-1350P              | 20,279 |
| Intel Xeon D-1747NTE @ 2.50GHz   | 20,279 |
| Intel Core Ultra 5 135U          | 20,232 |
| AMD Ryzen 7 5800HS               | 20,203 |
| AMD Ryzen 7 4700G                | 20,151 |
| Intel Xeon W-1290 @ 3.20GHz      | 20,123 |
| Intel Core i9-10900F @ 2.80GHz   | 20,083 |
| AMD Ryzen 5 5600GT               | 20,064 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |        |
|---------------------------------|--------|
| Intel Core i9-9820X @ 3.30GHz   | 20,045 |
| Intel Core i5-1340PE            | 20,041 |
| Intel Xeon Gold 6144 @ 3.50GHz  | 19,993 |
| Intel Core i5-12500             | 19,924 |
| Intel Core i9-10900 @ 2.80GHz   | 19,912 |
| AMD Ryzen 5 5600G               | 19,902 |
| AMD Ryzen 7 4700GE              | 19,831 |
| Intel Core i7-11700 @ 2.50GHz   | 19,797 |
| Intel Xeon W-1350P @ 4.00GHz    | 19,797 |
| Intel Xeon E5-2695 v4 @ 2.10GHz | 19,791 |
| AMD Ryzen 7 PRO 4700G           | 19,786 |
| Intel Core i5-11600KF @ 3.90GHz | 19,672 |
| AMD Ryzen 7 PRO 7730U           | 19,666 |
| Intel Core i5-11600K @ 3.90GHz  | 19,652 |
| Intel Xeon E5-2690 v4 @ 2.60GHz | 19,639 |
| Intel Xeon E-2386G @ 3.50GHz    | 19,613 |
| Intel Core i9-10900E @ 2.80GHz  | 19,595 |
| Intel Core i5-12400F            | 19,548 |
| AMD EPYC 3451                   | 19,532 |
| Intel Core i9-9900KS @ 4.00GHz  | 19,511 |
| Intel Xeon W-2245 @ 3.90GHz     | 19,476 |
| AMD Ryzen 5 5500                | 19,475 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |        |
|-----------------------------------|--------|
| Intel Core i5-12400               | 19,428 |
| AMD EPYC 7252                     | 19,411 |
| Intel Xeon Gold 6137 @ 3.90GHz    | 19,365 |
| AMD Ryzen 5 7540U                 | 19,220 |
| Intel Core i5-1340P               | 19,207 |
| Intel Core i7-1360P               | 19,181 |
| AMD Ryzen 9 4900H                 | 19,166 |
| Intel Xeon D-2752TER @ 1.80GHz    | 19,102 |
| Intel Xeon Silver 4309Y @ 2.80GHz | 19,100 |
| AMD Ryzen 5 PRO 6650H             | 19,094 |
| Intel Xeon E5-2682 v4 @ 2.50GHz   | 19,058 |
| AMD Ryzen 9 4900HS                | 19,042 |
| Intel Xeon W-1350 @ 3.30GHz       | 19,015 |
| AMD Ryzen 5 Pro 7535U             | 19,012 |
| Intel Xeon Gold 6244 @ 3.60GHz    | 18,980 |
| Intel Xeon E5-2676 v4 @ 2.40GHz   | 18,978 |
| Intel Core i9-11900T @ 1.50GHz    | 18,968 |
| Intel Core i5-13420H              | 18,960 |
| AMD Ryzen 5 6600H                 | 18,952 |
| Apple M3 8 Core                   | 18,948 |
| Intel Core i5-12450HX             | 18,946 |
| Intel Xeon E5-2698 v3 @ 2.30GHz   | 18,946 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| Intel Xeon E-2356G @ 3.20GHz     | 18,937 |
| Intel Core i7-11850HE @ 2.60GHz  | 18,899 |
| Intel Core i7-10700K @ 3.80GHz   | 18,862 |
| AMD Ryzen 7 7730U                | 18,837 |
| Hygon C86 7255 16-core           | 18,831 |
| ARM Neoverse-N1 80 Core 2600 MHz | 18,823 |
| ARM Neoverse-N1 64 Core 2200 MHz | 18,803 |
| Intel Xeon W-1290E @ 3.50GHz     | 18,786 |
| Intel Xeon E5-2697 v3 @ 2.60GHz  | 18,767 |
| Intel Core Ultra 5 125U          | 18,752 |
| AMD Ryzen Z1                     | 18,722 |
| AMD Ryzen 5 5600GE               | 18,721 |
| Intel Xeon Gold 6126 @ 2.60GHz   | 18,701 |
| AMD Ryzen 5 3600XT               | 18,673 |
| Intel Core i7-10700KF @ 3.80GHz  | 18,656 |
| Intel Xeon W-1270E @ 3.40GHz     | 18,635 |
| AMD Ryzen 7 4800H                | 18,599 |
| AMD Ryzen 7 5800U                | 18,583 |
| Intel Xeon W-1270P @ 3.80GHz     | 18,553 |
| AMD Ryzen 7 4800HS               | 18,515 |
| AMD Ryzen 7 PRO 4750GE           | 18,450 |
| Intel Xeon W-1290T @ 1.90GHz     | 18,409 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |        |
|------------------------------------|--------|
| AMD Ryzen 5 PRO 5650GE             | 18,408 |
| AMD Ryzen 5 7535HS                 | 18,406 |
| AMD Ryzen 7 5825U                  | 18,405 |
| Intel Xeon D-2183IT @ 2.20GHz      | 18,385 |
| AMD Ryzen Embedded V3C48           | 18,361 |
| Intel Xeon Silver 4214R @ 2.40GHz  | 18,342 |
| Intel Core i9-9900K @ 3.60GHz      | 18,340 |
| Intel Core i9-9900KF @ 3.60GHz     | 18,324 |
| Intel Xeon w3-2425                 | 18,284 |
| Intel Xeon W-11855M @ 3.20GHz      | 18,268 |
| AMD Ryzen 5 6600HS Creator Edition | 18,245 |
| Intel Xeon E7-8880 v3 @ 2.30GHz    | 18,244 |
| AMD Ryzen 5 3600X                  | 18,218 |
| Intel Xeon W-2145 @ 3.70GHz        | 18,192 |
| AMD Ryzen 5 PRO 7540U              | 18,182 |
| Intel Xeon E5-2686 v3 @ 2.00GHz    | 18,148 |
| Intel Xeon Gold 5120T @ 2.20GHz    | 18,127 |
| Intel Core i5-11600 @ 2.80GHz      | 18,111 |
| AMD 4700S                          | 18,104 |
| Intel Core i7-9800X @ 3.80GHz      | 18,078 |
| Intel Xeon D-2187NT @ 2.00GHz      | 18,070 |
| Intel Xeon E5-2687W v4 @ 3.00GHz   | 18,054 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |        |
|---|--------|
| Intel Core i7-1270PE                        | 17,960 |
| Intel Xeon E5-2680 v4 @ 2.40GHz             | 17,926 |
| Intel Core i7-13700E                        | 17,832 |
| Intel Xeon D-1736NT @ 2.70GHz               | 17,826 |
| AMD Ryzen 5 3600                            | 17,773 |
| Intel Xeon E5-2683 v4 @ 2.10GHz             | 17,765 |
| Intel Core i5-11500B @ 3.30GHz              | 17,752 |
| Intel Xeon Gold 6234 @ 3.30GHz              | 17,752 |
| AMD Ryzen 5 PRO 3600                        | 17,748 |
| Intel Core i5-1250PE                        | 17,738 |
| Intel Xeon Gold 5120 @ 2.20GHz              | 17,686 |
| Intel Xeon W-1270 @ 3.40GHz                 | 17,641 |
| Intel Core i5-12600T                        | 17,551 |
| AMD Ryzen 7 2700X                           | 17,541 |
| Intel Xeon E5-2680R v4 @ 2.40GHz            | 17,487 |
| Intel Xeon W-11555MRE @ 2.60GHz             | 17,484 |
| Intel Core i7-1270P                         | 17,472 |
| AMD Ryzen 7 4980U Microsoft Surface Edition | 17,469 |
| Intel Core i7-6950X @ 3.00GHz               | 17,466 |
| Intel Core i5-11500 @ 2.70GHz               | 17,433 |
| Intel Xeon E5-4669 v3 @ 2.10GHz             | 17,430 |
| Intel Xeon E-2288G @ 3.70GHz                | 17,359 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |        |
|---------------------------------|--------|
| Intel Core i5-12450H            | 17,349 |
| Intel Core i5-1240P             | 17,315 |
| Intel Core 5 120U               | 17,292 |
| Intel Xeon W-2140B @ 3.20GHz    | 17,287 |
| Intel Core i7-7820X @ 3.60GHz   | 17,232 |
| Intel Core i7-1260P             | 17,227 |
| Intel Xeon E-2378 @ 2.60GHz     | 17,215 |
| Intel Xeon W-3223 @ 3.50GHz     | 17,204 |
| AMD Ryzen 5 4400G               | 17,160 |
| AMD Ryzen 7 PRO 5850U           | 17,141 |
| Apple M1 Pro 8 Core 3200 MHz    | 17,125 |
| Intel Core i5-11400F @ 2.60GHz  | 17,120 |
| AMD Ryzen 5 5600H               | 17,085 |
| Intel Core i5-11400 @ 2.60GHz   | 17,082 |
| Intel Xeon E-2278G @ 3.40GHz    | 17,023 |
| AMD EPYC 7232P                  | 17,017 |
| Intel Core i9-10900TE @ 1.80GHz | 16,914 |
| AMD Ryzen 7 PRO 2700X           | 16,908 |
| AMD Ryzen 7 Extreme Edition     | 16,903 |
| AMD Ryzen 5 6600U               | 16,846 |
| Intel Core i7-12700TE           | 16,833 |
| AMD Ryzen Threadripper 1900X    | 16,791 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |        |
|-----------------------------------|--------|
| Intel Core Ultra 7 165U           | 16,756 |
| AMD Ryzen 7 4800U                 | 16,740 |
| AMD Ryzen 5 PRO 6650U             | 16,729 |
| AMD Ryzen Embedded V2748          | 16,706 |
| Intel Xeon E5-2689 v4 @ 3.10GHz   | 16,703 |
| Intel Xeon Gold 5118 @ 2.30GHz    | 16,669 |
| Intel Core i5-12500T              | 16,621 |
| Intel Xeon E-2336 @ 2.90GHz       | 16,621 |
| Intel Xeon Gold 6134 @ 3.20GHz    | 16,618 |
| Intel Xeon E5-2695 v3 @ 2.30GHz   | 16,569 |
| Intel Core i9-9900 @ 3.10GHz      | 16,566 |
| Intel Xeon E5-2690 v3 @ 2.60GHz   | 16,560 |
| Intel Core i5-1335U               | 16,513 |
| Intel Core i7-10700 @ 2.90GHz     | 16,502 |
| Intel Core i7-10700F @ 2.90GHz    | 16,480 |
| Intel Xeon Silver 4214Y @ 2.20GHz | 16,442 |
| Intel Core i7-10700E @ 2.90GHz    | 16,418 |
| AMD Ryzen 5 7530U                 | 16,401 |
| Intel Xeon E-2278GE @ 3.30GHz     | 16,401 |
| AMD Ryzen 7 1800X                 | 16,393 |
| AMD Ryzen 5 7535U                 | 16,386 |
| AMD Ryzen 5 PRO 4655G             | 16,355 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| AMD Ryzen 5 PRO 4400G            | 16,354 |
| Intel Core i7-10700TE @ 2.00GHz  | 16,332 |
| Intel Xeon E5-2698B v3 @ 2.00GHz | 16,287 |
| Intel Core i7-11600H @ 2.90GHz   | 16,268 |
| Intel Xeon w3-2423               | 16,264 |
| Intel Core i5-12400T             | 16,262 |
| AMD Ryzen 5 PRO 4650G            | 16,221 |
| Intel Xeon D-2733NT @ 2.10GHz    | 16,206 |
| Intel Xeon Silver 4214 @ 2.20GHz | 16,190 |
| Intel Xeon E E-2434              | 16,187 |
| Intel Xeon E5-2660 v4 @ 2.00GHz  | 16,183 |
| Intel Core i7-11700T @ 1.40GHz   | 16,178 |
| Intel Core i5-11500H @ 2.90GHz   | 16,170 |
| Intel Core i3-1220PE             | 16,146 |
| AMD Ryzen 5 4500                 | 16,139 |
| Intel Xeon E5-2669 v3 @ 2.30GHz  | 16,107 |
| AMD Ryzen 7 PRO 5875U            | 16,088 |
| AMD Ryzen Embedded V2718         | 16,075 |
| AMD Ryzen 5 4600G                | 16,024 |
| Intel Xeon W-11865MLE @ 1.50GHz  | 15,958 |
| AMD Ryzen 7 4850U Mobile         | 15,920 |
| AMD Ryzen 7 5700U                | 15,878 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |        |
|---------------------------------|--------|
| AMD Ryzen 5 4600GE              | 15,823 |
| Intel Core i9-13900TE           | 15,819 |
| Intel Xeon Gold 5117 @ 2.00GHz  | 15,816 |
| Intel Core i5-11400H @ 2.70GHz  | 15,778 |
| Intel Core i5-11260H @ 2.60GHz  | 15,737 |
| AMD Ryzen 7 2700                | 15,727 |
| Intel Xeon W-10885M @ 2.40GHz   | 15,711 |
| AMD Ryzen 7 1700X               | 15,664 |
| Intel Xeon Gold 5215 @ 2.50GHz  | 15,624 |
| AMD Ryzen 7 PRO 1700X           | 15,612 |
| Intel Core i9-10980HK @ 2.40GHz | 15,598 |
| AMD Ryzen 5 PRO 4650GE          | 15,580 |
| AMD Ryzen Embedded V3C18I       | 15,541 |
| Intel Xeon D-1726 @ 2.90GHz     | 15,511 |
| AMD Ryzen 5 5600U               | 15,478 |
| AMD Ryzen 5 PRO 7530U           | 15,473 |
| Intel Core i5-1345U             | 15,441 |
| Intel Xeon Gold 5217 @ 3.00GHz  | 15,429 |
| Intel Xeon E5-4667 v3 @ 2.00GHz | 15,397 |
| Intel Core i3-14100             | 15,391 |
| Apple M2 8 Core 3500 MHz        | 15,385 |
| Intel Xeon E5-4660 v4 @ 2.20GHz | 15,375 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |        |
|-----------------------------------|--------|
| Intel Core i7-1355U               | 15,309 |
| Intel Core i3-14100F              | 15,300 |
| AMD Ryzen 7 PRO 2700              | 15,280 |
| Intel Xeon E5-2680 v3 @ 2.50GHz   | 15,280 |
| AMD Ryzen 7 PRO 4750U             | 15,226 |
| Intel Xeon Silver 4116T @ 2.10GHz | 15,187 |
| Intel Core i7-1365U               | 15,178 |
| Intel Core i9-10885H @ 2.40GHz    | 15,172 |
| Intel Xeon Silver 4215R @ 3.20GHz | 15,140 |
| Intel Xeon E-2286M @ 2.40GHz      | 15,130 |
| Intel Xeon D-2166NT @ 2.00GHz     | 15,105 |
| AMD Ryzen 5 5560U                 | 15,096 |
| Intel Xeon Silver 4210R @ 2.40GHz | 15,075 |
| Intel Xeon Silver 4116 @ 2.10GHz  | 15,065 |
| Intel Core i9-10900T @ 1.90GHz    | 15,023 |
| AMD Ryzen 5 5625U                 | 15,017 |
| AMD EPYC 7301                     | 14,991 |
| Intel Core i7-10875H @ 2.30GHz    | 14,961 |
| AMD EPYC 7251                     | 14,935 |
| AMD Ryzen 5 PRO 5650U             | 14,906 |
| Intel Xeon E5-2658A v3 @ 2.20GHz  | 14,879 |
| Intel Xeon D-1733NT @ 2.00GHz     | 14,849 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| Intel Xeon E5-2683 v3 @ 2.00GHz  | 14,837 |
| Intel Xeon E5-1681 v3 @ 2.90GHz  | 14,820 |
| AMD Ryzen 7 1700                 | 14,815 |
| AMD Ryzen 5 PRO 4400GE           | 14,795 |
| Intel Core i3-13100              | 14,737 |
| Intel Core i5-11600T @ 1.70GHz   | 14,713 |
| Intel Core i3-12300              | 14,695 |
| Intel Xeon E5-2687W v3 @ 3.10GHz | 14,690 |
| AMD Ryzen 7 PRO 1700             | 14,677 |
| Montage Jintide C4215R           | 14,672 |
| Intel Core i3-13100F             | 14,665 |
| Intel Xeon E5-2678 v3 @ 2.50GHz  | 14,662 |
| AMD Ryzen 7 2700E                | 14,657 |
| Intel Xeon Gold 5115 @ 2.40GHz   | 14,649 |
| Intel Core i9-10880H @ 2.30GHz   | 14,642 |
| AMD Ryzen 5 PRO 5675U            | 14,639 |
| Intel Core i7-6900K @ 3.20GHz    | 14,583 |
| Intel Core i5-12500TE            | 14,568 |
| Intel Core i7-10870H @ 2.20GHz   | 14,544 |
| AMD Ryzen 5 4600H                | 14,495 |
| Intel Core i7-9700K @ 3.60GHz    | 14,484 |
| Intel Xeon W-1250P @ 4.10GHz     | 14,440 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| Intel Xeon Silver 4215 @ 2.50GHz | 14,439 |
| AMD Ryzen 5 PRO 4655GE           | 14,436 |
| Intel Xeon E5-2658 v4 @ 2.30GHz  | 14,434 |
| Intel Xeon W-2135 @ 3.70GHz      | 14,425 |
| Intel Core i3-1220P              | 14,407 |
| Intel Xeon Silver 4123 @ 3.00GHz | 14,405 |
| Intel Xeon W-2235 @ 3.80GHz      | 14,379 |
| Intel Xeon E5-2666 v3 @ 2.90GHz  | 14,353 |
| Intel Core i7-9700KF @ 3.60GHz   | 14,342 |
| Intel Core i5-10600K @ 4.10GHz   | 14,333 |
| Intel Core i7-8086K @ 4.00GHz    | 14,330 |
| AMD Ryzen 5 4600HS               | 14,322 |
| Intel Xeon E5-2673 v3 @ 2.40GHz  | 14,302 |
| Intel Xeon E5-2697 v2 @ 2.70GHz  | 14,300 |
| Intel Core i5-10600KF @ 4.10GHz  | 14,268 |
| Intel Xeon E5-4660 v3 @ 2.10GHz  | 14,256 |
| Intel Xeon D-1732TE @ 1.90GHz    | 14,254 |
| Intel Core i3-12100E             | 14,250 |
| Apple M1 8 Core 3200 MHz         | 14,186 |
| Intel Core i3-12100F             | 14,164 |
| Intel Xeon E-2236 @ 3.40GHz      | 14,149 |
| Intel Core i5-1334U              | 14,142 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |        |
|---------------------------------|--------|
| Intel Core i9-9980HK @ 2.40GHz  | 14,121 |
| Intel Xeon E5-1680 v4 @ 3.40GHz | 14,079 |
| Intel Xeon E5-2696 v2 @ 2.50GHz | 14,061 |
| Intel Core i7-1265U             | 14,039 |
| Intel Xeon E-2286G @ 4.00GHz    | 13,994 |
| Intel Xeon E-2186G @ 3.80GHz    | 13,955 |
| Intel Core i7-1260U             | 13,937 |
| AMD Ryzen 5 2600X               | 13,925 |
| AMD EPYC 3251                   | 13,912 |
| Intel Xeon E-2246G @ 3.60GHz    | 13,898 |
| Intel Xeon E5-2667 v4 @ 3.20GHz | 13,876 |
| Intel Xeon E-2276G @ 3.80GHz    | 13,873 |
| AMD Ryzen 3 PRO 5350G           | 13,864 |
| Intel Core i9-9880H @ 2.30GHz   | 13,843 |
| Intel Xeon E5-2650 v4 @ 2.20GHz | 13,796 |
| Intel Core i7-1255U             | 13,787 |
| Intel Core i5-1240U             | 13,745 |
| Intel Xeon E5-2676 v3 @ 2.40GHz | 13,739 |
| Intel Core i5-10600 @ 3.30GHz   | 13,684 |
| Intel Xeon W-1250 @ 3.30GHz     | 13,679 |
| Intel Core i7-8700K @ 3.70GHz   | 13,666 |
| Intel Xeon E5-2670 v3 @ 2.30GHz | 13,622 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| Intel Xeon E-2374G @ 3.70GHz     | 13,607 |
| Intel Xeon E5-1660 v4 @ 3.20GHz  | 13,575 |
| Intel Xeon W-1270TE @ 2.00GHz    | 13,553 |
| Intel Xeon E-2176G @ 3.70GHz     | 13,543 |
| Intel Core i5-1235U              | 13,540 |
| Intel Core i3-12100              | 13,535 |
| Intel Core i5-1245U              | 13,523 |
| Intel Core i5-11400T @ 1.30GHz   | 13,520 |
| AMD Ryzen 5 PRO 2600             | 13,517 |
| Intel Xeon E5-2658 v3 @ 2.20GHz  | 13,487 |
| Intel Xeon E5-2690 v2 @ 3.00GHz  | 13,471 |
| Intel Xeon E-2136 @ 3.30GHz      | 13,453 |
| AMD Ryzen 3 PRO 5350GE           | 13,448 |
| AMD Ryzen 5 4600U                | 13,445 |
| Intel Xeon Gold 6128 @ 3.40GHz   | 13,427 |
| AMD Ryzen 7 4700U                | 13,425 |
| Intel Xeon Silver 4210 @ 2.20GHz | 13,407 |
| AMD Ryzen 3 5300GE               | 13,332 |
| Intel Xeon D-1581 @ 1.80GHz      | 13,282 |
| Intel Core i7-9700F @ 3.00GHz    | 13,267 |
| Intel Xeon E5-2695 v2 @ 2.40GHz  | 13,264 |
| Intel Xeon E-2146G @ 3.50GHz     | 13,260 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| Intel Core i3-12300T             | 13,251 |
| Intel Core i7-9700 @ 3.00GHz     | 13,228 |
| Intel Core i9-9900T @ 2.10GHz    | 13,224 |
| Intel Xeon E5-2660 v3 @ 2.60GHz  | 13,213 |
| Intel Core i3-13100T             | 13,210 |
| AMD Ryzen 5 2600                 | 13,206 |
| AMD Ryzen 5 3500X                | 13,189 |
| Intel Xeon E5-2675 v3 @ 1.80GHz  | 13,180 |
| Intel Xeon E5-1680 v3 @ 3.20GHz  | 13,132 |
| Intel Xeon Silver 4114 @ 2.20GHz | 13,127 |
| AMD Ryzen 5 5500U                | 13,092 |
| AMD Ryzen 5 1600X                | 13,068 |
| Intel Core i5-11500T @ 1.50GHz   | 13,053 |
| Intel Xeon D-1587 @ 1.70GHz      | 13,019 |
| AMD Ryzen Embedded V2516         | 13,016 |
| Intel Xeon E5-4627 v4 @ 2.60GHz  | 12,969 |
| Intel Xeon E5-2685 v3 @ 2.60GHz  | 12,944 |
| Intel Xeon E-2334 @ 3.40GHz      | 12,929 |
| Intel Core i7-9700E @ 2.60GHz    | 12,911 |
| AMD Ryzen 3 5300G                | 12,889 |
| Intel Core i7-8700 @ 3.20GHz     | 12,879 |
| Intel Core i7-7800X @ 3.50GHz    | 12,872 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| Intel Xeon W-10855M @ 2.80GHz    | 12,848 |
| AMD Ryzen 3 PRO 7330U            | 12,846 |
| Intel Core i7-10700T @ 2.00GHz   | 12,810 |
| AMD Ryzen 5 3500                 | 12,784 |
| AMD Ryzen 5 PRO 4650U            | 12,741 |
| Intel Xeon E5-1680 v2 @ 3.00GHz  | 12,741 |
| Intel Core i5-10500 @ 3.10GHz    | 12,739 |
| Intel Core i7-5960X @ 3.00GHz    | 12,725 |
| Intel Core i3-12100T             | 12,675 |
| AMD Ryzen 3 3300X                | 12,659 |
| Intel Core i3-1315U              | 12,657 |
| Intel Xeon W-2133 @ 3.60GHz      | 12,649 |
| Intel Xeon E5-2650L v4 @ 1.70GHz | 12,646 |
| Intel Xeon E5-2680 v2 @ 2.80GHz  | 12,601 |
| Intel Xeon W-11555MLE @ 1.90GHz  | 12,591 |
| Intel Xeon E5-2667 v3 @ 3.20GHz  | 12,572 |
| Intel Xeon E5-1660 v3 @ 3.00GHz  | 12,522 |
| Intel Xeon D-2143IT @ 2.20GHz    | 12,461 |
| Intel Xeon E5-4628L v4 @ 1.80GHz | 12,461 |
| Intel Xeon E5-2618L v4 @ 2.20GHz | 12,406 |
| Intel Xeon E5-2649 v3 @ 2.30GHz  | 12,399 |
| Intel Xeon E5-2640 v4 @ 2.40GHz  | 12,356 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| Intel Core i3-12100TE            | 12,314 |
| AMD Ryzen 5 1600                 | 12,282 |
| Intel Xeon E5-2667 v2 @ 3.30GHz  | 12,266 |
| Intel Xeon E5-2687W v2 @ 3.40GHz | 12,265 |
| Apple A17 Pro                    | 12,239 |
| Intel Xeon W-1250E @ 3.50GHz     | 12,212 |
| Intel Core i5-10505 @ 3.20GHz    | 12,209 |
| Intel Core i5-10400F @ 2.90GHz   | 12,204 |
| Intel Core i7-1250U              | 12,183 |
| Intel Core i5-10400 @ 2.90GHz    | 12,133 |
| Intel Xeon E5-2673 v2 @ 3.30GHz  | 12,128 |
| Intel Xeon E5-2692 v2 @ 2.20GHz  | 12,119 |
| AMD Ryzen 5 PRO 4500U            | 12,117 |
| Intel Xeon D-2141I @ 2.20GHz     | 12,117 |
| Intel Xeon E-2278GEL @ 2.00GHz   | 12,024 |
| Intel Core i7-8700B @ 3.20GHz    | 11,972 |
| Intel Core i7-10750H @ 2.60GHz   | 11,966 |
| Intel Xeon E5-2650 v3 @ 2.30GHz  | 11,924 |
| Intel Xeon E E-2414              | 11,923 |
| Intel Xeon E5-2650L v3 @ 1.80GHz | 11,880 |
| Intel Core i7-11375H @ 3.30GHz   | 11,874 |
| Snapdragon 8cx Gen 3 @ 3.0 GHz   | 11,853 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |        |
|-------------------------------------|--------|
| ARM Neoverse-N1 32 Core 1700 MHz    | 11,841 |
| Intel Core i7-10850H @ 2.70GHz      | 11,840 |
| QTI SM8650                          | 11,836 |
| Intel Xeon E-2276M @ 2.80GHz        | 11,800 |
| Intel Xeon E5-2663 v3 @ 2.80GHz     | 11,777 |
| ARM Neoverse-N1 80 Core 2800 MHz    | 11,755 |
| Intel CC150 @ 3.50GHz               | 11,745 |
| Intel Xeon D-2146NT @ 2.30GHz       | 11,736 |
| Intel Core i7-11370H @ 3.30GHz      | 11,733 |
| Intel Xeon E5-2630 v4 @ 2.20GHz     | 11,716 |
| Microsoft SQ3 @ 3.0 GHz             | 11,713 |
| Intel Xeon Platinum 8481C @ 2.70GHz | 11,681 |
| Intel Core i3-13100E                | 11,650 |
| Intel Xeon D-1577 @ 1.30GHz         | 11,645 |
| AMD Ryzen 3 3100                    | 11,619 |
| Intel Xeon E5-4657L v2 @ 2.40GHz    | 11,613 |
| Intel Xeon E5-2648L v4 @ 1.80GHz    | 11,547 |
| Intel Xeon E5-4669 v4 @ 2.20GHz     | 11,523 |
| AMD Ryzen 5 5500H                   | 11,483 |
| Intel Xeon E-2186M @ 2.90GHz        | 11,470 |
| Intel Core i7-6850K @ 3.60GHz       | 11,465 |
| Intel Xeon E5-1650 v4 @ 3.60GHz     | 11,453 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |        |
|-----------------------------------|--------|
| AMD Ryzen 3 5425U                 | 11,438 |
| Intel Xeon Silver 4208 @ 2.10GHz  | 11,384 |
| Intel Core i3-11100B @ 3.60GHz    | 11,357 |
| AMD Ryzen 3 PRO 5475U             | 11,354 |
| Intel Xeon E5-4627 v3 @ 2.60GHz   | 11,344 |
| AMD Ryzen 3 PRO 4200G             | 11,315 |
| Intel Xeon E5-2670 v2 @ 2.50GHz   | 11,292 |
| Intel Core i3-11100HE @ 2.40GHz   | 11,289 |
| Intel Core i5-10500H @ 2.50GHz    | 11,274 |
| Intel Core i5-10600T @ 2.40GHz    | 11,266 |
| AMD Ryzen 5 PRO 1600              | 11,240 |
| AMD Ryzen 3 4300GE                | 11,216 |
| Intel Xeon E5-2640 v3 @ 2.60GHz   | 11,167 |
| Intel Core i7-9850H @ 2.60GHz     | 11,159 |
| Intel Xeon E5-2643 v4 @ 3.40GHz   | 11,128 |
| Hygon C86 3250 8-core             | 11,114 |
| Apple A16 Bionic                  | 11,111 |
| AMD Ryzen 3 PRO 5450U             | 11,090 |
| Intel Xeon Silver 4209T @ 2.20GHz | 11,080 |
| AMD Ryzen 3 4100                  | 11,079 |
| Intel Xeon E5-2628L v4 @ 1.90GHz  | 11,079 |
| Intel Xeon E-2226G @ 3.40GHz      | 11,073 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| AMD Ryzen 3 7330U                | 11,067 |
| Intel Xeon E5-4650 v2 @ 2.40GHz  | 11,064 |
| AMD Ryzen 3 5400U                | 11,029 |
| Intel Core i5-11320H @ 3.20GHz   | 10,997 |
| Intel Core i5-11300H @ 3.10GHz   | 10,981 |
| Apple A12X Bionic                | 10,979 |
| Intel Core i7-1365URE            | 10,977 |
| AMD Ryzen 5 4500U                | 10,961 |
| AMD Ryzen 3 PRO 4350GE           | 10,957 |
| AMD Ryzen 3 4300G                | 10,955 |
| Intel Core i7-1195G7 @ 2.90GHz   | 10,942 |
| Intel Core i3-1215U              | 10,940 |
| AMD Ryzen 3 PRO 4350G            | 10,938 |
| AMD Ryzen 3 PRO 4200GE           | 10,930 |
| Intel Core i7-9750H @ 2.60GHz    | 10,907 |
| Intel Xeon E-2176M @ 2.70GHz     | 10,884 |
| Intel Xeon E5-2618L v3 @ 2.30GHz | 10,881 |
| Intel Core i5-1230U              | 10,863 |
| Intel Xeon E5-4650 v3 @ 2.10GHz  | 10,838 |
| Intel Core i5-10500E @ 3.10GHz   | 10,827 |
| Intel Core i7-6800K @ 3.40GHz    | 10,750 |
| Intel Core i7-9700T @ 2.00GHz    | 10,743 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| Intel Core i5-9600KF @ 3.70GHz   | 10,730 |
| Intel Core i5-9600K @ 3.70GHz    | 10,697 |
| Mediatek MT6989                  | 10,669 |
| Intel Xeon E5-2660 v2 @ 2.20GHz  | 10,647 |
| Intel Core i3-1210U              | 10,641 |
| Intel Xeon E5-2470 v2 @ 2.40GHz  | 10,612 |
| Intel Core i7-1185G7E @ 2.80GHz  | 10,601 |
| Intel Core i7-9750HF @ 2.60GHz   | 10,584 |
| Intel Core i9-8950HK @ 2.90GHz   | 10,568 |
| Intel Xeon W-2225 @ 4.10GHz      | 10,566 |
| AMD Ryzen 3 PRO 4355GE           | 10,559 |
| Intel Xeon E-2126G @ 3.30GHz     | 10,545 |
| Intel Core i7-1185G7 @ 3.00GHz   | 10,529 |
| Intel Xeon E5-4620 v3 @ 2.00GHz  | 10,525 |
| Intel Xeon E5-2658 v2 @ 2.40GHz  | 10,523 |
| Intel Xeon E5-2630L v4 @ 1.80GHz | 10,491 |
| Intel Xeon E5-2643 v3 @ 3.40GHz  | 10,462 |
| Intel Xeon D-1567 @ 2.10GHz      | 10,447 |
| Intel Xeon E5-1650 v3 @ 3.50GHz  | 10,419 |
| Intel Xeon E5-2630 v3 @ 2.40GHz  | 10,419 |
| Intel Xeon E5-4640 v3 @ 1.90GHz  | 10,372 |
| Intel Core i5-9600 @ 3.10GHz     | 10,369 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |        |
|-----------------------------------|--------|
| QTI QCS8550                       | 10,369 |
| Samsung s5e9945                   | 10,362 |
| Intel Xeon Silver 4109T @ 2.00GHz | 10,348 |
| Intel Core i7-1165G7 @ 2.80GHz    | 10,312 |
| Intel Core i7-5930K @ 3.50GHz     | 10,293 |
| Intel Core i7-8850H @ 2.60GHz     | 10,280 |
| Intel Core i7-9700TE @ 1.80GHz    | 10,280 |
| Intel Xeon E5-1660 v2 @ 3.70GHz   | 10,278 |
| Intel Core i3-10325 @ 3.90GHz     | 10,268 |
| Intel Core i5-1155G7 @ 2.50GHz    | 10,242 |
| Intel Core i7-8700T @ 2.40GHz     | 10,215 |
| Intel Core i5-8600K @ 3.60GHz     | 10,202 |
| Intel Core i7-11390H @ 3.40GHz    | 10,168 |
| Intel Xeon Silver 4110 @ 2.10GHz  | 10,165 |
| Intel Xeon D-1541 @ 2.10GHz       | 10,163 |
| AMD Ryzen 3 PRO 4450U             | 10,091 |
| Intel Core i5-9500F @ 3.00GHz     | 10,086 |
| Intel U300E                       | 10,081 |
| Intel Core i7-4960X @ 3.60GHz     | 10,080 |
| Intel Core i3-N305                | 10,066 |
| Intel Xeon D-1540 @ 2.00GHz       | 10,061 |
| Intel Core i5-10500T @ 2.30GHz    | 10,057 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |        |
|----------------------------------|--------|
| Intel Core i3-10320 @ 3.80GHz    | 10,027 |
| Intel Xeon E5-2687W @ 3.10GHz    | 10,005 |
| Intel Xeon W-2125 @ 4.00GHz      | 9,997  |
| Intel Xeon E-2234 @ 3.60GHz      | 9,961  |
| Intel Xeon E5-2628L v3 @ 2.00GHz | 9,949  |
| Intel Core i5-8600 @ 3.10GHz     | 9,939  |
| Intel Core i5-1145G7 @ 2.60GHz   | 9,937  |
| Intel Core i7-8750H @ 2.20GHz    | 9,929  |
| Apple A15 Bionic                 | 9,900  |
| Intel Xeon E5-2650 v2 @ 2.60GHz  | 9,899  |
| Intel Core i7-7740X @ 4.30GHz    | 9,868  |
| Intel Core i5-10400T @ 2.00GHz   | 9,854  |
| Intel Core i5-1135G7 @ 2.40GHz   | 9,854  |
| Intel Core i7-5820K @ 3.30GHz    | 9,852  |
| Intel Core i5-9500TE @ 2.20GHz   | 9,848  |
| Intel Xeon E5-2648L v3 @ 1.80GHz | 9,847  |
| Intel Core i5-9500 @ 3.00GHz     | 9,807  |
| Intel Xeon E-2324G @ 3.10GHz     | 9,771  |
| Intel Xeon E-2274G @ 4.00GHz     | 9,760  |
| Intel Xeon E-2174G @ 3.80GHz     | 9,741  |
| Intel Xeon E5-2690 @ 2.90GHz     | 9,730  |
| Intel Xeon D-1718T @ 2.60GHz     | 9,713  |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| AMD Ryzen 3 5300U               | 9,711 |
| Intel Xeon E5-2689 @ 2.60GHz    | 9,711 |
| Intel Core i3-1125G4 @ 2.00GHz  | 9,700 |
| Intel Core i7-10710U @ 1.10GHz  | 9,696 |
| Intel Core i7-7700K @ 4.20GHz   | 9,656 |
| AMD Ryzen 5 PRO 3350GE          | 9,643 |
| Intel Core i3-1215UE            | 9,643 |
| Intel Core i5-1145G7E @ 2.60GHz | 9,643 |
| Hygon C86 3185 8-core           | 9,627 |
| Intel Xeon E5-4620 v2 @ 2.60GHz | 9,590 |
| Intel Core i7-1068NG7 @ 2.30GHz | 9,587 |
| Intel Xeon E-2244G @ 3.80GHz    | 9,582 |
| Intel Core i5-8500 @ 3.00GHz    | 9,581 |
| Intel Core i5-9600T @ 2.30GHz   | 9,571 |
| Intel Xeon E5-2651 v2 @ 1.80GHz | 9,544 |
| AMD Ryzen 5 2500X               | 9,503 |
| Intel Core i3-1305U             | 9,491 |
| Intel Xeon Gold 5222 @ 3.80GHz  | 9,489 |
| Intel Core i5-9400F @ 2.90GHz   | 9,484 |
| Intel Core i5-1140G7 @ 1.10GHz  | 9,441 |
| Intel Core i5-1145GRE @ 2.60GHz | 9,428 |
| AMD Ryzen 5 7520U               | 9,412 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| Intel Xeon E5-2680 @ 2.70GHz                 | 9,400 |
| Intel Core i7-4930K @ 3.40GHz                | 9,395 |
| Intel Pentium Gold 8505                      | 9,384 |
| Intel Xeon E5-4655 v3 @ 2.90GHz              | 9,377 |
| Intel Core i5-9400 @ 2.90GHz                 | 9,370 |
| Apple A12Z Bionic                            | 9,365 |
| Snapdragon 8 Gen2 Mobile Platform for Galaxy | 9,362 |
| Intel Xeon E5-1650 v2 @ 3.50GHz              | 9,344 |
| AMD Ryzen 5 3350GE                           | 9,343 |
| Intel Xeon E5-4627 v2 @ 3.30GHz              | 9,320 |
| Intel Xeon E-2134 @ 3.50GHz                  | 9,317 |
| AMD Ryzen 5 PRO 3350G                        | 9,306 |
| Intel Core i3-10300 @ 3.70GHz                | 9,304 |
| Intel Core i5-8600T @ 2.30GHz                | 9,298 |
| Intel Xeon D-1557 @ 1.50GHz                  | 9,285 |
| Intel Core i5-1245UE                         | 9,283 |
| AMD Ryzen 5 3400G                            | 9,280 |
| Intel Xeon E-2144G @ 3.60GHz                 | 9,270 |
| Mediatek MT6983W/CZA                         | 9,270 |
| Intel Core i7-1160G7 @ 1.20GHz               | 9,261 |
| Intel Xeon E3-1275 v6 @ 3.80GHz              | 9,254 |
| Intel Core i5-8400 @ 2.80GHz                 | 9,237 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel Xeon E5-2450 v2 @ 2.50GHz | 9,227 |
| Intel Core i7-1265UE            | 9,195 |
| Intel Xeon E5-2620 v4 @ 2.10GHz | 9,180 |
| Intel U300                      | 9,169 |
| QTI SM8550                      | 9,163 |
| AMD Ryzen 5 PRO 3400G           | 9,153 |
| Intel Xeon E5-2629 v3 @ 2.40GHz | 9,139 |
| Intel Xeon E5-2643 v2 @ 3.50GHz | 9,134 |
| Intel Core i5-1038NG7 @ 2.00GHz | 9,117 |
| Intel Core i3-10305 @ 3.80GHz   | 9,115 |
| Intel Core i7-9850HL @ 1.90GHz  | 9,112 |
| Mediatek MT8798Z/CNZA           | 9,110 |
| AMD Ryzen 5 PRO 1500            | 9,106 |
| Intel Xeon D-1715TER @ 2.40GHz  | 9,104 |
| AMD Ryzen 5 1500X               | 9,095 |
| Intel Xeon D-1548 @ 2.00GHz     | 9,075 |
| Intel Xeon E5-4648 v3 @ 1.70GHz | 9,061 |
| Intel Xeon E3-1280 v6 @ 3.90GHz | 9,028 |
| AMD Ryzen 5 3350G               | 9,025 |
| AMD Ryzen 3 7320U               | 9,018 |
| Intel Core i5-8500B @ 3.00GHz   | 9,014 |
| Intel Core i3-10105F @ 3.70GHz  | 9,010 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| Intel Xeon E3-1270 v6 @ 3.80GHz  | 8,948 |
| Intel Xeon E5-2670 @ 2.60GHz     | 8,937 |
| Intel Core i7-6700K @ 4.00GHz    | 8,936 |
| AMD Ryzen 5 3400GE               | 8,891 |
| Intel Core i5-3170K @ 3.20GHz    | 8,882 |
| Intel Xeon Gold 5122 @ 3.60GHz   | 8,843 |
| Intel Xeon E5-2648L v2 @ 1.90GHz | 8,828 |
| Intel Xeon Silver 4108 @ 1.80GHz | 8,816 |
| Intel Xeon E3-1245 v6 @ 3.70GHz  | 8,783 |
| Intel Core i3-10100F @ 3.60GHz   | 8,768 |
| Intel Xeon E5-2630L v3 @ 1.80GHz | 8,765 |
| AMD Ryzen 5 2400G                | 8,734 |
| ARM - 32 Core 3300 MHz           | 8,732 |
| Intel Xeon E3-1240 v6 @ 3.70GHz  | 8,696 |
| ARM X-Gene 32 Core 3300 MHz      | 8,684 |
| Intel Core i3-10100 @ 3.60GHz    | 8,672 |
| Intel Core i7-7700 @ 3.60GHz     | 8,661 |
| Intel Atom C5125                 | 8,631 |
| Intel Xeon E5-4650 @ 2.70GHz     | 8,630 |
| Intel Core i5-1130G7 @ 1.10GHz   | 8,627 |
| AMD Ryzen 3 7320C                | 8,614 |
| ARM - 8 Core 2424 MHz            | 8,610 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel Core i3-10105 @ 3.70GHz   | 8,595 |
| AMD Ryzen Embedded V1807B       | 8,588 |
| Intel Xeon W-2223 @ 3.60GHz     | 8,585 |
| Intel Core i7-8809G @ 3.10GHz   | 8,553 |
| AMD EPYC 3201                   | 8,545 |
| Apple A14 Bionic                | 8,541 |
| Intel Xeon E3-1285 v6 @ 4.10GHz | 8,536 |
| Intel Xeon E5-4650L @ 2.60GHz   | 8,533 |
| Intel Xeon W-11155MLE @ 1.80GHz | 8,502 |
| Intel Xeon W-2123 @ 3.60GHz     | 8,502 |
| AMD Ryzen 5 PRO 2400G           | 8,498 |
| AMD Ryzen Embedded R2544        | 8,486 |
| Intel Core i7-8559U @ 2.70GHz   | 8,486 |
| Intel Core i3-N300              | 8,475 |
| Intel Xeon E3-1275 v5 @ 3.60GHz | 8,462 |
| Intel Core i7-3970X @ 3.50GHz   | 8,461 |
| Intel Core i5-10300H @ 2.50GHz  | 8,458 |
| Intel Core i5-10400H @ 2.60GHz  | 8,456 |
| Intel Core i5-10500TE @ 2.30GHz | 8,449 |
| Intel Xeon E5-2628 v3 @ 2.50GHz | 8,447 |
| AMD EPYC 3151                   | 8,425 |
| Intel Xeon E3-1280 v5 @ 3.70GHz | 8,410 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| Intel Xeon E3-1585 v5 @ 3.50GHz  | 8,408 |
| Intel Xeon E5-1660 @ 3.30GHz     | 8,405 |
| Intel Core i5-9400T @ 1.80GHz    | 8,400 |
| Intel Core i7-3960X @ 3.30GHz    | 8,394 |
| Intel Core i7-1065G7 @ 1.30GHz   | 8,377 |
| Intel Core i3-10100E @ 3.20GHz   | 8,365 |
| Intel Xeon E3-1270 v5 @ 3.60GHz  | 8,325 |
| Intel Core i7-1180G7 @ 1.30GHz   | 8,321 |
| Intel Xeon E5-2470 @ 2.30GHz     | 8,295 |
| Intel Core i3-1315UE             | 8,294 |
| Intel Core i5-1035G7 @ 1.20GHz   | 8,293 |
| AMD Opteron 6386 SE              | 8,291 |
| AMD Ryzen Embedded V1756B        | 8,291 |
| Intel Xeon E3-1240 v5 @ 3.50GHz  | 8,273 |
| Mediatek Dimensity 9200 (MT6985) | 8,269 |
| AMD Ryzen 5 PRO 3400GE           | 8,262 |
| AMD Athlon Gold PRO 4150GE       | 8,259 |
| Intel Core i7-1185GRE @ 2.80GHz  | 8,258 |
| Intel Xeon E5-2665 @ 2.40GHz     | 8,243 |
| Intel Xeon E-2314 @ 2.80GHz      | 8,237 |
| Intel Xeon E3-1260L v5 @ 2.90GHz | 8,226 |
| Intel Core i7-10810U @ 1.10GHz   | 8,224 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |       |
|---|-------|
| Intel Core i7-3930K @ 3.20GHz             | 8,206 |
| ARM X-Gene 32 Core 3000 MHz               | 8,202 |
| Intel Core i7-8569U @ 2.80GHz             | 8,200 |
| Intel Core i5-9500T @ 2.20GHz             | 8,194 |
| Intel Xeon E3-1230 v6 @ 3.50GHz           | 8,172 |
| Intel Xeon E-2276ME @ 2.80GHz             | 8,167 |
| AMD Ryzen 7 3750H                         | 8,163 |
| Intel Core i5-10200H @ 2.40GHz            | 8,162 |
| Google Tensor G3                          | 8,157 |
| Intel Core i3-10305T @ 3.00GHz            | 8,136 |
| ARM - 32 Core 2911 MHz                    | 8,132 |
| Intel Xeon E5-2660 @ 2.20GHz              | 8,131 |
| Intel Xeon E5-1650 @ 3.20GHz              | 8,099 |
| Intel Core i7-6700 @ 3.40GHz              | 8,095 |
| Intel Core i7-8706G @ 3.10GHz             | 8,095 |
| Intel Xeon E3-1585L v5 @ 3.00GHz          | 8,083 |
| Intel Xeon E3-1285L v4 @ 3.40GHz          | 8,074 |
| Intel Core i7-4790K @ 4.00GHz             | 8,068 |
| Intel Core i5-8269U @ 2.60GHz             | 8,055 |
| CentaurHauls @2500MHz                     | 8,046 |
| Mediatek Dimensity 8200-Ultimate (MT6896) | 8,046 |
| Intel Core i3-10300T @ 3.00GHz            | 8,036 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| Intel Core i3-10105T @ 3.00GHz   | 8,035 |
| Intel Xeon E3-1535M v6 @ 3.10GHz | 8,033 |
| Intel Xeon E3-1245 v5 @ 3.50GHz  | 8,031 |
| Intel Xeon D-1559 @ 1.50GHz      | 8,015 |
| AMD Ryzen 7 2800H                | 8,013 |
| Intel Xeon D-2712T @ 1.90GHz     | 7,990 |
| Intel Core i5-1035G4 @ 1.10GHz   | 7,974 |
| Intel Xeon E3-1230 v5 @ 3.40GHz  | 7,961 |
| Intel Xeon E3-1575M v5 @ 3.00GHz | 7,959 |
| Intel Xeon E3-1515M v5 @ 2.80GHz | 7,938 |
| Intel Core i5-8259U @ 2.30GHz    | 7,932 |
| Intel Core i7-8709G @ 3.10GHz    | 7,926 |
| Intel Core i5-9400H @ 2.50GHz    | 7,908 |
| Intel Core i7-995X @ 3.60GHz     | 7,862 |
| AMD Opteron 6348                 | 7,850 |
| AMD Ryzen 5 2600H                | 7,834 |
| AMD Ryzen 5 3550H                | 7,821 |
| Intel Xeon E3-1545M v5 @ 2.90GHz | 7,815 |
| Intel Xeon E3-1285 v4 @ 3.50GHz  | 7,808 |
| ARM Firestorm 4 Core 2064 MHz    | 7,804 |
| Intel Xeon E5-2620 v3 @ 2.40GHz  | 7,802 |
| AMD Ryzen Embedded V1807F        | 7,775 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| AMD Ryzen 5 1400                 | 7,765 |
| Intel Core i5-8400H @ 2.50GHz    | 7,737 |
| Mediatek MT6983Z/CZA             | 7,726 |
| Intel Core i7-5775C @ 3.30GHz    | 7,713 |
| Mediatek MT6897                  | 7,710 |
| Intel Core i5-8500T @ 2.10GHz    | 7,708 |
| AMD Athlon Gold PRO 3150G        | 7,702 |
| Intel Core i3-9350K @ 4.00GHz    | 7,700 |
| Intel Core i7-5950HQ @ 2.90GHz   | 7,696 |
| Mediatek MT6895Z_A/TCZA          | 7,686 |
| AMD Ryzen 5 3550U                | 7,681 |
| Intel Core i7-8705G @ 3.10GHz    | 7,680 |
| Intel Xeon E5-1630 v4 @ 3.70GHz  | 7,673 |
| ARM Firestorm-M1 4 Core 2064 MHz | 7,667 |
| Intel Xeon E3-1270L v4 @ 3.00GHz | 7,662 |
| Intel Xeon E5-2640 v2 @ 2.00GHz  | 7,658 |
| Intel Xeon E5-2440 v2 @ 1.90GHz  | 7,655 |
| Intel Core i5-9300H @ 2.40GHz    | 7,628 |
| Intel Core i7-7700T @ 2.90GHz    | 7,628 |
| Intel Xeon E-2224G @ 3.50GHz     | 7,624 |
| MediaTek MT6895                  | 7,615 |
| QTI SM7475                       | 7,614 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| AMD Ryzen 5 PRO 2400GE           | 7,611 |
| Intel Core i7-5775R @ 3.30GHz    | 7,596 |
| Intel Core i5-8257U @ 1.40GHz    | 7,593 |
| Intel Core i5-8260U @ 1.60GHz    | 7,591 |
| Intel Xeon E5-2650L v2 @ 1.70GHz | 7,586 |
| Intel Core i3-9350KF @ 4.00GHz   | 7,549 |
| Intel Xeon E5-2450 @ 2.10GHz     | 7,534 |
| AMD Ryzen 3 2300X                | 7,532 |
| Intel Xeon E3-1271 v3 @ 3.60GHz  | 7,524 |
| Intel Xeon E3-1535M v5 @ 2.90GHz | 7,522 |
| AMD Ryzen 5 2400GE               | 7,515 |
| Intel Xeon E5-2667 @ 2.90GHz     | 7,511 |
| Intel Core i7-8557U @ 1.70GHz    | 7,498 |
| Mediatek MT6891Z/CZA             | 7,487 |
| Intel Xeon E5-2630 v2 @ 2.60GHz  | 7,484 |
| Intel Xeon D-1531 @ 2.20GHz      | 7,483 |
| AMD Ryzen 3 4300U                | 7,465 |
| Intel Core i5-8300H @ 2.30GHz    | 7,457 |
| Intel Core i5-8279U @ 2.40GHz    | 7,454 |
| Intel Core i5-8400T @ 1.70GHz    | 7,454 |
| Intel Core i7-7820EQ @ 3.00GHz   | 7,453 |
| AMD Ryzen 7 PRO 3700U            | 7,449 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| Intel Xeon E3-1276 v3 @ 3.60GHz  | 7,448 |
| Intel Xeon E5-2608L v4 @ 1.60GHz | 7,447 |
| Intel Xeon E3-1505M v6 @ 3.00GHz | 7,446 |
| Intel Xeon D-1537 @ 1.70GHz      | 7,444 |
| Intel Core i5-1035G1 @ 1.00GHz   | 7,439 |
| Intel Xeon E5-2650 @ 2.00GHz     | 7,422 |
| Intel Xeon E3-1286 v3 @ 3.70GHz  | 7,418 |
| Intel Xeon E5-2637 v4 @ 3.50GHz  | 7,418 |
| Intel Xeon E-2124G @ 3.40GHz     | 7,415 |
| Intel Core i5-9300HF @ 2.40GHz   | 7,409 |
| Intel Core i7-7820HK @ 2.90GHz   | 7,408 |
| Intel Xeon E3-1281 v3 @ 3.70GHz  | 7,408 |
| Intel Core i7-7920HQ @ 3.10GHz   | 7,405 |
| Intel Xeon E3-1280 v3 @ 3.60GHz  | 7,402 |
| Intel Xeon E5-1630 v3 @ 3.70GHz  | 7,398 |
| Google GS201                     | 7,381 |
| Intel Xeon E5-1620 v4 @ 3.50GHz  | 7,370 |
| Intel Xeon @ 2.00GHz             | 7,363 |
| QTI SM8475                       | 7,360 |
| Intel Core i3-9320 @ 3.70GHz     | 7,358 |
| Mediatek MT6895Z_B/TCZA          | 7,336 |
| Intel Core i3-10100T @ 3.00GHz   | 7,323 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                       |       |
|---------------------------------------|-------|
| Intel Core i7-6920HQ @ 2.90GHz        | 7,312 |
| AMD Ryzen 3 3200GE                    | 7,309 |
| Intel Xeon E-2224 @ 3.40GHz           | 7,307 |
| Intel Xeon Phi 7210 @ 1.30GHz         | 7,306 |
| Intel Xeon E3-1270 v3 @ 3.50GHz       | 7,281 |
| AMD Opteron 6281                      | 7,279 |
| Intel Xeon E3-1246 v3 @ 3.50GHz       | 7,276 |
| Intel Core i7-6700T @ 2.80GHz         | 7,269 |
| Intel Xeon E5-2637 v3 @ 3.50GHz       | 7,266 |
| Intel Core i7-4790 @ 3.60GHz          | 7,265 |
| Intel Xeon E3-1275 v3 @ 3.50GHz       | 7,244 |
| AMD Ryzen 5 Microsoft Surface Edition | 7,243 |
| AMD Ryzen 5 3580U                     | 7,240 |
| Intel Xeon W3690 @ 3.47GHz            | 7,237 |
| AMD Ryzen 3 PRO 1300                  | 7,234 |
| Intel Xeon E5-4610 v3 @ 1.70GHz       | 7,229 |
| AMD Ryzen 7 PRO 2700U                 | 7,215 |
| Intel Xeon E5-2628L v2 @ 1.90GHz      | 7,181 |
| AMD Ryzen 7 3700U                     | 7,177 |
| Intel Xeon D-1539 @ 1.60GHz           | 7,175 |
| Intel Core i7-7820HQ @ 2.90GHz        | 7,172 |
| AMD Ryzen 7 3700C                     | 7,145 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel 300                       | 7,142 |
| vendor Kirin9000E               | 7,141 |
| AMD Ryzen 3 3200G               | 7,139 |
| Intel Core i3-9300 @ 3.70GHz    | 7,137 |
| Intel Core i7-4771 @ 3.50GHz    | 7,136 |
| Intel Xeon E3-1241 v3 @ 3.50GHz | 7,133 |
| Intel Core i7-4770K @ 3.50GHz   | 7,125 |
| AMD Athlon Gold 3150G           | 7,112 |
| Intel Core i7-990X @ 3.47GHz    | 7,106 |
| Intel Core i7-6770HQ @ 2.60GHz  | 7,097 |
| Intel Xeon X5679 @ 3.20GHz      | 7,095 |
| Intel Core i7-4940MX @ 3.10GHz  | 7,089 |
| Mediatek MT8797Z/CNZA           | 7,086 |
| Intel Xeon E3-1240 v3 @ 3.40GHz | 7,062 |
| Intel Core i7-4770 @ 3.40GHz    | 7,055 |
| Intel Core i7-6820HK @ 2.70GHz  | 7,047 |
| QTI SG8175P                     | 7,046 |
| Intel Xeon E3-1231 v3 @ 3.40GHz | 7,043 |
| Intel Xeon E5-2430 v2 @ 2.50GHz | 7,039 |
| Intel Xeon E5-4620 @ 2.20GHz    | 7,037 |
| Intel Core i7-5850EQ @ 2.70GHz  | 7,036 |
| Intel Xeon X5690 @ 3.47GHz      | 7,030 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| Intel Xeon E3-1245 v3 @ 3.40GHz  | 7,019 |
| Intel Xeon E5-4640 @ 2.40GHz     | 7,012 |
| AMD Athlon Gold PRO 3150GE       | 7,006 |
| AMD Ryzen 5 PRO 3500U            | 7,005 |
| Intel Xeon W3680 @ 3.33GHz       | 7,004 |
| Intel Core i7-4790S @ 3.20GHz    | 7,002 |
| Intel Core i7-6820EQ @ 2.80GHz   | 7,001 |
| AMD Ryzen Embedded R2514         | 6,998 |
| Intel Xeon E5-1620 v3 @ 3.50GHz  | 6,991 |
| AMD Ryzen 3 PRO 3200G            | 6,990 |
| Intel Xeon E5-4607 v2 @ 2.60GHz  | 6,986 |
| AMD Ryzen 3 1300X                | 6,985 |
| Intel Xeon E3-1285 v3 @ 3.60GHz  | 6,974 |
| AMD Ryzen 5 3500U                | 6,966 |
| AMD Ryzen 7 3780U                | 6,961 |
| Intel Xeon E3-1265L v4 @ 2.30GHz | 6,954 |
| Intel Core i5-8305G @ 2.80GHz    | 6,951 |
| Intel Xeon E3-1505M v5 @ 2.80GHz | 6,950 |
| Intel Xeon E5-2623 v4 @ 2.60GHz  | 6,940 |
| Intel Xeon E-2124 @ 3.30GHz      | 6,931 |
| Intel Core i7-980 @ 3.33GHz      | 6,926 |
| AMD Opteron 6287 SE              | 6,925 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| Intel Core i7-7700HQ @ 2.80GHz   | 6,925 |
| vendor Kirin9000                 | 6,914 |
| AMD Ryzen 7 2700U                | 6,907 |
| Intel Core i3-9100E @ 3.10GHz    | 6,868 |
| Intel Core i7-5850HQ @ 2.70GHz   | 6,866 |
| Intel Core i3-8350K @ 4.00GHz    | 6,858 |
| Intel Core i5-7640X @ 4.00GHz    | 6,844 |
| Intel Xeon X5680 @ 3.33GHz       | 6,843 |
| Intel Core i7-980X @ 3.33GHz     | 6,833 |
| Intel Core i7-6820HQ @ 2.70GHz   | 6,824 |
| Intel Xeon E3-1285L v3 @ 3.10GHz | 6,819 |
| Intel Xeon E3-1230 v3 @ 3.30GHz  | 6,805 |
| Intel Core i5-7600K @ 3.80GHz    | 6,799 |
| Intel Xeon E5-2623 v3 @ 3.00GHz  | 6,790 |
| Mediatek MT6895Z/TCZA            | 6,787 |
| AMD Ryzen 3 PRO 2200G            | 6,786 |
| Intel Xeon D-1528 @ 1.90GHz      | 6,785 |
| ARM Firestorm 8 Core 2064 MHz    | 6,775 |
| Intel Pentium Gold G7400         | 6,775 |
| Intel Xeon E5-2448L v2 @ 1.80GHz | 6,774 |
| Snapdragon 8cx Gen 2 @ 3.0 GHz   | 6,770 |
| AMD FX-9590 Eight-Core           | 6,768 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| AMD Ryzen 3 2200G                  | 6,767 |
| Intel Core i7-10610U @ 1.80GHz     | 6,764 |
| Intel Core i7-4770S @ 3.10GHz      | 6,761 |
| Qualcomm SM8250                    | 6,759 |
| Intel Core i3-9100F @ 3.60GHz      | 6,743 |
| AMD Ryzen 5 3450U                  | 6,729 |
| Google Tensor                      | 6,712 |
| AMD Ryzen 3 PRO 3200GE             | 6,710 |
| AMD Ryzen Embedded V1605B          | 6,710 |
| Intel Xeon E5-2630L v2 @ 2.40GHz   | 6,701 |
| AMD Opteron 6380                   | 6,687 |
| Intel Xeon D-2123IT @ 2.20GHz      | 6,673 |
| Mediatek MT8789                    | 6,640 |
| AMD Ryzen 5 PRO 2500U              | 6,637 |
| Intel Xeon E3-1275 V2 @ 3.50GHz    | 6,627 |
| Intel Core i7-4770R @ 3.20GHz      | 6,620 |
| Intel Core i7-10510U @ 1.80GHz     | 6,618 |
| Intel Core i3-9100 @ 3.60GHz       | 6,608 |
| Samsung s5e9925                    | 6,605 |
| Intel Xeon Platinum 8151 @ 3.40GHz | 6,591 |
| QTI SM8250                         | 6,591 |
| Intel Core i7-1060NG7 @ 1.20GHz    | 6,588 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Qualcomm Technologies, Inc SM8350AC | 6,588 |
| Snapdragon 8cx Gen 2 @ 3.15 GHz     | 6,586 |
| Mediatek MT6893Z_T/CZA              | 6,572 |
| Intel Core i5-7600 @ 3.50GHz        | 6,563 |
| Intel Core i7-970 @ 3.20GHz         | 6,561 |
| Intel Xeon E3-1280 V2 @ 3.60GHz     | 6,558 |
| Qualcomm Technologies, Inc SA8195P  | 6,554 |
| Intel Xeon E5-1620 v2 @ 3.70GHz     | 6,553 |
| MT8797Z/CNZA                        | 6,550 |
| CentaurHauls @2000MHz               | 6,549 |
| Intel Core i7-4980HQ @ 2.80GHz      | 6,547 |
| AMD Ryzen 5 2500U                   | 6,546 |
| QTI SM8350                          | 6,543 |
| Qualcomm SM8350                     | 6,540 |
| Intel Core i7-6700HQ @ 2.60GHz      | 6,530 |
| Intel Core i7-4820K @ 3.70GHz       | 6,528 |
| Intel Xeon E3-1290 V2 @ 3.70GHz     | 6,526 |
| MediaTek MT6983                     | 6,523 |
| MT6893Z_Z/CZA                       | 6,485 |
| Intel Core i7-4960HQ @ 2.60GHz      | 6,483 |
| Intel Xeon E3-1270 V2 @ 3.50GHz     | 6,477 |
| MT6893Z/CZA                         | 6,467 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| Intel Core i7-3770K @ 3.50GHz                      | 6,466 |
| Intel Xeon E5-4610 @ 2.40GHz                       | 6,460 |
| Mediatek MT6891Z_Z/CZA                             | 6,458 |
| Odin based on Qualcomm Technologies, Inc SM8350    | 6,456 |
| Intel Xeon E3-1286L v3 @ 3.20GHz                   | 6,450 |
| redwood based Qualcomm Technologies, Inc. SM7325   | 6,448 |
| Intel Xeon E3-1240L v5 @ 2.10GHz                   | 6,446 |
| Intel Xeon Silver 4112 @ 2.60GHz                   | 6,446 |
| Intel Xeon X5675 @ 3.07GHz                         | 6,432 |
| Qualcomm Technologies, Inc SM7325                  | 6,431 |
| Intel Core i5-10310U @ 1.70GHz                     | 6,426 |
| Intel Xeon W3670 @ 3.20GHz                         | 6,426 |
| Intel Core i7-4930MX @ 3.00GHz                     | 6,419 |
| Intel Xeon E5-2608L v3 @ 2.00GHz                   | 6,415 |
| Intel Xeon E5-2637 v2 @ 3.50GHz                    | 6,413 |
| Mediatek MT6883Z/CZA                               | 6,413 |
| Intel Core i7-3770 @ 3.40GHz                       | 6,411 |
| Qualcomm Technologies, Inc SM8250_AC               | 6,408 |
| AMD Opteron 6282 SE                                | 6,385 |
| QTI SM8450   | 6,376 |
| MT6893Z_B/CZA                                      | 6,371 |
| taoyao based Qualcomm Technologies, Inc. Yupik IDP | 6,359 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Intel Xeon E-2276ML @ 2.00GHz       | 6,353 |
| AMD Ryzen 3 PRO 2200GE              | 6,352 |
| Intel Xeon E5-2420 v2 @ 2.20GHz     | 6,352 |
| Intel Core i7-4790T @ 2.70GHz       | 6,338 |
| Intel Xeon E3-1240 V2 @ 3.40GHz     | 6,338 |
| Intel Core i7-4870HQ @ 2.50GHz      | 6,337 |
| Intel Xeon E-2254ML @ 1.70GHz       | 6,333 |
| Intel Xeon E5-2430L v2 @ 2.40GHz    | 6,332 |
| Intel Xeon E3-1225 v6 @ 3.30GHz     | 6,329 |
| Mediatek MT6893                     | 6,329 |
| Intel Core i5-6600K @ 3.50GHz       | 6,327 |
| Intel Xeon E5-2640 @ 2.50GHz        | 6,325 |
| Mediatek MT6889                     | 6,322 |
| AMD Ryzen 3 1200                    | 6,312 |
| Intel Core i7-4910MQ @ 2.90GHz      | 6,312 |
| Intel Xeon E3-1245 V2 @ 3.40GHz     | 6,306 |
| Intel Core i7-4760HQ @ 2.10GHz      | 6,300 |
| Intel Core i3-8300 @ 3.70GHz        | 6,299 |
| Intel Xeon E5-4617 @ 2.90GHz        | 6,298 |
| HiSilicon Kirin                     | 6,283 |
| Qualcomm Technologies, Inc KONA-IOT | 6,282 |
| Intel Core i7-8650U @ 1.90GHz       | 6,270 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| Intel Xeon E3-1275L v3 @ 2.70GHz | 6,260 |
| Intel Xeon E5-1428L v2 @ 2.20GHz | 6,255 |
| Intel Core i7-8665U @ 1.90GHz    | 6,249 |
| AMD Opteron 6276                 | 6,245 |
| Intel Core i7-4860HQ @ 2.40GHz   | 6,242 |
| Intel Xeon E5-2620 v2 @ 2.10GHz  | 6,242 |
| Intel Core i3-10100TE @ 2.30GHz  | 6,237 |
| SM7325                           | 6,230 |
| Intel Core i7-6700TE @ 2.40GHz   | 6,223 |
| Intel Core i5-10210U @ 1.60GHz   | 6,214 |
| Intel Core i5-8350U @ 1.70GHz    | 6,205 |
| Intel Core i5-8365U @ 1.60GHz    | 6,205 |
| Intel Xeon D-1622 @ 2.60GHz      | 6,205 |
| AMD FX-8370 Eight-Core           | 6,201 |
| Intel Xeon E5-2650L @ 1.80GHz    | 6,192 |
| Intel Core i7-8565UC @ 1.80GHz   | 6,187 |
| Intel Xeon E3-1230 V2 @ 3.30GHz  | 6,186 |
| Intel Core i7-3770S @ 3.10GHz    | 6,178 |
| Samsung Exynos 990               | 6,176 |
| Intel Xeon E5-2630 @ 2.30GHz     | 6,173 |
| QTI SM7435                       | 6,171 |
| Intel Xeon E3-1265L v3 @ 2.50GHz | 6,170 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| Intel Core i3-9300T @ 3.20GHz     | 6,164 |
| Intel Core i3-1215UL              | 6,161 |
| Microsoft SQ2 @ 3.15 GHz          | 6,151 |
| AMD FX-9370 Eight-Core            | 6,140 |
| MT6893Z_C/CZA                     | 6,139 |
| Intel Core i3-8100 @ 3.60GHz      | 6,134 |
| SM8350                            | 6,131 |
| Intel Core i7-4850HQ @ 2.30GHz    | 6,126 |
| Intel Core i7-4900MQ @ 2.80GHz    | 6,121 |
| Intel Core i3-1115G4 @ 3.00GHz    | 6,118 |
| Intel Core i7-8565U @ 1.80GHz     | 6,115 |
| Qualcomm Technologies, Inc SM8350 | 6,112 |
| Samsung s5e8835                   | 6,105 |
| AMD Ryzen 3 PRO 1200              | 6,100 |
| Intel Xeon E5-2440 @ 2.40GHz      | 6,091 |
| Intel Core i7-5675C @ 3.10GHz     | 6,089 |
| Intel Xeon X5670 @ 2.93GHz        | 6,089 |
| Intel Xeon E3-1505L v6 @ 2.20GHz  | 6,088 |
| Intel Core i7-4770HQ @ 2.20GHz    | 6,083 |
| Intel Xeon E3-1268L v5 @ 2.40GHz  | 6,079 |
| Intel Xeon E5-2658 @ 2.10GHz      | 6,073 |
| AMD Opteron 6344                  | 6,069 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| vendor Kirin990                 | 6,061 |
| Intel Core i7-4810MQ @ 2.80GHz  | 6,058 |
| AMD Ryzen 3 2200GE              | 6,056 |
| AMD FX-8350 Eight-Core          | 6,055 |
| AMD EPYC 3101 4-Core            | 6,050 |
| Intel Core i3-8100B @ 3.60GHz   | 6,045 |
| Intel Core i5-6600 @ 3.30GHz    | 6,044 |
| MT6893Z_A/CZA                   | 6,043 |
| Intel Core i7-5700HQ @ 2.70GHz  | 6,042 |
| AMD Ryzen Embedded R2314        | 6,031 |
| MT6891Z/CZA                     | 6,025 |
| Intel Core i5-7500 @ 3.40GHz    | 6,023 |
| Qualcomm SM7325                 | 6,020 |
| AMD Ryzen Embedded V1404I       | 6,007 |
| Intel Core i5-8265U @ 1.60GHz   | 6,005 |
| Intel Xeon X5660 @ 2.80GHz      | 6,005 |
| Intel Xeon E3-1225 v5 @ 3.30GHz | 6,000 |
| Intel Core i7-4770T @ 2.50GHz   | 5,973 |
| Intel N97                       | 5,960 |
| QTI SM7325                      | 5,953 |
| Intel Core i7-8550U @ 1.80GHz   | 5,926 |
| Intel Core i7-3840QM @ 2.80GHz  | 5,920 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| Intel Xeon E-2104G @ 3.20GHz      | 5,913 |
| Intel Core i3-1115G4E @ 3.00GHz   | 5,912 |
| AMD Ryzen 3 PRO 3300U             | 5,905 |
| Intel Core i5-8250U @ 1.60GHz     | 5,891 |
| AMD Opteron 6378                  | 5,889 |
| Intel Core i5-7600T @ 2.80GHz     | 5,889 |
| Intel Xeon E5-2450L @ 1.80GHz     | 5,880 |
| AMD Ryzen 3 3350U                 | 5,867 |
| Intel Xeon E5-1620 @ 3.60GHz      | 5,862 |
| Qualcomm Technologies, Inc SM8250 | 5,852 |
| Intel Core i7-4710MQ @ 2.50GHz    | 5,838 |
| AMD Ryzen 3 PRO 2300U             | 5,820 |
| MT6891                            | 5,817 |
| Intel Core i7-5700EQ @ 2.60GHz    | 5,803 |
| Intel Xeon E3-1220 v5 @ 3.00GHz   | 5,788 |
| QTI SM6450                        | 5,785 |
| Intel Atom x7425E                 | 5,777 |
| Intel Core i7-4800MQ @ 2.70GHz    | 5,777 |
| AMD Opteron 4274 HE               | 5,776 |
| Intel Core i7-3940XM @ 3.00GHz    | 5,773 |
| Intel Xeon E3-1268L v3 @ 2.30GHz  | 5,770 |
| Intel Xeon Bronze 3106 @ 1.70GHz  | 5,769 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel Core i7-4720HQ @ 2.60GHz  | 5,768 |
| Intel Core i7-3820 @ 3.60GHz    | 5,760 |
| AMD Ryzen 3 3300U               | 5,748 |
| Intel Xeon E3-1220 v6 @ 3.00GHz | 5,744 |
| MT8195AV/ZA                     | 5,735 |
| Intel Core i3-8300T @ 3.20GHz   | 5,733 |
| Intel Core i7-2700K @ 3.50GHz   | 5,732 |
| Intel Xeon W-2104 @ 3.20GHz     | 5,725 |
| Intel Xeon X5650 @ 2.67GHz      | 5,725 |
| Intel Xeon E5-1410 v2 @ 2.80GHz | 5,715 |
| Intel Core i5-1030NG7 @ 1.10GHz | 5,714 |
| Intel Core i5-7440EQ @ 2.90GHz  | 5,711 |
| Intel Core i5-8365UE @ 1.60GHz  | 5,711 |
| Intel Core i7-3740QM @ 2.70GHz  | 5,707 |
| MT6893Z_D/CZA                   | 5,701 |
| Intel Core i7-3820QM @ 2.70GHz  | 5,694 |
| Intel Pentium Gold G7400T       | 5,688 |
| Intel Core i5-4690K @ 3.50GHz   | 5,687 |
| Intel Core i7-3720QM @ 2.60GHz  | 5,687 |
| Intel Xeon E5649 @ 2.53GHz      | 5,686 |
| Intel Xeon E3-1205 v6 @ 3.00GHz | 5,682 |
| Intel Core i7-4750HQ @ 2.00GHz  | 5,680 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| Intel Core i5-6600T @ 2.70GHz    | 5,676 |
| MT6883Z/CZA                      | 5,665 |
| Qualcomm Technologies, Inc KONA  | 5,658 |
| Intel Xeon D-1521 @ 2.40GHz      | 5,657 |
| Intel Xeon E3-1240L v3 @ 2.00GHz | 5,655 |
| Apple A13 Bionic                 | 5,651 |
| Intel Core i7-3920XM @ 2.90GHz   | 5,651 |
| Intel Core i7-4700HQ @ 2.40GHz   | 5,650 |
| AMD Opteron 6274                 | 5,643 |
| Intel Core i5-6500 @ 3.20GHz     | 5,632 |
| SM8325                           | 5,629 |
| AMD Opteron 6238                 | 5,625 |
| Intel Core i7-4722HQ @ 2.40GHz   | 5,620 |
| Intel Xeon E3-1280 @ 3.50GHz     | 5,615 |
| AMD Opteron 6366 HE              | 5,613 |
| Intel Core i3-9100T @ 3.10GHz    | 5,602 |
| Intel N100                       | 5,588 |
| Intel Xeon E5-2430 @ 2.20GHz     | 5,586 |
| AMD Opteron 6376                 | 5,572 |
| Intel Core i5-4690 @ 3.50GHz     | 5,566 |
| AMD Ryzen 5 3500C                | 5,564 |
| Intel Core i5-4670K @ 3.40GHz    | 5,564 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| Snapdragon 7325                    | 5,561 |
| Qualcomm Technologies, Inc SDM778G | 5,553 |
| Intel Xeon E3-1226 v3 @ 3.30GHz    | 5,551 |
| Intel Core i7-3615QE @ 2.30GHz     | 5,548 |
| Snapdragon 855 @ 2.84 GHz          | 5,547 |
| Intel Core i5-5675C @ 3.10GHz      | 5,546 |
| Intel Core i5-7440HQ @ 2.80GHz     | 5,541 |
| Qualcomm SM8150                    | 5,541 |
| Intel Xeon E5-2430L @ 2.00GHz      | 5,539 |
| Intel Core i5-5675R @ 3.10GHz      | 5,530 |
| Intel Core i7-4710HQ @ 2.50GHz     | 5,530 |
| AMD Ryzen 3 2300U                  | 5,529 |
| Intel Core i5-4690S @ 3.20GHz      | 5,522 |
| Intel Core i5-4670 @ 3.40GHz       | 5,514 |
| Intel Core i7-4785T @ 2.20GHz      | 5,511 |
| Microsoft SQ1 @ 3.0 GHz            | 5,510 |
| Intel Core i7-4860EQ @ 1.80GHz     | 5,500 |
| Intel Xeon E3-1275 @ 3.40GHz       | 5,498 |
| Intel Core i5-7400 @ 3.00GHz       | 5,490 |
| Intel Core i7-2600K @ 3.40GHz      | 5,487 |
| vendor Kirin985                    | 5,481 |
| ARM Cortex-A72 16 Core 2200 MHz    | 5,470 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| lisa based Qualcomm Technologies, Inc. SM7325    | 5,456 |
| Samsung Exynos 2100                              | 5,452 |
| QTI SM7350                                       | 5,450 |
| AMD FX-8320 Eight-Core                           | 5,448 |
| Intel Core i7-3770T @ 2.50GHz                    | 5,444 |
| Intel Xeon E5-2609 v4 @ 1.70GHz                  | 5,443 |
| Intel Core i5-760S @ 2.53GHz                     | 5,440 |
| Intel Core i5-6402P @ 2.80GHz                    | 5,436 |
| Intel Xeon E5-2643 @ 3.30GHz                     | 5,433 |
| Intel Xeon E3-1290 @ 3.60GHz                     | 5,429 |
| QTI SM7450                                       | 5,420 |
| Intel Core i5-6440EQ @ 2.70GHz                   | 5,419 |
| AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz    | 5,417 |
| Mediatek MT6891                                  | 5,412 |
| Venus based on Qualcomm Technologies, Inc SM8350 | 5,398 |
| Intel Xeon E3-1240 @ 3.30GHz                     | 5,389 |
| Intel N95  | 5,386 |
| Intel Xeon E5-2418L v2 @ 2.00GHz                 | 5,380 |
| Intel Xeon E3-1270 @ 3.40GHz                     | 5,376 |
| Intel Pentium Silver N6005 @ 2.00GHz             | 5,371 |
| Intel Core i5-4590 @ 3.30GHz                     | 5,367 |
| Virtual @ 2.99GHz                                | 5,365 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| Haydn based on Qualcomm Technologies, Inc SM8350 | 5,359 |
| Intel Core i7-4700MQ @ 2.40GHz                   | 5,357 |
| Intel Core i7-4712HQ @ 2.30GHz                   | 5,354 |
| Intel Core i7-2600 @ 3.40GHz                     | 5,339 |
| Intel Xeon E3-1245 @ 3.30GHz                     | 5,336 |
| Intel Core i7-4702HQ @ 2.20GHz                   | 5,334 |
| QTI SM8150                                       | 5,334 |
| Intel Core i7-4712MQ @ 2.30GHz                   | 5,321 |
| vendor Kirin980                                  | 5,313 |
| Intel Xeon X5687 @ 3.60GHz                       | 5,309 |
| AMD FX-8370E Eight-Core                          | 5,306 |
| AMD Opteron 6328                                 | 5,306 |
| Intel Xeon E3-1225 v3 @ 3.20GHz                  | 5,305 |
| Intel Xeon E5-2630L @ 2.00GHz                    | 5,305 |
| Intel Xeon E3-1505L v5 @ 2.00GHz                 | 5,301 |
| Mediatek MT8390AV/A                              | 5,301 |
| Vili based on Qualcomm Technologies, Inc SM8350  | 5,299 |
| AMD FX-8300 Eight-Core                           | 5,298 |
| Intel Xeon E5-2620 @ 2.00GHz                     | 5,290 |
| Intel Core i3-8100T @ 3.10GHz                    | 5,273 |
| Intel Xeon E5-2648L @ 1.80GHz                    | 5,262 |
| AMD FX-8150 Eight-Core                           | 5,253 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |       |
|---|-------|
| MT6877V/TTZA                                    | 5,253 |
| Intel Xeon E3-1230L v3 @ 1.80GHz                | 5,251 |
| Mediatek MT6875                                 | 5,249 |
| Mediatek MT6879V_T/ZA                           | 5,247 |
| Intel Core i5-7500T @ 2.70GHz                   | 5,245 |
| Intel Core i7-6822EQ @ 2.00GHz                  | 5,241 |
| Star based on Qualcomm Technologies, Inc SM8350 | 5,241 |
| AMD Opteron 6272                                | 5,240 |
| Intel Core i7-4700EQ @ 2.40GHz                  | 5,238 |
| Intel Core i5-4670R @ 3.00GHz                   | 5,233 |
| Mars based on Qualcomm Technologies, Inc SM8350 | 5,230 |
| Snapdragon 8c @ 2.46 GHz                        | 5,230 |
| Intel N200                                      | 5,227 |
| Intel Core i5-4570 @ 3.20GHz                    | 5,224 |
| Intel Core i7-3615QM @ 2.30GHz                  | 5,223 |
| Intel Xeon D-1527 @ 2.20GHz                     | 5,213 |
| Intel Xeon E3-1220 v3 @ 3.10GHz                 | 5,210 |
| Intel Pentium Gold 7505 @ 2.00GHz               | 5,207 |
| Intel Xeon E5-1607 v4 @ 3.10GHz                 | 5,187 |
| Intel Core i7-4702MQ @ 2.20GHz                  | 5,186 |
| Intel Core i7-8665UE @ 1.70GHz                  | 5,170 |
| Intel Core i5-6400 @ 2.70GHz                    | 5,169 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| MT8188JV/A                       | 5,157 |
| Intel Xeon E3-1265L V2 @ 2.50GHz | 5,143 |
| Intel Core i5-4590S @ 3.00GHz    | 5,133 |
| Intel Atom C3758R @ 2.40GHz      | 5,131 |
| Intel Core i5-4670S @ 3.10GHz    | 5,130 |
| Snapdragon 860 @ 2.96 GHz        | 5,130 |
| AMD FX-8310 Eight-Core           | 5,128 |
| Intel Core i7-3630QM @ 2.40GHz   | 5,127 |
| Intel Core i7-3610QM @ 2.30GHz   | 5,122 |
| Intel Core i5-6440HQ @ 2.60GHz   | 5,103 |
| MT6893                           | 5,102 |
| Intel Core i5-7300HQ @ 2.50GHz   | 5,101 |
| Intel Core i7-10510Y @ 1.20GHz   | 5,100 |
| Intel Core i7-4765T @ 2.00GHz    | 5,099 |
| Intel Xeon E3-1230 @ 3.20GHz     | 5,091 |
| AMD FX-8320E Eight-Core          | 5,083 |
| Hisilicon Kirin9000              | 5,083 |
| Intel Xeon W-2102 @ 2.90GHz      | 5,074 |
| Intel Core i5-8265UC @ 1.60GHz   | 5,073 |
| Intel Core i5-5575R @ 2.80GHz    | 5,069 |
| Intel Xeon E5645 @ 2.40GHz       | 5,046 |
| vendor Kirin820                  | 5,044 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |       |
|--------------------------------------|-------|
| Intel Core i5-4670K CPT @ 3.40GHz    | 5,034 |
| Intel Xeon E3-1235 @ 3.20GHz         | 5,030 |
| Intel Core i7-3610QE @ 2.30GHz       | 5,026 |
| Intel Xeon E5-2420 @ 1.90GHz         | 5,023 |
| Mediatek MT6877                      | 5,018 |
| Intel Xeon E3-1235L v5 @ 2.00GHz     | 5,013 |
| Intel Core i5-4570S @ 2.90GHz        | 5,010 |
| Intel Xeon X5677 @ 3.47GHz           | 5,003 |
| Intel Xeon X5672 @ 3.20GHz           | 4,994 |
| Mediatek Dimensity 7200-Pro (MT6886) | 4,989 |
| Intel Xeon E5-1607 v3 @ 3.10GHz      | 4,986 |
| Mediatek MT6877V/TZA                 | 4,962 |
| Intel Core i3-7350K @ 4.20GHz        | 4,957 |
| Intel Core i5-3570K @ 3.40GHz        | 4,957 |
| Intel Core i3-1005G1 @ 1.20GHz       | 4,955 |
| Apple A12 Bionic                     | 4,941 |
| Intel Core i7-3612QE @ 2.10GHz       | 4,929 |
| Mediatek MT6877V/TTZA                | 4,919 |
| Intel Core i5-3570 @ 3.40GHz         | 4,918 |
| Intel Xeon D-1520 @ 2.20GHz          | 4,917 |
| SM8450                               | 4,896 |
| Mediatek MT8791V/TN                  | 4,892 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |       |
|---|-------|
| Intel Core i5-4460 @ 3.20GHz                      | 4,878 |
| Intel Core i7-4770TE @ 2.30GHz                    | 4,877 |
| MT6877V/TZA                                       | 4,871 |
| Renoir based on Qualcomm Technologies, Inc SM7350 | 4,869 |
| AMD FX-8140 Eight-Core                            | 4,860 |
| Intel Xeon D-1518 @ 2.20GHz                       | 4,854 |
| Samsung Technologies, Inc Exynos E1080            | 4,846 |
| Intel Core i3-7320 @ 4.10GHz                      | 4,844 |
| Intel Xeon Bronze 3204 @ 1.90GHz                  | 4,835 |
| Intel Core i5-7442EQ @ 2.10GHz                    | 4,834 |
| Snapdragon 8cx @ 2.84 GHz                         | 4,806 |
| Intel Core i5-3550 @ 3.30GHz                      | 4,805 |
| Intel Core i3-9100TE @ 2.20GHz                    | 4,791 |
| MT6877V/ZA  | 4,787 |
| Intel Core i5-6500T @ 2.50GHz                     | 4,775 |
| Intel Core i5-4440 @ 3.10GHz                      | 4,769 |
| Intel Core i7-2960XM @ 2.70GHz                    | 4,760 |
| AMD Athlon Gold 7220U                             | 4,753 |
| AMD Opteron 6220                                  | 4,753 |
| Intel Xeon E3-1225 V2 @ 3.20GHz                   | 4,746 |
| Intel Core i5-4470S @ 3.00GHz                     | 4,742 |
| Mediatek MT6877V/ZA                               | 4,736 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel Core i5-7400T @ 2.40GHz   | 4,734 |
| Intel Core i7-3635QM @ 2.40GHz  | 4,726 |
| Intel Core i5-6500TE @ 2.30GHz  | 4,724 |
| MT8771V/PZA                     | 4,723 |
| Intel Atom C3858 @ 2.00GHz      | 4,707 |
| Intel Xeon E5-1410 @ 2.80GHz    | 4,701 |
| Intel Core i5-6300HQ @ 2.30GHz  | 4,700 |
| Intel Xeon E5-2603 v4 @ 1.70GHz | 4,695 |
| Intel Xeon E5-1603 v4 @ 2.80GHz | 4,683 |
| Intel Core i7-3612QM @ 2.10GHz  | 4,680 |
| Intel Xeon E3-1220 V2 @ 3.10GHz | 4,676 |
| Intel Core i5-3470 @ 3.20GHz    | 4,675 |
| Intel Core i7-3632QM @ 2.20GHz  | 4,669 |
| AMD Opteron 4284                | 4,665 |
| Intel Core i5-4430 @ 3.00GHz    | 4,654 |
| Intel Core i5-4690T @ 2.50GHz   | 4,654 |
| Intel Core i7-2600S @ 2.80GHz   | 4,651 |
| Intel Xeon X5667 @ 3.07GHz      | 4,649 |
| AMD FX-8120 Eight-Core          | 4,641 |
| Samsung Exynos 980              | 4,637 |
| AMD Athlon Silver PRO 3125GE    | 4,633 |
| Intel Core i7-6970HQ @ 2.80GHz  | 4,632 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| Intel Core i5-3570S @ 3.10GHz     | 4,618 |
| Mediatek MT6855V/AZA              | 4,615 |
| Intel Atom C3758 @ 2.20GHz        | 4,614 |
| Intel Xeon L5640 @ 2.27GHz        | 4,606 |
| Snapdragon 8350                   | 4,599 |
| Intel Core i5-4460S @ 2.90GHz     | 4,593 |
| Samsung s5e8825                   | 4,592 |
| Qualcomm Technologies, Inc SM8150 | 4,586 |
| AMD Ryzen Embedded V1500B         | 4,584 |
| Intel Core i5-4570R @ 2.70GHz     | 4,575 |
| Qualcomm SC7180P                  | 4,558 |
| Intel Core i7-2860QM @ 2.50GHz    | 4,552 |
| Intel Celeron G6900               | 4,551 |
| Mediatek MT6855                   | 4,551 |
| Intel Core i5-6442EQ @ 1.90GHz    | 4,548 |
| MT6877T                           | 4,548 |
| AMD Athlon Silver 3050GE          | 4,545 |
| AMD FX-6350 Six-Core              | 4,544 |
| AMD Athlon 240GE                  | 4,534 |
| Intel Core i3-7300 @ 4.00GHz      | 4,530 |
| Rockchip RK3588                   | 4,515 |
| Intel Core i3-6320 @ 3.90GHz      | 4,510 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| Intel Pentium Gold G6605 @ 4.30GHz | 4,507 |
| AMD Opteron 4280                   | 4,504 |
| MT6889Z/CZA                        | 4,504 |
| Intel Core i5-3450 @ 3.10GHz       | 4,495 |
| Qualcomm Technologies, Inc SM8150P | 4,495 |
| AMD Athlon 3000G                   | 4,487 |
| Mediatek DM700                     | 4,471 |
| Samsung s5e8535                    | 4,468 |
| Intel Core i5-3550S @ 3.00GHz      | 4,455 |
| Intel Core i5-10210Y @ 1.00GHz     | 4,444 |
| Intel Xeon E5-2609 v3 @ 1.90GHz    | 4,444 |
| Intel Core i5-4670T @ 2.30GHz      | 4,441 |
| Intel Xeon X5647 @ 2.93GHz         | 4,441 |
| SM6375                             | 4,441 |
| Intel Core i3-7101E @ 3.90GHz      | 4,430 |
| AMD Athlon 220GE                   | 4,429 |
| Intel Pentium 6805 @ 1.10GHz       | 4,424 |
| Intel Xeon Bronze 3104 @ 1.70GHz   | 4,424 |
| AMD Athlon PRO 300GE               | 4,423 |
| Intel Xeon L5639 @ 2.13GHz         | 4,419 |
| AMD FX-6330 Six-Core               | 4,418 |
| Intel Core i7-2920XM @ 2.50GHz     | 4,418 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| Intel Xeon E5-1603 v3 @ 2.80GHz    | 4,416 |
| Mediatek MT8771V/PZA               | 4,414 |
| Mediatek MT8781V/NA                | 4,412 |
| Apple A11 Bionic                   | 4,403 |
| MT6875                             | 4,393 |
| Intel Core i7-2820QM @ 2.30GHz     | 4,392 |
| Intel Core i3-1110G4 @ 1.80GHz     | 4,390 |
| Intel Core i5-3470S @ 2.90GHz      | 4,389 |
| AMD Athlon 320GE                   | 4,388 |
| Intel Core i3-8121U @ 2.20GHz      | 4,388 |
| Intel Core i5-4440S @ 2.80GHz      | 4,385 |
| AMD Opteron 4386                   | 4,378 |
| Intel Celeron J6413 @ 1.80GHz      | 4,378 |
| Intel Core i5-3450S @ 2.80GHz      | 4,375 |
| Intel Core i7-2760QM @ 2.40GHz     | 4,372 |
| Intel Pentium Gold G6505 @ 4.20GHz | 4,371 |
| Mediatek MT6835                    | 4,370 |
| Mediatek MT6853V/TNZA              | 4,368 |
| QTI SM7225                         | 4,364 |
| AMD FX-6130 Six-Core               | 4,353 |
| Qualcomm SDM845                    | 4,353 |
| Qualcomm Technologies, Inc SDM750G | 4,350 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| Hisilicon Kirin980                 | 4,349 |
| Mediatek MT6833GP                  | 4,346 |
| Intel Core i3-7100 @ 3.90GHz       | 4,342 |
| Intel Core i3-6300 @ 3.80GHz       | 4,340 |
| Mediatek MT6789V/CD                | 4,331 |
| Intel Core i3-1115GRE @ 3.00GHz    | 4,322 |
| MediaTek G99 Ultimate (MT6789)     | 4,319 |
| Mediatek MT6833V/PNZA              | 4,312 |
| Intel Core i5-4430S @ 2.70GHz      | 4,310 |
| QTI SM7250                         | 4,304 |
| Mediatek MT6879V/ZA                | 4,297 |
| Mediatek MT8781V/CA                | 4,282 |
| Intel Atom C3958 @ 2.00GHz         | 4,281 |
| Intel Core i5-3350P @ 3.10GHz      | 4,279 |
| AMD Athlon 300GE                   | 4,273 |
| Intel Core i5-6400T @ 2.20GHz      | 4,273 |
| Intel Pentium Gold G6600 @ 4.20GHz | 4,273 |
| Mediatek MT6833V/ZA                | 4,269 |
| Qualcomm Technologies, Inc SM6375  | 4,266 |
| vendor Kirin810                    | 4,261 |
| 天玑900                              | 4,259 |
| Intel Core i5-6350HQ @ 2.30GHz     | 4,255 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| Intel Pentium Gold G6405 @ 4.10GHz     | 4,251 |
| Intel Core i5-3475S @ 2.90GHz          | 4,250 |
| Intel Core i3-8109U @ 3.00GHz          | 4,249 |
| Intel Core i5-3340 @ 3.10GHz           | 4,241 |
| Intel Core i3-8140U @ 2.10GHz          | 4,227 |
| Qualcomm SM7150                        | 4,212 |
| Intel Core i3-7300T @ 3.50GHz          | 4,211 |
| Mediatek MT8789V/T                     | 4,206 |
| AMD FX-6300 Six-Core                   | 4,204 |
| Intel Core i5-2450P @ 3.20GHz          | 4,203 |
| QTI SM6375                             | 4,193 |
| Qualcomm Technologies, Inc SM8150_Plus | 4,193 |
| Intel Pentium J6426 @ 2.00GHz          | 4,180 |
| Intel Xeon E5-1607 v2 @ 3.00GHz        | 4,178 |
| MT6833V/PNZA                           | 4,164 |
| Hisilicon Kirin985                     | 4,162 |
| MT6833P                                | 4,158 |
| QTI SM6350                             | 4,152 |
| Intel Core i3-6100 @ 3.70GHz           | 4,146 |
| Intel Pentium Gold G6500 @ 4.10GHz     | 4,145 |
| AMD Ryzen Embedded R1606G              | 4,144 |
| Intel Core i7-7567U @ 3.50GHz          | 4,143 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| AMD Opteron 3380                    | 4,134 |
| Intel Celeron N5095A @ 2.00GHz      | 4,128 |
| Intel Core i5-2500 @ 3.30GHz        | 4,126 |
| Intel Pentium Gold G5600F @ 3.90GHz | 4,124 |
| Intel Pentium Gold G6400 @ 4.00GHz  | 4,124 |
| Intel Core i5-2500K @ 3.30GHz       | 4,123 |
| Mediatek MT6781V/CDZAMB-H           | 4,120 |
| Mediatek MT6833                     | 4,120 |
| AMD Athlon 200GE                    | 4,109 |
| AMD FX-6200 Six-Core                | 4,107 |
| Intel Core i5-3570T @ 2.30GHz       | 4,107 |
| MT8789V/T                           | 4,104 |
| Intel Celeron N5095 @ 2.00GHz       | 4,102 |
| Intel Pentium Gold G5620 @ 4.00GHz  | 4,102 |
| MT6833V/ZA                          | 4,101 |
| Intel Core i3-8145UE @ 2.20GHz      | 4,099 |
| AMD Opteron 3365                    | 4,091 |
| Intel Core i5-3330 @ 3.00GHz        | 4,091 |
| AMD Athlon PRO 300U                 | 4,080 |
| ARM - 8 Core 1766 MHz               | 4,080 |
| Intel Core i5-4590T @ 2.00GHz       | 4,079 |
| Intel Core i5-3335S @ 2.70GHz       | 4,074 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                |       |
|--------------------------------|-------|
| AMD Opteron 6234               | 4,072 |
| Intel Core i7-7660U @ 2.50GHz  | 4,071 |
| Intel Xeon E3-1260L @ 2.40GHz  | 4,068 |
| AMD Ryzen 3 PRO 2100GE         | 4,062 |
| Intel Core i5-2550K @ 3.40GHz  | 4,060 |
| MT8789V/CT                     | 4,060 |
| Intel Celeron N5105 @ 2.00GHz  | 4,059 |
| Mediatek MT6853V/NZA           | 4,050 |
| MediaTek MT6873                | 4,050 |
| AMD FX-8100 Eight-Core         | 4,046 |
| MT8186                         | 4,046 |
| Intel Atom x6425E @ 2.00GHz    | 4,044 |
| Intel Core i7-2710QE @ 2.10GHz | 4,044 |
| Intel Core i3-6098P @ 3.60GHz  | 4,025 |
| Intel Core i7-2720QM @ 2.20GHz | 4,023 |
| AMD Athlon Gold 3150U          | 4,014 |
| AMD Opteron 6212               | 4,007 |
| QTI QCM5430                    | 4,006 |
| Intel Celeron G6900T           | 4,003 |
| Intel Core i3-6300T @ 3.30GHz  | 4,003 |
| Intel Core i5-7260U @ 2.20GHz  | 3,980 |
| Intel Core i5-4470 @ 3.30GHz   | 3,971 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| AMD PRO A12-8870                           | 3,969 |
| MT6781V/CD                                 | 3,969 |
| QTI SM4375                                 | 3,968 |
| MediaTek Kompanio 520/528 (MT8186/MT8186T) | 3,965 |
| QTI SM4450                                 | 3,957 |
| AMD Opteron 4334                           | 3,949 |
| Intel Core i3-7101TE @ 3.40GHz             | 3,949 |
| Mediatek MT8789V/CT                        | 3,946 |
| AMD Ryzen Embedded R1505G                  | 3,928 |
| Intel Core i7-985 @ 3.47GHz                | 3,928 |
| AMD Athlon PRO 200GE                       | 3,926 |
| AMD Athlon 300U                            | 3,919 |
| Intel Core i7-2675QM @ 2.20GHz             | 3,919 |
| Intel Core i3-10110U @ 2.10GHz             | 3,914 |
| Intel Core i5-3340S @ 2.80GHz              | 3,914 |
| Hisilicon Kirin 990                        | 3,913 |
| ZHAOXIN KaiXian KX-U6780A@2.7GHz           | 3,913 |
| Intel Pentium Gold G6400E @ 3.80GHz        | 3,908 |
| AMD Opteron 4332 HE                        | 3,906 |
| Intel Xeon E3-1225 @ 3.10GHz               | 3,895 |
| Samsung Exynos 9820                        | 3,895 |
| Hisilicon Kirin820                         | 3,893 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Intel Xeon E3-1220 @ 3.10GHz        | 3,889 |
| Intel Core i5-7360U @ 2.30GHz       | 3,888 |
| AMD FX-6120 Six-Core                | 3,887 |
| QTI SM7125                          | 3,887 |
| Intel Core i5-3330S @ 2.70GHz       | 3,874 |
| Intel Pentium Gold G6500T @ 3.50GHz | 3,874 |
| MT6781                              | 3,873 |
| AMD A9-9820                         | 3,870 |
| Intel Core i5-2400 @ 3.10GHz        | 3,868 |
| AMD Ryzen Embedded R2312            | 3,865 |
| Intel Atom x6413E @ 1.50GHz         | 3,864 |
| Qualcomm Technologies, Inc          | 3,863 |
| Intel Celeron J6412 @ 2.00GHz       | 3,854 |
| AMD Ryzen 3 3250U                   | 3,852 |
| Intel Core i3-4370 @ 3.80GHz        | 3,845 |
| Intel Pentium Gold G5600 @ 3.90GHz  | 3,843 |
| AMD Phenom II X6 1100T              | 3,842 |
| Intel Core i7-2840QM @ 2.40GHz      | 3,842 |
| Snapdragon 7c Gen 2 @ 2.55 GHz      | 3,826 |
| AMD Ryzen 3 3200U                   | 3,823 |
| Intel Core i5-6287U @ 3.10GHz       | 3,823 |
| Intel Pentium Gold G5500 @ 3.80GHz  | 3,823 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel Xeon E5-2603 v3 @ 1.60GHz | 3,817 |
| AMD Athlon X4 845               | 3,811 |
| AMD Athlon X4 970               | 3,811 |
| Samsung Exynos 9825             | 3,809 |
| Intel Core i3-7100T @ 3.40GHz   | 3,803 |
| Intel Core i5-2380P @ 3.10GHz   | 3,797 |
| Intel Core i3-8145U @ 2.10GHz   | 3,796 |
| Intel Core i5-7287U @ 3.30GHz   | 3,794 |
| Qualcomm SM7250                 | 3,793 |
| Mediatek MT6785                 | 3,792 |
| Mediatek MT6781V/CD             | 3,787 |
| QTI SM7150                      | 3,785 |
| MT6833                          | 3,784 |
| Virtual @ 3.14GHz               | 3,784 |
| Intel Core i7-7560U @ 2.40GHz   | 3,773 |
| Intel Core i7-6567U @ 3.30GHz   | 3,770 |
| ARM Cortex-A57 8 Core 1766 MHz  | 3,766 |
| Intel Core i7-2670QM @ 2.20GHz  | 3,763 |
| AMD Phenom II X6 1090T          | 3,756 |
| Intel Xeon E5630 @ 2.53GHz      | 3,754 |
| AMD PRO A10-8850B               | 3,752 |
| Intel Pentium G4620 @ 3.70GHz   | 3,752 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Intel Pentium Gold G6405T @ 3.50GHz | 3,746 |
| Samsung Exynos 9810                 | 3,744 |
| Intel Core i7-7600U @ 2.80GHz       | 3,733 |
| Intel Xeon E5-1607 @ 3.00GHz        | 3,730 |
| AMD Opteron 3280                    | 3,723 |
| Qualcomm SM6150                     | 3,722 |
| Intel Pentium Gold G5400 @ 3.70GHz  | 3,721 |
| Mediatek MT6781                     | 3,712 |
| Snapdragon 7c @ 1.96 GHz            | 3,712 |
| AMD Ryzen 3 2200U                   | 3,709 |
| Intel Xeon L5638 @ 2.00GHz          | 3,707 |
| Intel Pentium Gold G5420 @ 3.80GHz  | 3,706 |
| Intel Xeon E5640 @ 2.67GHz          | 3,702 |
| Intel Pentium Gold G6505T @ 3.60GHz | 3,698 |
| AMD Opteron 6174                    | 3,697 |
| ZHAOXIN KaiXian KX-U6780@2.7GHz     | 3,693 |
| QTI SM4350                          | 3,684 |
| AMD FX-6100 Six-Core                | 3,677 |
| Intel Core i3-6100T @ 3.20GHz       | 3,671 |
| Intel Core i5-7300U @ 2.60GHz       | 3,668 |
| AMD PRO A12-9800                    | 3,666 |
| AMD Athlon X4 880K                  | 3,659 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Intel Core i5-2320 @ 3.00GHz        | 3,652 |
| Intel Core i7-7500U @ 2.70GHz       | 3,652 |
| AMD PRO A10-9700                    | 3,649 |
| MediaTek MT6785V/CD                 | 3,647 |
| MT6833V/NZA                         | 3,641 |
| Qualcomm SM7125                     | 3,641 |
| AMD A8-7500                         | 3,640 |
| Intel Core i3-1000NG4 @ 1.10GHz     | 3,640 |
| Mediatek MT6833P                    | 3,640 |
| Intel Core i5-4460T @ 1.90GHz       | 3,634 |
| Intel Core i5-7267U @ 3.10GHz       | 3,634 |
| Mediatek MT6833V/NZA                | 3,633 |
| Intel Core i5-2310 @ 2.90GHz        | 3,632 |
| Intel Core i3-4360 @ 3.70GHz        | 3,631 |
| Intel Pentium G4600 @ 3.60GHz       | 3,629 |
| DG1301SML87HY                       | 3,624 |
| MT6853V/TNZA                        | 3,616 |
| Intel Xeon W3580 @ 3.33GHz          | 3,609 |
| Intel Core i7-6650U @ 2.20GHz       | 3,602 |
| Intel Pentium Gold G5600T @ 3.30GHz | 3,601 |
| Qualcomm SM4350                     | 3,595 |
| Intel Core i3-4170 @ 3.70GHz        | 3,592 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                       |       |
|---------------------------------------|-------|
| AMD Athlon X4 950                     | 3,588 |
| Intel Pentium Gold G6400T @ 3.40GHz   | 3,588 |
| AMD A12-9800                          | 3,583 |
| AMD Embedded R-Series RX-421ND        | 3,575 |
| Intel Core i3-8130U @ 2.20GHz         | 3,570 |
| AMD Opteron 6176 SE                   | 3,564 |
| Intel Xeon E3-1265L @ 2.40GHz         | 3,564 |
| Intel Core i3-4330 @ 3.50GHz          | 3,558 |
| QTI SM6225                            | 3,555 |
| Intel Core i7-2630QM @ 2.00GHz        | 3,553 |
| MT6785                                | 3,551 |
| Intel Core i7-6660U @ 2.40GHz         | 3,549 |
| Intel Core i3-4340 @ 3.60GHz          | 3,545 |
| AMD PRO A10-8770                      | 3,538 |
| AMD A8-7680                           | 3,537 |
| AMD A10-9700                          | 3,534 |
| AMD Ryzen Embedded V1202B             | 3,532 |
| Intel Pentium N6415 @ 1.20GHz         | 3,532 |
| Intel Pentium G4560 @ 3.50GHz         | 3,527 |
| Qualcomm Technologies, Inc SDMMAGPIEP | 3,523 |
| AMD A10-7890K                         | 3,522 |
| Intel Xeon E5-2418L @ 2.00GHz         | 3,518 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Intel Core i3-4160 @ 3.60GHz        | 3,511 |
| MT6853V/ZA                          | 3,505 |
| Intel Xeon E5-2407 v2 @ 2.40GHz     | 3,504 |
| Intel Xeon E5620 @ 2.40GHz          | 3,502 |
| Intel Core i3-4350 @ 3.60GHz        | 3,501 |
| Qualcomm Technologies, Inc ATOLL-AB | 3,497 |
| AMD Opteron 4365 EE                 | 3,485 |
| AMD Opteron 6164 HE                 | 3,478 |
| AMD A12-9800E                       | 3,471 |
| Intel Core i5-4340M @ 2.90GHz       | 3,468 |
| Intel Core i7-975 @ 3.33GHz         | 3,461 |
| Qualcomm Technologies, Inc SM7250   | 3,459 |
| Intel Xeon E5-1603 @ 2.80GHz        | 3,458 |
| Intel Core i7-6498DU @ 2.50GHz      | 3,454 |
| AMD A10 PRO-7850B APU               | 3,453 |
| Intel Pentium Gold G5420T @ 3.20GHz | 3,452 |
| Intel Xeon X5698 @ 4.40GHz          | 3,447 |
| Snapdragon 845 @ 2.8 GHz            | 3,446 |
| Intel Core i7-6600U @ 2.60GHz       | 3,443 |
| AMD Opteron X3421 APU               | 3,440 |
| Intel Core i5-L16G7 @ 1.40GHz       | 3,440 |
| AMD A10-8850                        | 3,438 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| AMD A10-7850K APU                        | 3,436 |
| Intel Core i3-7100H @ 3.00GHz            | 3,430 |
| AMD Embedded R-Series RX-418GD Radeon R6 | 3,426 |
| MediaTek MT6853T                         | 3,425 |
| AMD A10-7870K                            | 3,424 |
| Intel Core i7-965 @ 3.20GHz              | 3,424 |
| Intel Core i5-2300 @ 2.80GHz             | 3,421 |
| AMD Athlon X4 860K                       | 3,414 |
| Intel Core i5-6267U @ 2.90GHz            | 3,412 |
| Qualcomm Technologies, Inc SDM765G 5G    | 3,411 |
| Qualcomm MSM8998                         | 3,405 |
| Qualcomm Technologies, Inc KHAJE         | 3,405 |
| Intel Pentium Silver N5020 @ 1.10GHz     | 3,404 |
| AMD Opteron 4226                         | 3,400 |
| AMD Athlon X4 870K                       | 3,399 |
| AMD Phenom II X6 1075T                   | 3,399 |
| Qualcomm Technologies, Inc LAGOON        | 3,396 |
| QTI SM6150                               | 3,394 |
| Intel Core i5-2500S @ 2.70GHz            | 3,393 |
| Intel Xeon E5-4603 @ 2.00GHz             | 3,391 |
| Qualcomm Technologies, Inc SM7225        | 3,390 |
| Intel Core i3-4150 @ 3.50GHz             | 3,389 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| AMD Phenom II X6 1065T                 | 3,388 |
| Intel Core i5-7200U @ 2.50GHz          | 3,388 |
| Intel Pentium Silver J5040 @ 2.00GHz   | 3,386 |
| Mediatek MT6779                        | 3,386 |
| AMD Opteron 6136                       | 3,381 |
| Qualcomm Technologies, Inc SDM730G AIE | 3,379 |
| MediaTek MT6785V/CC                    | 3,370 |
| AMD FX-B4150 Quad-Core                 | 3,369 |
| Intel Core i3-7167U @ 2.80GHz          | 3,368 |
| Intel Xeon W5580 @ 3.20GHz             | 3,368 |
| Mediatek MT8786V/CT                    | 3,368 |
| Mediatek MT8788                        | 3,367 |
| Snapdragon 7c @ 2.40 GHz               | 3,367 |
| AMD Athlon X4 850                      | 3,366 |
| AMD Ryzen Embedded R1600               | 3,365 |
| AMD A10 PRO-7800B APU                  | 3,364 |
| Intel Xeon W3565 @ 3.20GHz             | 3,364 |
| Intel Core i3-4370T @ 3.30GHz          | 3,361 |
| AMD PRO A8-9600                        | 3,359 |
| Qualcomm Technologies, Inc SM7125      | 3,355 |
| Intel Core i7-2635QM @ 2.00GHz         | 3,347 |
| Qualcomm Technologies, Inc SDM845      | 3,345 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel Xeon E5-2609 v2 @ 2.50GHz | 3,343 |
| Intel Xeon W5590 @ 3.33GHz      | 3,342 |
| Intel Core i7-6560U @ 2.20GHz   | 3,338 |
| Intel Core i7-960 @ 3.20GHz     | 3,336 |
| AMD Phenom II X6 1405T          | 3,335 |
| MT6853V/NZA                     | 3,330 |
| AMD FX-4150 Quad-Core           | 3,327 |
| Snapdragon 850 @ 2.96 GHz       | 3,326 |
| Qualcomm Technologies, Inc LITO | 3,319 |
| AMD Athlon X4 840               | 3,315 |
| Intel Core i3-6100E @ 2.70GHz   | 3,315 |
| AMD Phenom II X6 1055T          | 3,313 |
| Intel Core i3-4130 @ 3.40GHz    | 3,313 |
| Intel Celeron N5100 @ 1.10GHz   | 3,308 |
| AMD FX-9830P                    | 3,306 |
| AMD FX-4350 Quad-Core           | 3,304 |
| AMD Embedded R-Series RX-421BD  | 3,302 |
| AMD A8-9600                     | 3,300 |
| Intel Xeon L5609 @ 1.87GHz      | 3,298 |
| AMD Athlon Gold 3150C           | 3,292 |
| Intel Celeron 6600HE @ 2.60GHz  | 3,286 |
| Intel Core i3-4360T @ 3.20GHz   | 3,286 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| Qualcomm Technologies, Inc SDM720G     | 3,285 |
| Intel Core i7-6500U @ 2.50GHz          | 3,279 |
| Intel Xeon X3480 @ 3.07GHz             | 3,273 |
| Virtual @ 2.00GHz                      | 3,273 |
| AMD A10-7860K                          | 3,269 |
| Intel Core i3-10110Y @ 1.00GHz         | 3,269 |
| Intel Xeon X5570 @ 2.93GHz             | 3,263 |
| Qualcomm Technologies, Inc SM7150      | 3,263 |
| Intel Pentium Gold G5500T @ 3.20GHz    | 3,259 |
| Intel Xeon X3470 @ 2.93GHz             | 3,256 |
| Intel Core i3-6167U @ 2.70GHz          | 3,255 |
| Intel Core i5-4400E @ 2.70GHz          | 3,251 |
| Intel Core i3-4570T @ 2.90GHz          | 3,244 |
| Intel Pentium D1508 @ 2.20GHz          | 3,240 |
| MT6833GP                               | 3,238 |
| Qualcomm SDM670                        | 3,238 |
| Intel Core i5-6300U @ 2.40GHz          | 3,235 |
| Intel Core i7-880 @ 3.07GHz            | 3,234 |
| Mediatek MT6768G                       | 3,232 |
| AMD A8-7600 APU                        | 3,231 |
| MT8667                                 | 3,230 |
| Qualcomm Technologies, Inc TRINKET-IOT | 3,230 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| ZHAOXIN KaiXian KX-U6580@2.5GHz | 3,227 |
| Intel Xeon W3550 @ 3.07GHz      | 3,225 |
| Intel Core i7-2715QE @ 2.10GHz  | 3,221 |
| AMD A10-6800K APU               | 3,220 |
| AMD PRO A8-8650B                | 3,217 |
| Intel Core i5-4570T @ 2.90GHz   | 3,216 |
| Intel Core i3-4170T @ 3.20GHz   | 3,215 |
| AMD Ryzen 3 3250C               | 3,208 |
| Intel Core i5-6260U @ 1.80GHz   | 3,207 |
| Intel Core i7-950 @ 3.07GHz     | 3,205 |
| Intel Core i5-4330M @ 2.80GHz   | 3,203 |
| AMD A10-7800 APU                | 3,202 |
| AMD A10-8750                    | 3,198 |
| AMD A10-7700K APU               | 3,197 |
| Intel Atom x6427FE @ 1.90GHz    | 3,196 |
| AMD A8-7670K                    | 3,192 |
| Intel Core i7-4610M @ 3.00GHz   | 3,191 |
| Virtual @ 2.41GHz               | 3,188 |
| Intel Xeon W3570 @ 3.20GHz      | 3,185 |
| AMD FX-870K Quad Core           | 3,183 |
| QTI SM611                       | 3,180 |
| Intel Core i7-4600M @ 2.90GHz   | 3,178 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| AMD Phenom II X6 1045T                 | 3,174 |
| AMD A10-9700E                          | 3,171 |
| AMD PRO A12-9800E                      | 3,171 |
| Intel Atom C1110                       | 3,170 |
| QTI QCM4290                            | 3,169 |
| Samsung "Exynos 9610"                  | 3,168 |
| Mediatek MT8786V/N                     | 3,164 |
| vendor Kirin970                        | 3,163 |
| Intel Core i5-2400S @ 2.50GHz          | 3,159 |
| Intel Core i5-2405S @ 2.50GHz          | 3,157 |
| Qualcomm Technologies, Inc SDMMAGPIE   | 3,157 |
| Intel Xeon Gold 6262V @ 1.90GHz        | 3,155 |
| Intel Core i5-6198DU @ 2.30GHz         | 3,153 |
| Intel Core i3-6100TE @ 2.70GHz         | 3,152 |
| Unisoc T616                            | 3,152 |
| MT8786V/CA                             | 3,146 |
| Intel Core i3-4350T @ 3.10GHz          | 3,142 |
| ARM Cortex-A76 4 Core 1800 MHz         | 3,140 |
| Qualcomm Technologies, Inc BENGALP-IOT | 3,127 |
| Spreadtrum T612                        | 3,126 |
| Intel Core i3-4160T @ 3.10GHz          | 3,125 |
| Intel Xeon X5560 @ 2.80GHz             | 3,124 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |       |
|--------------------------------------|-------|
| Samsung Exynos 8895                  | 3,121 |
| AMD A8-7650K                         | 3,119 |
| Intel Core i7-870 @ 2.93GHz          | 3,118 |
| AMD A10-6700 APU                     | 3,115 |
| Intel Core i3-4330T @ 3.00GHz        | 3,115 |
| Intel Core i5-4310M @ 2.70GHz        | 3,115 |
| Intel Core i5-4200H @ 2.80GHz        | 3,114 |
| Mediatek MT6769                      | 3,113 |
| Intel Core i7-875K @ 2.93GHz         | 3,110 |
| Intel Pentium Gold G5400T @ 3.10GHz  | 3,110 |
| AMD FX-4200 Quad-Core                | 3,109 |
| Intel Core i5-5287U @ 2.90GHz        | 3,105 |
| Intel Core i5-6360U @ 2.00GHz        | 3,102 |
| AMD Athlon Silver 7120U              | 3,100 |
| AMD FX-4330                          | 3,098 |
| ARM Cortex-A78 4 Core 2000 MHz       | 3,089 |
| AMD A10-6800B APU                    | 3,088 |
| Intel Pentium Silver J5005 @ 1.50GHz | 3,088 |
| Intel Core i7-4578U @ 3.00GHz        | 3,087 |
| Qualcomm Technologies, Inc SM4350    | 3,087 |
| MT6771V/CL                           | 3,079 |
| Intel Pentium Silver N6000 @ 1.10GHz | 3,078 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                |       |
|--------------------------------|-------|
| Intel Core i5-4570TE @ 2.70GHz | 3,074 |
| AMD FX-4320                    | 3,072 |
| Intel Core i7-5557U @ 3.10GHz  | 3,071 |
| AMD A10-6790K APU              | 3,070 |
| Intel Xeon W3540 @ 2.93GHz     | 3,070 |
| Intel Core i3-9100HL @ 1.60GHz | 3,065 |
| Intel Xeon W3530 @ 2.80GHz     | 3,062 |
| AMD Opteron 2435               | 3,061 |
| Intel Core i5-24050S @ 2.50GHz | 3,061 |
| Intel Pentium G4600T @ 3.00GHz | 3,055 |
| AMD PRO A10-9700E              | 3,053 |
| MediaTek MT6779V/CE            | 3,049 |
| Intel Core i5-4210H @ 2.90GHz  | 3,045 |
| AMD Opteron X3418 APU          | 3,043 |
| AMD PRO A12-8870E              | 3,042 |
| Intel Core i3-6100H @ 2.70GHz  | 3,041 |
| Intel Core i3-7130U @ 2.70GHz  | 3,039 |
| AMD A10-5800B APU              | 3,034 |
| AMD FX-4170 Quad-Core          | 3,034 |
| Intel Core i7-5600U @ 2.60GHz  | 3,031 |
| AMD PRO A10-8770E              | 3,030 |
| AMD Athlon Silver 3050e        | 3,025 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| Intel Xeon L5630 @ 2.13GHz         | 3,018 |
| Intel Atom x6425RE @ 1.90GHz       | 3,017 |
| Intel Pentium GOLD 6500Y @ 1.10GHz | 3,012 |
| AMD A8-6600K APU                   | 3,009 |
| Intel Xeon X5550 @ 2.67GHz         | 3,009 |
| SMDK4x12                           | 3,006 |
| AMD Athlon Silver 3050U            | 3,002 |
| Spreadtrum T616                    | 3,002 |
| Intel Core i7-4558U @ 2.80GHz      | 3,001 |
| Qualcomm SM6115                    | 3,001 |
| Intel Core i7-5650U @ 2.20GHz      | 2,998 |
| AMD A8-8650                        | 2,996 |
| AMD FX-4300 Quad-Core              | 2,996 |
| Intel Core i5-6200U @ 2.30GHz      | 2,995 |
| MT8786V/N                          | 2,992 |
| AMD A12-9730P                      | 2,989 |
| AMD PRO A8-8670E                   | 2,989 |
| Intel Core i5-4308U @ 2.80GHz      | 2,989 |
| Intel Core i5-4300M @ 2.60GHz      | 2,988 |
| Intel Core i7-3540M @ 3.00GHz      | 2,988 |
| Spreadtrum T618                    | 2,988 |
| AMD Opteron 4174 HE                | 2,986 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                |       |
|--------------------------------|-------|
| Intel Core i5-3470T @ 2.90GHz  | 2,986 |
| Intel Core i7-860 @ 2.80GHz    | 2,981 |
| AMD FX-670K Quad-Core          | 2,980 |
| AMD Phenom II X6 1035T         | 2,980 |
| AMD Ryzen Embedded R1305G      | 2,980 |
| Intel Xeon E5-2637 @ 3.00GHz   | 2,978 |
| Virtual @ 2.40GHz              | 2,978 |
| Intel Celeron J4125 @ 2.00GHz  | 2,963 |
| Intel Core i7-930 @ 2.80GHz    | 2,962 |
| Intel Xeon X3460 @ 2.80GHz     | 2,962 |
| AMD A10-5800K APU              | 2,957 |
| AMD A8 PRO-7600B APU           | 2,954 |
| Intel Pentium G4560T @ 2.90GHz | 2,952 |
| Intel Core i7-4560U @ 1.60GHz  | 2,950 |
| AMD Athlon X4 760K Quad Core   | 2,948 |
| Intel Core i7-940 @ 2.93GHz    | 2,947 |
| Hisilicon Kirin810             | 2,945 |
| Mediatek MT6769V/CZ            | 2,942 |
| Mediatek MT6768                | 2,939 |
| AMD Opteron 2431               | 2,936 |
| Hisilicon Kirin 955            | 2,936 |
| Intel Core i3-10100Y @ 1.30GHz | 2,935 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| Intel Xeon W3520 @ 2.67GHz        | 2,934 |
| AMD Opteron 6128 HE               | 2,932 |
| Intel Core i5-2500T @ 2.30GHz     | 2,929 |
| Rockchip RK3399                   | 2,925 |
| Unisoc ums9230H                   | 2,924 |
| Intel Xeon X5470 @ 3.33GHz        | 2,921 |
| Mediatek MT6769H                  | 2,916 |
| Qualcomm SM6125                   | 2,916 |
| Qualcomm Technologies, Inc SM6150 | 2,916 |
| AMD FX-770K Quad-Core             | 2,915 |
| Intel Core i3-4150T @ 3.00GHz     | 2,912 |
| Intel Xeon X5492 @ 3.40GHz        | 2,912 |
| AMD A10-9630P                     | 2,909 |
| Intel Core i5-3380M @ 2.90GHz     | 2,909 |
| HiSilicon Kirin 970               | 2,908 |
| Intel Celeron J4105 @ 1.50GHz     | 2,902 |
| AMD Athlon X4 830                 | 2,901 |
| QTI SM6115                        | 2,890 |
| Intel Core i5-4210M @ 2.60GHz     | 2,885 |
| Intel Core i5-3360M @ 2.80GHz     | 2,880 |
| AMD Athlon Silver 3050C           | 2,879 |
| AMD PRO A10-8750B                 | 2,879 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| Intel Core i3-4130T @ 2.90GHz     | 2,879 |
| Intel Xeon E5-2403 v2 @ 1.80GHz   | 2,873 |
| AMD Opteron 4184                  | 2,872 |
| Intel Core m3-8100Y @ 1.10GHz     | 2,866 |
| Intel Core i7-5550U @ 2.00GHz     | 2,864 |
| Intel Xeon X3450 @ 2.67GHz        | 2,864 |
| Intel Core i7-3520M @ 2.90GHz     | 2,860 |
| Intel Xeon E5-2609 @ 2.40GHz      | 2,860 |
| AMD Athlon X4 750K Quad Core      | 2,859 |
| AMD FX-7600P APU                  | 2,856 |
| AMD A8-6500B APU                  | 2,855 |
| Qualcomm SDM450                   | 2,855 |
| AMD FX-8800P                      | 2,848 |
| Unisoc ums9230T                   | 2,846 |
| AMD A8-5600K APU                  | 2,845 |
| QTI SM6125                        | 2,845 |
| Intel Celeron G5925 @ 3.60GHz     | 2,841 |
| AMD Phenom II X4 980              | 2,839 |
| MT6768G                           | 2,838 |
| Qualcomm Technologies, Inc SDA660 | 2,836 |
| Intel Core i7-920 @ 2.67GHz       | 2,828 |
| AMD Opteron 6128                  | 2,826 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| AMD Opteron 3350 HE                 | 2,825 |
| Intel Core i5-4278U @ 2.60GHz       | 2,824 |
| T606                                | 2,824 |
| Unisoc T610                         | 2,819 |
| Intel Core i5-4200M @ 2.50GHz       | 2,816 |
| Intel Core i5-5257U @ 2.70GHz       | 2,814 |
| HiSilicon Kirin 960                 | 2,809 |
| Intel Celeron G5905 @ 3.50GHz       | 2,808 |
| AMD A8-6500 APU                     | 2,804 |
| Qualcomm Technologies, Inc MSM8998  | 2,803 |
| vendor Kirin710                     | 2,793 |
| ARM Cortex-A76 8 Core 1800 MHz      | 2,792 |
| AMD RX-427BB                        | 2,789 |
| Intel Xeon E5540 @ 2.53GHz          | 2,783 |
| Intel Core i5-8210Y @ 1.60GHz       | 2,782 |
| T610S-Unisoc                        | 2,781 |
| Intel Core2 Extreme X9775 @ 3.20GHz | 2,780 |
| Intel Core i7-5500U @ 2.40GHz       | 2,778 |
| Qualcomm Technologies, Inc QCM6125  | 2,775 |
| Intel Pentium G4500 @ 3.50GHz       | 2,770 |
| Intel Atom C2750 @ 2.40GHz          | 2,767 |
| Spreadtrum T606                     | 2,767 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                       |       |
|---------------------------------------|-------|
| MT6769V/CZ                            | 2,766 |
| Intel Core i7-870S @ 2.67GHz          | 2,765 |
| Intel Xeon X3440 @ 2.53GHz            | 2,761 |
| T618                                  | 2,760 |
| Intel Core i3-6157U @ 2.40GHz         | 2,758 |
| Intel Xeon X5482 @ 3.20GHz            | 2,755 |
| Intel Core 860 @ 2.80GHz              | 2,754 |
| Intel Xeon E5-2603 v2 @ 1.80GHz       | 2,751 |
| Intel Core i5-5300U @ 2.30GHz         | 2,732 |
| AMD Phenom II X4 970                  | 2,729 |
| AMD A10-5700 APU                      | 2,727 |
| MT8788                                | 2,726 |
| Intel Core i3-7100U @ 2.40GHz         | 2,722 |
| ARM Phytium,FT-2000/4 8 Core 2300 MHz | 2,720 |
| Qualcomm SDM660                       | 2,719 |
| AMD A6-9400                           | 2,717 |
| Intel Celeron G4950 @ 3.30GHz         | 2,714 |
| AMD 3015e                             | 2,713 |
| MediaTek MT6779V/CV                   | 2,712 |
| Intel Core m3-7Y32 @ 1.10GHz          | 2,710 |
| Intel Core i7-4600U @ 2.10GHz         | 2,709 |
| Intel Pentium G4520 @ 3.60GHz         | 2,707 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| MT6769H                             | 2,696 |
| Intel Core i5-3340M @ 2.70GHz       | 2,694 |
| Intel Core i5-7Y54 @ 1.20GHz        | 2,692 |
| Qualcomm Technologies, Inc SM6225   | 2,692 |
| AMD PRO A12-9800B                   | 2,691 |
| AMD Phenom II X4 B65                | 2,690 |
| Intel Core2 Extreme X9770 @ 3.20GHz | 2,689 |
| Unisoc T612                         | 2,688 |
| Intel Celeron J4115 @ 1.80GHz       | 2,687 |
| Intel Xeon E5607 @ 2.27GHz          | 2,686 |
| Hisilicon Kirin970                  | 2,681 |
| Intel Core i5-4402E @ 1.60GHz       | 2,681 |
| Intel Xeon E5530 @ 2.40GHz          | 2,680 |
| Intel Core i3-4110M @ 2.60GHz       | 2,678 |
| MediaTek MT6769V/CU                 | 2,677 |
| AMD FX-4130 Quad-Core               | 2,676 |
| ARM D2000/8 8 Core 2300 MHz         | 2,674 |
| AMD RX-425BB                        | 2,672 |
| ARM Phytium,D2000/8 8 Core 2300 MHz | 2,671 |
| Qualcomm SM4250                     | 2,667 |
| Intel Core i5-3320M @ 2.60GHz       | 2,666 |
| Intel Core i5-3610ME @ 2.70GHz      | 2,666 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |       |
|--------------------------------------|-------|
| Intel Celeron 7305E                  | 2,665 |
| Qualcomm Technologies, Inc SDM710    | 2,665 |
| MediaTek MT6771V/C                   | 2,661 |
| Unisoc T606                          | 2,660 |
| Intel Xeon E5-2407 @ 2.20GHz         | 2,658 |
| Intel Core i3-3250T @ 3.00GHz        | 2,650 |
| AMD A8-5500B APU                     | 2,648 |
| AMD Athlon X4 740 Quad Core          | 2,646 |
| AMD A12-9720P                        | 2,644 |
| Intel Celeron G5900 @ 3.40GHz        | 2,643 |
| Intel Core i7-3687U @ 2.10GHz        | 2,640 |
| Intel Core i3-6100U @ 2.30GHz        | 2,636 |
| MediaTek MT6771V/CT                  | 2,636 |
| Intel Core i5-4288U @ 2.60GHz        | 2,634 |
| Spreadtrum T610                      | 2,629 |
| AMD Phenom II X4 B60                 | 2,627 |
| Intel Core i5-760 @ 2.80GHz          | 2,626 |
| Intel Pentium Silver N5030 @ 1.10GHz | 2,626 |
| UIS7862A                             | 2,626 |
| AMD Athlon X4 750 Quad Core          | 2,625 |
| MediaTek MT6779V/CU                  | 2,622 |
| Intel Celeron G5900T @ 3.20GHz       | 2,620 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |       |
|--------------------------------------|-------|
| AMD Athlon PRO 3045B                 | 2,618 |
| Intel Core i5-680 @ 3.60GHz          | 2,618 |
| AMD Opteron 6172                     | 2,615 |
| Intel Core i7-7Y75 @ 1.30GHz         | 2,615 |
| AMD Phenom II X4 965                 | 2,613 |
| AMD FX-7600P                         | 2,611 |
| Intel Core i5-4258U @ 2.40GHz        | 2,608 |
| AMD FX-4100 Quad-Core                | 2,607 |
| Intel Pentium Silver N5000 @ 1.10GHz | 2,604 |
| AMD A8-5500 APU                      | 2,603 |
| Unisoc ums512                        | 2,603 |
| AMD Athlon II X4 559                 | 2,602 |
| Intel Core i3-5157U @ 2.50GHz        | 2,593 |
| Intel Celeron G4930 @ 3.20GHz        | 2,590 |
| Intel Xeon L3426 @ 1.87GHz           | 2,590 |
| Intel Core i7-4510U @ 2.00GHz        | 2,589 |
| Samsung Exynos 8890                  | 2,587 |
| AMD PRO A10-9700B                    | 2,585 |
| Intel Core i5-5350U @ 1.80GHz        | 2,585 |
| AMD PRO A12-8800B                    | 2,580 |
| ARM Cortex-A76 4 Core 3400 MHz       | 2,580 |
| ARM Cortex-A76 4 Core 3200 MHz       | 2,579 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                       |       |
|---------------------------------------|-------|
| Intel Pentium G4400 @ 3.30GHz         | 2,579 |
| Unisoc T700                           | 2,579 |
| Intel Core m3-7Y30 @ 1.00GHz          | 2,578 |
| Intel Core i3-7020U @ 2.30GHz         | 2,574 |
| Intel Core i5-7Y57 @ 1.20GHz          | 2,574 |
| Intel Xeon E5450 @ 3.00GHz            | 2,574 |
| ARM ARMv8 rev 1 (v8l) 6 Core 1510 MHz | 2,572 |
| Intel Xeon X5460 @ 3.16GHz            | 2,571 |
| AMD A10-9620P                         | 2,568 |
| Intel Xeon X3380 @ 3.16GHz            | 2,568 |
| Qualcomm Technologies, Inc BENGALP    | 2,568 |
| AMD Athlon II X4 557                  | 2,567 |
| Intel Core i5-3230M @ 2.60GHz         | 2,560 |
| AMD FX-9800P                          | 2,554 |
| T610-Unisoc                           | 2,553 |
| Unisoc T618                           | 2,547 |
| Qualcomm Technologies, Inc SDM712     | 2,545 |
| ARM Cortex-A76 4 Core 3000 MHz        | 2,544 |
| Samsung Exynos 9611                   | 2,540 |
| AMD Phenom II X4 B97                  | 2,539 |
| Qualcomm Technologies, Inc SDM670     | 2,538 |
| AMD Phenom II X4 975                  | 2,536 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| AMD Phenom II X4 B99              | 2,536 |
| MediaTek MT6769T                  | 2,534 |
| Intel Core i5-670 @ 3.47GHz       | 2,533 |
| ARM Kryo-4XX-Gold 8 Core 1804 MHz | 2,531 |
| AMD Athlon II X4 651 Quad-Core    | 2,530 |
| Intel Core i5-4310U @ 2.00GHz     | 2,530 |
| Intel Core i5-750 @ 2.67GHz       | 2,530 |
| Intel Xeon L5530 @ 2.40GHz        | 2,522 |
| Apple A9X                         | 2,521 |
| Intel Core i3-7102E @ 2.10GHz     | 2,521 |
| Intel Xeon E5520 @ 2.27GHz        | 2,519 |
| MediaTek MT6769Z                  | 2,512 |
| Intel Core i3-4100M @ 2.50GHz     | 2,510 |
| AMD Phenom II X4 955              | 2,503 |
| Intel Celeron G4920 @ 3.20GHz     | 2,500 |
| Intel Core i5-5200U @ 2.20GHz     | 2,500 |
| AMD PRO A12-8830B                 | 2,499 |
| AMD Athlon II X4 555              | 2,498 |
| Intel Core i5-4300U @ 1.90GHz     | 2,495 |
| Intel Xeon L7455 @ 2.13GHz        | 2,494 |
| ARM Cortex-A76 4 Core 3300 MHz    | 2,493 |
| Intel Celeron N4120 @ 1.10GHz     | 2,492 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| MediaTek MT8183                                    | 2,491 |
| samsung exynos7885                                 | 2,489 |
| Mediatek MT6769V/CT                                | 2,488 |
| Intel Core i7-2640M @ 2.80GHz                      | 2,487 |
| AMD Phenom II X4 B55                               | 2,483 |
| ARM Cortex-A76 4 Core 2900 MHz                     | 2,482 |
| Intel Celeron G5920 @ 3.50GHz                      | 2,482 |
| AMD Opteron 8439 SE                                | 2,479 |
| Intel Core i7-4500U @ 1.80GHz                      | 2,479 |
| MT6769V/CT   | 2,477 |
| QTI SDM660   | 2,472 |
| Intel Core i5-3210M @ 2.50GHz                      | 2,470 |
| Intel Core i5-2390T @ 2.70GHz                      | 2,469 |
| Intel Xeon X3370 @ 3.00GHz                         | 2,465 |
| Intel Core i7-8500Y @ 1.50GHz                      | 2,464 |
| Intel Core i5-5250U @ 1.60GHz                      | 2,462 |
| Intel Core2 Quad Q9650 @ 3.00GHz                   | 2,462 |
| Intel Core i5-661 @ 3.33GHz                        | 2,459 |
| Intel Xeon D-1602 @ 2.50GHz                        | 2,459 |
| ARM Cortex-A76 4 Core 2800 MHz                     | 2,457 |
| HiSilicon Kirin 950                                | 2,457 |
| Samsung A04S EUR OPEN REV03C board based on EXYNOS | 2,452 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| AMD 3020e                           | 2,449 |
| Intel Core i7-4610Y @ 1.70GHz       | 2,446 |
| MediaTek MT6771V/W                  | 2,444 |
| Intel Celeron G4900 @ 3.10GHz       | 2,441 |
| Qualcomm Technologies, Inc TRINKET  | 2,441 |
| Qualcomm Technologies, Inc BENGAL   | 2,440 |
| AMD A12-9700P                       | 2,437 |
| Intel Celeron N4100 @ 1.10GHz       | 2,436 |
| Intel Core i3-3250 @ 3.50GHz        | 2,435 |
| Hisilicon Kirin710                  | 2,432 |
| Snapdragon 662                      | 2,431 |
| Intel Pentium G3470 @ 3.60GHz       | 2,428 |
| Intel Pentium J4205 @ 1.50GHz       | 2,428 |
| Intel Core i7-2620M @ 2.70GHz       | 2,426 |
| Intel Core i5-4350U @ 1.40GHz       | 2,425 |
| Qualcomm Technologies, Inc SDM660   | 2,423 |
| Samsung Exynos                      | 2,423 |
| AMD Athlon II X4 553                | 2,418 |
| Intel Atom C3558 @ 2.20GHz          | 2,417 |
| MediaTek MT6769V/CB                 | 2,415 |
| Intel Core2 Extreme X9650 @ 3.00GHz | 2,410 |
| MT8395AV/ZA                         | 2,410 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| AMD Athlon II X4 650                | 2,409 |
| ARM Phytium,D2000/8 8 Core 2000 MHz | 2,409 |
| Intel Core i7-4650U @ 1.70GHz       | 2,407 |
| AMD PRO A10-8730B                   | 2,403 |
| AMD Phenom II X4 B95                | 2,401 |
| Intel Pentium G4500T @ 3.00GHz      | 2,399 |
| Intel Core i5-2560M @ 2.70GHz       | 2,397 |
| Intel Xeon X5450 @ 3.00GHz          | 2,394 |
| Intel Xeon X3360 @ 2.83GHz          | 2,392 |
| Qualcomm SDM630                     | 2,388 |
| Intel Core i7-3667U @ 2.00GHz       | 2,386 |
| AMD Phenom II X4 840                | 2,385 |
| AMD PRO A8-9600B                    | 2,385 |
| AMD Opteron 4170 HE                 | 2,382 |
| Intel Core i5-660 @ 3.33GHz         | 2,382 |
| Intel Celeron 7305                  | 2,378 |
| AMD Phenom II X4 977                | 2,377 |
| ARM Cortex-A76 4 Core 2700 MHz      | 2,376 |
| AMD Phenom II X4 945                | 2,375 |
| Intel Celeron G6900TE               | 2,373 |
| Intel Xeon E5440 @ 2.83GHz          | 2,372 |
| Apple A8X                           | 2,371 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Virtual @ 2.55GHz                   | 2,370 |
| AMD Phenom II X4 B50                | 2,369 |
| Qualcomm Technologies, Inc SDM665   | 2,369 |
| AMD A8-3850 APU                     | 2,368 |
| T700-Unisoc                         | 2,367 |
| Intel Xeon E5606 @ 2.13GHz          | 2,365 |
| Intel Atom T5700 @ 1.70GHz          | 2,363 |
| Intel Core i3-3245 @ 3.40GHz        | 2,363 |
| AMD Phenom II X4 850                | 2,361 |
| Intel Celeron G3920 @ 2.90GHz       | 2,358 |
| Intel Xeon X3363 @ 2.83GHz          | 2,358 |
| Intel Core i5-2540M @ 2.60GHz       | 2,352 |
| Intel Atom C2758 @ 2.40GHz          | 2,350 |
| Intel N50                           | 2,350 |
| Intel Pentium 6405U @ 2.40GHz       | 2,350 |
| Intel Core i3-6102E @ 1.90GHz       | 2,349 |
| Intel Core2 Extreme X9750 @ 3.16GHz | 2,348 |
| MediaTek MT6771V/WT                 | 2,348 |
| AMD Opteron 4130                    | 2,347 |
| Intel Xeon E5-2403 @ 1.80GHz        | 2,346 |
| AMD Phenom II X4 960T               | 2,344 |
| Intel Xeon E5-2603 @ 1.80GHz        | 2,342 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| AMD Phenom II X4 B35             | 2,341 |
| Intel Core m5-6Y57 @ 1.10GHz     | 2,337 |
| Intel Core2 Quad Q9550 @ 2.83GHz | 2,337 |
| MT6771V/WL                       | 2,334 |
| AMD Athlon II X4 645             | 2,332 |
| Intel Xeon X5365 @ 3.00GHz       | 2,331 |
| AMD Phenom II X4 940             | 2,330 |
| Intel Core i5-3437U @ 1.90GHz    | 2,329 |
| AArch64 rev 2 (aarch64)          | 2,327 |
| Intel Core i5-4260U @ 1.40GHz    | 2,325 |
| Intel Pentium G4400T @ 2.90GHz   | 2,325 |
| Intel Core i7-3537U @ 2.00GHz    | 2,324 |
| AMD A10-9600P                    | 2,322 |
| Intel Celeron G3950 @ 3.00GHz    | 2,322 |
| ARM Cortex-A76 4 Core 2600 MHz   | 2,320 |
| Intel Core i7-3517UE @ 1.70GHz   | 2,320 |
| Intel Core i3-3240 @ 3.40GHz     | 2,318 |
| AMD Athlon II X4 641 Quad-Core   | 2,313 |
| Unisoc ums9230                   | 2,313 |
| Intel Core m7-6Y75 @ 1.20GHz     | 2,311 |
| MediaTek MT6768V/CA              | 2,309 |
| Intel Core i3-2140 @ 3.50GHz     | 2,307 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Intel Xeon L3360 @ 2.83GHz          | 2,306 |
| Intel Core i5-4210U @ 1.70GHz       | 2,305 |
| Intel Core2 Extreme Q6850 @ 3.00GHz | 2,304 |
| AMD Phenom II X4 B70                | 2,303 |
| AMD A8-3870K APU                    | 2,301 |
| AMD A10-6700T APU                   | 2,299 |
| Allwinner A527                      | 2,297 |
| Intel Celeron G4930T @ 3.00GHz      | 2,297 |
| Intel Xeon X3430 @ 2.40GHz          | 2,296 |
| Intel Core m5-6Y54 @ 1.10GHz        | 2,291 |
| AMD Phenom II X4 840T               | 2,286 |
| Intel Xeon E5472 @ 3.00GHz          | 2,286 |
| Intel Celeron N4505 @ 2.00GHz       | 2,285 |
| Intel Pentium 1403 v2 @ 2.60GHz     | 2,284 |
| AMD Opteron 3260 HE                 | 2,283 |
| Intel Core i3-6006U @ 2.00GHz       | 2,282 |
| AMD Athlon X4 730                   | 2,278 |
| Intel Xeon E3-1220L @ 2.20GHz       | 2,274 |
| Intel Xeon L5520 @ 2.27GHz          | 2,274 |
| Intel Core i7-4550U @ 1.50GHz       | 2,272 |
| Intel Pentium 5405U @ 2.30GHz       | 2,271 |
| Intel Pentium 4417U @ 2.30GHz       | 2,270 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| AMD Phenom II X4 925              | 2,265 |
| Intel Core i3-3220 @ 3.30GHz      | 2,265 |
| Intel Xeon X3350 @ 2.66GHz        | 2,263 |
| Intel Xeon L5430 @ 2.66GHz        | 2,260 |
| AMD Phenom II X4 B45              | 2,258 |
| Intel Xeon E3-1220L V2 @ 2.30GHz  | 2,258 |
| Intel Celeron J3455 @ 1.50GHz     | 2,254 |
| mt6779                            | 2,251 |
| AMD Athlon II X4 638 Quad-Core    | 2,250 |
| Intel Core i5-3427U @ 1.80GHz     | 2,249 |
| Samsung Exynos 9610               | 2,249 |
| Virtual @ 2.74GHz                 | 2,248 |
| Intel Celeron N6211 @ 1.20GHz     | 2,245 |
| AMD A8-8600P                      | 2,240 |
| Intel Core i5-650 @ 3.20GHz       | 2,239 |
| AMD Phenom II X4 B40              | 2,238 |
| Intel Core i7-3555LE @ 2.50GHz    | 2,238 |
| Qualcomm Technologies, Inc SDM662 | 2,237 |
| Intel Celeron G3930 @ 2.90GHz     | 2,236 |
| AMD Athlon II X4 640              | 2,234 |
| Intel Xeon E5430 @ 2.66GHz        | 2,233 |
| Intel Pentium 4415U @ 2.30GHz     | 2,232 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| Intel Celeron G4900T @ 2.90GHz    | 2,231 |
| Intel Core i3-3225 @ 3.30GHz      | 2,231 |
| Intel Core i5-2520M @ 2.50GHz     | 2,231 |
| Qualcomm Technologies, Inc SM6125 | 2,231 |
| Intel Xeon X3353 @ 2.66GHz        | 2,229 |
| MT6769V                           | 2,229 |
| MT6969T                           | 2,228 |
| MediaTek MT6771V/WM               | 2,225 |
| Intel Pentium G3440 @ 3.30GHz     | 2,224 |
| Intel Core i3-3210 @ 3.20GHz      | 2,221 |
| Intel Core2 Quad Q9500 @ 2.83GHz  | 2,221 |
| Intel Celeron G3930TE @ 2.70GHz   | 2,218 |
| AMD A10-8700P                     | 2,217 |
| AMD PRO A10-8700B                 | 2,217 |
| Intel Pentium G3460 @ 3.50GHz     | 2,216 |
| Snapdragon 835                    | 2,211 |
| AMD Phenom II X4 920              | 2,209 |
| AMD Athlon II X4 635              | 2,206 |
| AMD Phenom II X4 973              | 2,204 |
| Intel Core i3-5010U @ 2.10GHz     | 2,198 |
| Intel Core i5-8200Y @ 1.30GHz     | 2,198 |
| Intel Xeon X5472 @ 3.00GHz        | 2,197 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| Qualcomm SDM439                   | 2,195 |
| Intel Celeron J3455E @ 1.50GHz    | 2,193 |
| Intel Core i3-21050 @ 3.10GHz     | 2,193 |
| MediaTek MT6769V/WB               | 2,192 |
| Intel Core i5-4200U @ 1.60GHz     | 2,190 |
| Intel Pentium G4400TE @ 2.40GHz   | 2,190 |
| AMD PRO A8-8600B                  | 2,188 |
| Intel Core2 Quad Q9450 @ 2.66GHz  | 2,187 |
| Intel Core i3-5020U @ 2.20GHz     | 2,185 |
| MediaTek MT6797X                  | 2,182 |
| Intel Celeron G3900 @ 2.80GHz     | 2,178 |
| AMD A8-3820 APU                   | 2,174 |
| Intel Atom C2750 @ 2.41GHz        | 2,174 |
| Intel Core i7-940XM @ 2.13GHz     | 2,172 |
| Intel Pentium N4200 @ 1.10GHz     | 2,170 |
| Intel Pentium G3450 @ 3.40GHz     | 2,167 |
| Intel Core i7-860S @ 2.53GHz      | 2,166 |
| AMD A6-3670 APU                   | 2,165 |
| Intel Core m3-6Y30 @ 0.90GHz      | 2,163 |
| Qualcomm Technologies, Inc SDM636 | 2,161 |
| AMD Phenom II X4 B93              | 2,159 |
| Intel Core i5-4250U @ 1.30GHz     | 2,159 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |       |
|---|-------|
| AMD A8-7690K                            | 2,157 |
| ARM Phytium,D2000/8 E8C 8 Core 2300 MHz | 2,156 |
| AMD A8-7200P                            | 2,154 |
| AMD FirePro A320 APU                    | 2,153 |
| AMD Athlon II X4 631 Quad-Core          | 2,150 |
| ARM Cortex-A76 4 Core 2400 MHz          | 2,148 |
| AMD Athlon II X4 630                    | 2,147 |
| Intel Xeon E5462 @ 2.80GHz              | 2,146 |
| Intel Core2 Extreme Q6800 @ 2.93GHz     | 2,145 |
| QTI MSM8937                             | 2,142 |
| Intel Xeon L5420 @ 2.50GHz              | 2,140 |
| MT6765H                                 | 2,132 |
| AMD Phenom II X4 910e                   | 2,131 |
| MediaTek MT6763V/CE                     | 2,130 |
| Intel Pentium G3430 @ 3.30GHz           | 2,127 |
| Intel Atom x7-E3950 @ 1.60GHz           | 2,124 |
| Qualcomm Technologies, Inc APQ8053      | 2,120 |
| Qualcomm Technologies, Inc SM4250       | 2,120 |
| AMD Athlon X4 640                       | 2,115 |
| Hardkernel ODROID-N2Plus                | 2,115 |
| Intel Xeon X3330 @ 2.66GHz              | 2,111 |
| Intel Core2 Quad Q9400 @ 2.66GHz        | 2,110 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| Samsung Exynos 850                | 2,109 |
| AMD Phenom II X4 B25              | 2,108 |
| Intel Pentium G3440T @ 2.80GHz    | 2,107 |
| Intel Celeron 6305 @ 1.80GHz      | 2,105 |
| Mediatek MT6765H                  | 2,103 |
| Intel Celeron G3900T @ 2.60GHz    | 2,102 |
| Intel Pentium 4405U @ 2.10GHz     | 2,101 |
| Intel Celeron G5905T @ 3.30GHz    | 2,100 |
| Intel Core2 Quad Q6700 @ 2.66GHz  | 2,099 |
| Intel Core2 Quad Q9505 @ 2.83GHz  | 2,098 |
| AMD 3015Ce                        | 2,094 |
| Samsung Exynos7870                | 2,093 |
| Intel Core i5-3337U @ 1.80GHz     | 2,092 |
| Intel Pentium G2140 @ 3.30GHz     | 2,092 |
| AMD Phenom II X4 820              | 2,086 |
| Intel Pentium G3260 @ 3.30GHz     | 2,086 |
| Qualcomm Technologies, Inc SDM632 | 2,086 |
| Intel Core i3-2125 @ 3.30GHz      | 2,083 |
| AMD Opteron 1389                  | 2,079 |
| Intel Core i7-640M @ 2.80GHz      | 2,079 |
| Intel Core2 Quad Q8400 @ 2.66GHz  | 2,079 |
| AMD A10-7400P                     | 2,078 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| AMD Athlon II X4 655              | 2,078 |
| Intel Pentium G3258 @ 3.20GHz     | 2,075 |
| AMD Opteron 2384                  | 2,074 |
| Intel Core i7-610E @ 2.53GHz      | 2,071 |
| AMD Phenom II X4 830              | 2,070 |
| Intel Core i5-2450M @ 2.50GHz     | 2,069 |
| Intel Core i5-2435M @ 2.40GHz     | 2,065 |
| AMD Opteron 3250 HE               | 2,061 |
| MT6797M                           | 2,061 |
| Apple A9                          | 2,060 |
| AMD Opteron 4162 EE               | 2,058 |
| Intel Xeon X3230 @ 2.66GHz        | 2,052 |
| AMD A6-3650 APU                   | 2,049 |
| Intel Core M-5Y51 @ 1.10GHz       | 2,043 |
| Qualcomm Technologies, Inc SDM460 | 2,041 |
| Intel Celeron G3930T @ 2.70GHz    | 2,040 |
| Intel Celeron G3900E @ 2.40GHz    | 2,034 |
| Intel Core i3-2130 @ 3.40GHz      | 2,034 |
| SAMSUNG Exynos7420                | 2,030 |
| Intel Core i3-2102 @ 3.10GHz      | 2,029 |
| Intel Core i7-3517U @ 1.90GHz     | 2,028 |
| MediaTek MT8768CT                 | 2,028 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Intel Xeon E7- 2830 @ 2.13GHz       | 2,027 |
| Intel Core i3-3240T @ 2.90GHz       | 2,025 |
| Intel Core M-5Y71 @ 1.20GHz         | 2,025 |
| Giada JHS558 (Android)              | 2,022 |
| Intel Core i3-4330TE @ 2.40GHz      | 2,022 |
| Intel Xeon E5420 @ 2.50GHz          | 2,022 |
| Intel Core i3-5005U @ 2.00GHz       | 2,018 |
| Intel Core i5-655K @ 3.20GHz        | 2,017 |
| Intel Pentium G3450T @ 2.90GHz      | 2,016 |
| AMD A8-3800 APU                     | 2,015 |
| Intel Core i5-2415M @ 2.30GHz       | 2,011 |
| Intel Core2 Extreme Q9200 @ 2.40GHz | 2,011 |
| Intel Core i5-2430M @ 2.40GHz       | 2,010 |
| Intel Core i5-3317U @ 1.70GHz       | 2,010 |
| AMD A10-5750M APU                   | 2,007 |
| AMD Athlon II X4 620                | 2,003 |
| AMD Athlon II X4 615e               | 2,000 |
| Intel Core i7-2655LE @ 2.20GHz      | 1,999 |
| Intel Celeron N6210 @ 1.20GHz       | 1,997 |
| AMD Opteron 2427                    | 1,995 |
| Intel Pentium G3250 @ 3.20GHz       | 1,991 |
| Intel Xeon E5410 @ 2.33GHz          | 1,990 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |       |
|--------------------------------------|-------|
| Intel Core i7-620M @ 2.67GHz         | 1,987 |
| Intel Xeon X3320 @ 2.50GHz           | 1,986 |
| AMD Athlon II X3 460                 | 1,985 |
| MediaTek MT8768WT                    | 1,985 |
| Intel Celeron 6305E @ 1.80GHz        | 1,981 |
| Intel Celeron N3450 @ 1.10GHz        | 1,981 |
| Intel Celeron N4500 @ 1.10GHz        | 1,980 |
| Intel Xeon X5355 @ 2.66GHz           | 1,979 |
| Qualcomm Technologies, Inc 450       | 1,978 |
| Intel Atom x5-E3940 @ 1.60GHz        | 1,973 |
| Mediatek MT6765                      | 1,972 |
| Intel Core2 Quad Q9300 @ 2.50GHz     | 1,971 |
| Intel Core i7-3689Y @ 1.50GHz        | 1,967 |
| Intel Core i3-2120 @ 3.30GHz         | 1,964 |
| AMD Athlon II X4 605e                | 1,963 |
| Qualcomm Technologies, Inc MSM8976SG | 1,961 |
| AMD FX-7500 APU                      | 1,960 |
| AMD Phenom II X4 805                 | 1,959 |
| Intel Core i3-4025U @ 1.90GHz        | 1,959 |
| Intel Atom E3900 @ 1.60GHz           | 1,953 |
| MT8169A                              | 1,953 |
| Qualcomm Technologies, Inc QCS610    | 1,949 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                               |       |
|-------------------------------|-------|
| Intel Core i3-4120U @ 2.00GHz | 1,948 |
| AMD Phenom 9850B Quad-Core    | 1,946 |
| Intel Xeon X3220 @ 2.40GHz    | 1,945 |
| Intel Xeon E5506 @ 2.13GHz    | 1,944 |
| MT6757W                       | 1,941 |
| Intel Core i5-2410M @ 2.30GHz | 1,940 |
| Intel Pentium G3240 @ 3.10GHz | 1,939 |
| AMD A10 PRO-7350B APU         | 1,937 |
| AMD Phenom II X4 810          | 1,937 |
| Intel Core i7-840QM @ 1.87GHz | 1,937 |
| Intel Xeon X6550 @ 2.00GHz    | 1,936 |
| Intel Xeon E5603 @ 1.60GHz    | 1,935 |
| Intel Core i7-2677M @ 1.80GHz | 1,934 |
| Intel Core i5-580M @ 2.67GHz  | 1,933 |
| Intel Pentium G3420 @ 3.20GHz | 1,933 |
| AMD A10-5757M APU             | 1,932 |
| Intel Core i3-3220T @ 2.80GHz | 1,932 |
| AMD A8-6500T APU              | 1,929 |
| Intel Xeon E5507 @ 2.27GHz    | 1,928 |
| AMD A10-4600M APU             | 1,927 |
| AMD Phenom II X4 905e         | 1,921 |
| Intel Pentium G2130 @ 3.20GHz | 1,921 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                       |       |
|---------------------------------------|-------|
| Intel Xeon L5410 @ 2.33GHz            | 1,921 |
| AMD Opteron 3320 EE                   | 1,918 |
| Intel Core2 Extreme Q9300 @ 2.53GHz   | 1,918 |
| Intel Core M-5Y31 @ 0.90GHz           | 1,916 |
| Intel Celeron G1850 @ 2.90GHz         | 1,915 |
| Intel Core2 Quad Q9100 @ 2.26GHz      | 1,915 |
| Intel Pentium G3420T @ 2.70GHz        | 1,912 |
| Qualcomm Technologies, Inc BENGAL-IOT | 1,912 |
| AMD Opteron X2170 APU                 | 1,911 |
| P22                                   | 1,908 |
| Intel Core i5-3439Y @ 1.50GHz         | 1,907 |
| Intel Core i5-4422E @ 1.80GHz         | 1,907 |
| AMD Phenom II X4 B05e                 | 1,906 |
| AMD PRO A6-8570                       | 1,906 |
| Qualcomm Technologies, Inc SDM630     | 1,906 |
| Intel Core i5-560M @ 2.67GHz          | 1,905 |
| Intel Core M-5Y10a @ 0.80GHz          | 1,905 |
| AMD Opteron 2419 EE                   | 1,902 |
| Intel Core i3-3130M @ 2.60GHz         | 1,900 |
| Allwinner A523                        | 1,898 |
| AMD Opteron 1385                      | 1,898 |
| Intel Core i3-2105 @ 3.10GHz          | 1,896 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |       |
|---|-------|
| Intel Pentium G3220 @ 3.00GHz                     | 1,894 |
| HiSilicon Kirin 659                               | 1,893 |
| Intel Pentium G2120 @ 3.10GHz                     | 1,892 |
| Intel Core M-5Y10c @ 0.80GHz                      | 1,891 |
| MT6765V/WB  | 1,891 |
| Intel Atom C3538 @ 2.10GHz                        | 1,889 |
| Intel Core i5-2510E @ 2.50GHz                     | 1,889 |
| Intel Core i7-920XM @ 2.00GHz                     | 1,885 |
| Intel Core2 Quad Q8300 @ 2.50GHz                  | 1,885 |
| AMD Phenom 9950 Quad-Core                         | 1,884 |
| AMD Athlon II X4 610e                             | 1,882 |
| AMD PRO A6-8550B                                  | 1,882 |
| Intel Core i5-2515E @ 2.50GHz                     | 1,882 |
| Intel Core i3-4030U @ 1.90GHz                     | 1,873 |
| AMD A6-9500                                       | 1,872 |
| AMD A8-5550M APU                                  | 1,868 |
| Intel Xeon E5345 @ 2.33GHz                        | 1,868 |
| AMD Athlon 5370 APU                               | 1,867 |
| AMD Opteron 2378                                  | 1,864 |
| Rockchip RK3399 EVB IND LPDDR4 Board lvs (Android | 1,862 |
| Intel Core i3-4110U @ 1.90GHz                     | 1,860 |
| AMD Athlon II X3 455                              | 1,856 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel Core i3-2100 @ 3.10GHz    | 1,855 |
| Intel Core i3-5015U @ 2.10GHz   | 1,855 |
| Intel Core i5-4230U @ 1.90GHz   | 1,853 |
| MediaTek MT6765V/CB             | 1,852 |
| AMD A6-3620 APU                 | 1,851 |
| ARM Cortex-A53 6 Core 1896 MHz  | 1,851 |
| Intel Pentium 1403 @ 2.60GHz    | 1,851 |
| Intel Celeron G3900TE @ 2.30GHz | 1,850 |
| Intel Core i3-4100E @ 2.40GHz   | 1,848 |
| Intel Core i3-2310E @ 2.10GHz   | 1,845 |
| AMD Phenom II X3 B77            | 1,844 |
| Intel Xeon X3323 @ 2.50GHz      | 1,837 |
| AMD A6-7480                     | 1,836 |
| Samsung Exynos 7420             | 1,836 |
| Samsung Exynos 7885             | 1,834 |
| AMD Phenom 9750 Quad-Core       | 1,833 |
| Intel Atom x6211E @ 1.30GHz     | 1,833 |
| Intel Core i7-2637M @ 1.70GHz   | 1,831 |
| AMD Phenom II X4 B15e           | 1,825 |
| Intel Core i7-740QM @ 1.73GHz   | 1,824 |
| MT6765                          | 1,824 |
| AMD Athlon II X3 445            | 1,823 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| Intel Core i3-2330E @ 2.20GHz      | 1,823 |
| Intel Core M-5Y70 @ 1.10GHz        | 1,823 |
| AMD Athlon II X3 450               | 1,822 |
| AMD Phenom 9600B Quad-Core         | 1,822 |
| Qualcomm Technologies, Inc APQ8094 | 1,818 |
| Samsung Exynos 7904                | 1,818 |
| AMD A8-7410 APU                    | 1,815 |
| AArch64 rev 4 (aarch64)            | 1,813 |
| Intel Core2 Quad Q6600 @ 2.40GHz   | 1,813 |
| Mediatek MT6762                    | 1,813 |
| AMD Athlon X4 620                  | 1,810 |
| Intel Core i5-540M @ 2.53GHz       | 1,809 |
| Intel Celeron 4305U @ 2.20GHz      | 1,807 |
| Qualcomm Technologies, Inc MSM8953 | 1,806 |
| AMD A8-5557M APU                   | 1,801 |
| Spreadtrum T603                    | 1,801 |
| AMD A6-7470K                       | 1,799 |
| AMD Opteron 1381                   | 1,797 |
| AMD Phenom II X940 Quad-Core       | 1,797 |
| AMD PRO A4-3350B APU               | 1,797 |
| AMD GX-420MC SOC                   | 1,796 |
| Intel Atom C3508 @ 1.60GHz         | 1,796 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| AMD Athlon II X4 600e            | 1,795 |
| MediaTek MT6765V/CA              | 1,794 |
| AMD Athlon X4 530                | 1,786 |
| Mediatek MT8768WE                | 1,785 |
| AMD Phenom X4 Quad-Core GP-9730  | 1,784 |
| AMD Athlon X3 455                | 1,783 |
| AMD GX-424CC SOC                 | 1,783 |
| AMD Athlon X3 435                | 1,781 |
| AMD A10-5745M APU                | 1,779 |
| AMD Athlon 5350 APU              | 1,778 |
| MT6765V/WA                       | 1,778 |
| AMD GX-420CA SOC                 | 1,777 |
| AMD Phenom II X4 910             | 1,776 |
| Intel Core2 Quad Q8200 @ 2.33GHz | 1,776 |
| Intel Core i7-820QM @ 1.73GHz    | 1,774 |
| AMD R-464L APU                   | 1,773 |
| Intel Core i3-4000M @ 2.40GHz    | 1,773 |
| Samsung Exynos 7880              | 1,772 |
| ASUS Tinker Board 2/2S           | 1,771 |
| MT6757WD                         | 1,771 |
| AMD PRO A6-9500                  | 1,770 |
| Intel Xeon L5408 @ 2.13GHz       | 1,769 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| AMD Phenom II N830 3+1             | 1,768 |
| Intel Celeron G1840 @ 2.80GHz      | 1,768 |
| MediaTek MT6797                    | 1,768 |
| Mediatek MT6765V/WB                | 1,764 |
| AMD A8-6410 APU                    | 1,763 |
| MediaTek MT6757CD                  | 1,761 |
| AMD A10-4657M APU                  | 1,759 |
| Intel Pentium G3250T @ 2.80GHz     | 1,757 |
| AMD A6-9500E                       | 1,756 |
| Intel Pentium G3260T @ 2.90GHz     | 1,755 |
| Qualcomm Technologies, Inc MSM8976 | 1,754 |
| AMD A10-7300 APU                   | 1,747 |
| AMD Opteron 2373 EE                | 1,744 |
| MT6763V/CT                         | 1,744 |
| Intel Celeron 3965U @ 2.20GHz      | 1,743 |
| Intel Pentium G2030 @ 3.00GHz      | 1,743 |
| HP Hexa-Core 2.0GHz                | 1,741 |
| AMD Phenom II X3 B75               | 1,738 |
| MT6752M                            | 1,735 |
| MT6762                             | 1,735 |
| AMD Opteron 2356                   | 1,733 |
| MT6752                             | 1,728 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| AMD A6-7310 APU                    | 1,727 |
| AMD Phenom 9850 Quad-Core          | 1,722 |
| AMD Phenom X2 Dual-Core GE-6060    | 1,722 |
| Intel Core i3-4158U @ 2.00GHz      | 1,718 |
| Intel Xeon E5405 @ 2.00GHz         | 1,718 |
| Intel Core i5-520M @ 2.40GHz       | 1,717 |
| Qualcomm Technologies, Inc APQ8096 | 1,715 |
| AMD Phenom 9650 Quad-Core          | 1,713 |
| Intel Core i5-2557M @ 1.70GHz      | 1,713 |
| AMD Athlon II X3 440               | 1,712 |
| Intel Celeron G1630 @ 2.80GHz      | 1,707 |
| Intel Celeron G1820 @ 2.70GHz      | 1,707 |
| Intel Core i3-560 @ 3.33GHz        | 1,706 |
| AMD Opteron 1356                   | 1,703 |
| AMD Phenom FX-5200 Quad-Core       | 1,699 |
| Intel Celeron 4305UE @ 2.00GHz     | 1,699 |
| Intel Pentium 4425Y @ 1.70GHz      | 1,698 |
| Unisoc UIS8581A                    | 1,698 |
| Intel Atom x6211E @ 1.20GHz        | 1,695 |
| Intel Pentium G2100T @ 2.60GHz     | 1,691 |
| Intel Core i3-3120M @ 2.50GHz      | 1,690 |
| MediaTek MT8768WA                  | 1,688 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| AMD A8-3550MX APU                  | 1,687 |
| AMD Phenom II N970 Quad-Core       | 1,687 |
| Intel Core i7-2617M @ 1.50GHz      | 1,687 |
| Intel Pentium G2020 @ 2.90GHz      | 1,680 |
| Intel Xeon L5335 @ 2.00GHz         | 1,678 |
| AMD A8-4500M APU                   | 1,675 |
| Qualcomm Technologies, Inc APQ8076 | 1,673 |
| Spreadtrum SC9863A Board           | 1,671 |
| AMD Phenom II X920 Quad-Core       | 1,669 |
| AMD A4-7210 APU                    | 1,666 |
| AMD A6 PRO-7400B                   | 1,663 |
| AMD A6-6310 APU                    | 1,663 |
| AMD A6-5200 APU                    | 1,662 |
| AMD PRO A6-9500E                   | 1,662 |
| Intel Core i3-4005U @ 1.70GHz      | 1,660 |
| AMD A9-9430                        | 1,658 |
| Qualcomm MSM8996PRO-AB             | 1,658 |
| AMD A4-6250J APU                   | 1,656 |
| AMD Phenom 9550 Quad-Core          | 1,656 |
| Intel Core i7-720QM @ 1.60GHz      | 1,656 |
| AMD A10-4655M APU                  | 1,655 |
| Intel Core i3-4010U @ 1.70GHz      | 1,654 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| Intel Core i3-4030Y @ 1.60GHz      | 1,654 |
| ARM Falkor V1/Kryo 8 Core 1900 MHz | 1,652 |
| AMD Phenom X4 Quad-Core GP-9600    | 1,649 |
| AMD A4 PRO-3340B                   | 1,645 |
| AMD A6-3600 APU                    | 1,645 |
| AMD Athlon II X3 435               | 1,644 |
| AMD A8-7100 APU                    | 1,641 |
| Intel Core i3-3110M @ 2.40GHz      | 1,636 |
| AMD PRO A4-8350B                   | 1,635 |
| Nvidia Tegra T210                  | 1,635 |
| Intel Celeron G1820T @ 2.40GHz     | 1,631 |
| AMD Embedded R-Series RX-216GD     | 1,628 |
| Intel Core M-5Y10 @ 0.80GHz        | 1,628 |
| AMD Athlon X3 445                  | 1,626 |
| MediaTek MT6765G                   | 1,623 |
| AMD PRO A6-8570E                   | 1,621 |
| Intel Pentium G2010 @ 2.80GHz      | 1,620 |
| AMD A6-7400K APU                   | 1,619 |
| Intel Core i5 E 520 @ 2.40GHz      | 1,619 |
| QTI SDM450                         | 1,617 |
| AMD A6-6400B APU                   | 1,616 |
| AMD A8-3510MX APU                  | 1,614 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Intel Pentium G2120T @ 2.70GHz      | 1,613 |
| High Performance Datacenter v       | 1,610 |
| Intel Core i3-550 @ 3.20GHz         | 1,610 |
| MT6755V/W                           | 1,608 |
| Intel Celeron 2000E @ 2.20GHz       | 1,607 |
| MediaTek MT6797T                    | 1,605 |
| AMD A6-8550                         | 1,604 |
| AMD GX-416RA SOC                    | 1,604 |
| Intel Pentium G3240T @ 2.70GHz      | 1,603 |
| AMD PRO A6-8500B                    | 1,601 |
| Intel Pentium G3220T @ 2.60GHz      | 1,600 |
| AMD Phenom FX-5000 Quad-Core        | 1,599 |
| Z3-6540M@2.1GHz                     | 1,599 |
| Intel Core i5-4220Y @ 1.60GHz       | 1,591 |
| Intel Pentium 4415Y @ 1.60GHz       | 1,590 |
| Intel Core i5-3339Y @ 1.50GHz       | 1,589 |
| Qualcomm MSM8953                    | 1,589 |
| Intel Celeron J4005 @ 2.00GHz       | 1,585 |
| AMD Phenom II N930 Quad-Core        | 1,584 |
| MediaTek MT6762V/CB                 | 1,584 |
| Intel Pentium G2030T @ 2.60GHz      | 1,581 |
| ARM phytium FT1500a 4 Core 2000 MHz | 1,579 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |       |
|---|-------|
| Intel Core2 Quad Q9000 @ 2.00GHz          | 1,579 |
| AMD Phenom 9600 Quad-Core                 | 1,577 |
| Intel Core i5-4210Y @ 1.50GHz             | 1,577 |
| AMD A6-6420K APU                          | 1,576 |
| AMD Embedded G-Series GX-420GI Radeon R7E | 1,576 |
| Intel Celeron G1840T @ 2.50GHz            | 1,576 |
| AMD A8-3530MX APU                         | 1,572 |
| Intel Pentium G3320TE @ 2.30GHz           | 1,570 |
| MediaTek MT6763V/V                        | 1,569 |
| QTI SDM439                                | 1,568 |
| AMD Phenom X2 Dual-Core GE-5060           | 1,566 |
| AMD Athlon II X3 425                      | 1,561 |
| MediaTek MT6762V/WD                       | 1,561 |
| ZHAOXIN KaiXian KX-6640MA@2.2+GHz         | 1,561 |
| Intel Celeron G1830 @ 2.80GHz             | 1,560 |
| MediaTek MT6762V/WR                       | 1,559 |
| AMD Phenom II N950 Quad-Core              | 1,558 |
| Intel Core i5-4200Y @ 1.40GHz             | 1,558 |
| AMD Athlon II X3 420e                     | 1,557 |
| Mediatek MT6765V/XBA                      | 1,557 |
| Intel Celeron G1620 @ 2.70GHz             | 1,556 |
| Samsung Exynos 7884                       | 1,556 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                       |       |
|---------------------------------------|-------|
| AMD Phenom II X3 720                  | 1,554 |
| MT6755V/C                             | 1,554 |
| AMD Phenom II X3 710                  | 1,551 |
| Qualcomm Technologies, Inc MSM8996pro | 1,551 |
| AMD A6-6420B APU                      | 1,550 |
| Intel Celeron J4025 @ 2.00GHz         | 1,550 |
| MediaTek MT6757V                      | 1,550 |
| Spreadtrum T310                       | 1,550 |
| AMD Phenom 9500 Quad-Core             | 1,549 |
| Intel Xeon E5335 @ 2.00GHz            | 1,549 |
| AMD Opteron 1352                      | 1,547 |
| Intel Celeron N4020 @ 1.10GHz         | 1,547 |
| ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz    | 1,547 |
| AMD A8-5545M APU                      | 1,546 |
| Intel Celeron N4020C @ 1.10GHz        | 1,545 |
| AMD A4 PRO-7350B                      | 1,544 |
| Intel Atom x6414RE @ 1.50GHz          | 1,544 |
| MT6763V/B                             | 1,544 |
| Intel Celeron G1620T @ 2.40GHz        | 1,541 |
| Apple A8                              | 1,540 |
| AMD Phenom II X3 B73                  | 1,538 |
| AMD R-460L APU                        | 1,538 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| Intel Core i3-540 @ 3.07GHz                        | 1,534 |
| AMD A4-6320 APU                                    | 1,530 |
| AMD A4-7300 APU                                    | 1,528 |
| AMD A8 PRO-7150B APU                               | 1,528 |
| Samsung A13 USA SINGLE REV02B board based on EXYNO | 1,528 |
| Intel Pentium 4405Y @ 1.50GHz                      | 1,526 |
| Intel Xeon X5270 @ 3.50GHz                         | 1,524 |
| Mediatek MT8768A                                   | 1,524 |
| Intel Pentium G870 @ 3.10GHz                       | 1,523 |
| AMD Phenom 9750B Quad-Core                         | 1,520 |
| Intel Core i3-2120T @ 2.60GHz                      | 1,520 |
| Intel Xeon E5504 @ 2.00GHz                         | 1,519 |
| AMD A9-9410  | 1,517 |
| Intel Celeron G1610 @ 2.60GHz                      | 1,517 |
| AMD Athlon X3 425                                  | 1,516 |
| Intel Core i5-4302Y @ 1.60GHz                      | 1,516 |
| AMD E2-7110 APU                                    | 1,514 |
| AMD Opteron 2354                                   | 1,509 |
| Intel Celeron 3955U @ 2.00GHz                      | 1,507 |
| Intel Core i7-640LM @ 2.13GHz                      | 1,507 |
| AMD A9-9425  | 1,505 |
| AMD Phenom II X4 900e                              | 1,505 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| AMD Athlon X2 370K Dual Core       | 1,504 |
| AMD Phenom 9350e Quad-Core         | 1,501 |
| Intel Celeron 2970M @ 2.20GHz      | 1,501 |
| Intel Pentium 3560M @ 2.40GHz      | 1,499 |
| Intel Core i5-4202Y @ 1.60GHz      | 1,498 |
| AMD A4-6210 APU                    | 1,495 |
| Intel Core i3-530 @ 2.93GHz        | 1,492 |
| ZHAOXIN KaiXian ZX-D D4600@2.0GHz  | 1,492 |
| AMD A9-9420                        | 1,491 |
| Qualcomm Technologies, Inc SDA450  | 1,489 |
| Intel Core i3-2100T @ 2.50GHz      | 1,488 |
| Qualcomm Technologies, Inc MSM8956 | 1,480 |
| AMD A4 PRO-7300B APU               | 1,477 |
| Intel Core i5-4300Y @ 1.60GHz      | 1,477 |
| AMD A6-6400K APU                   | 1,476 |
| AMD Opteron X3216 APU              | 1,475 |
| Intel Core m5-7Y54 @ 1.20GHz       | 1,475 |
| Pentium Dual-Core E6000 @ 3.46GHz  | 1,472 |
| MediaTek MT6762V/WA                | 1,471 |
| Intel Pentium G860 @ 3.00GHz       | 1,470 |
| Intel Xeon E5320 @ 1.86GHz         | 1,469 |
| Intel Xeon E7320 @ 2.13GHz         | 1,469 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| Qualcomm Technologies, Inc SDM439 | 1,469 |
| Spreadtrum SC9863A                | 1,464 |
| Intel Pentium J3710 @ 1.60GHz     | 1,463 |
| AMD Phenom 8600B Triple-Core      | 1,461 |
| Intel Celeron 3867U @ 1.80GHz     | 1,460 |
| Intel Celeron 5205U @ 1.90GHz     | 1,459 |
| Intel Core i3-4020Y @ 1.50GHz     | 1,456 |
| Rockchip RK3399 Board (Android)   | 1,456 |
| AMD Phenom 9450e Quad-Core        | 1,455 |
| Intel Pentium 4410Y @ 1.50GHz     | 1,452 |
| AMD A6-5400B APU                  | 1,451 |
| AMD Phenom II X3 700e             | 1,451 |
| Intel Xeon X5272 @ 3.40GHz        | 1,451 |
| AMD Opteron 1354                  | 1,449 |
| AMD A6-3430MX APU                 | 1,448 |
| AMD A8-3520M APU                  | 1,448 |
| Intel Xeon E5240 @ 3.00GHz        | 1,448 |
| AMD A6-8500P                      | 1,445 |
| AMD Phenom 8750 Triple-Core       | 1,445 |
| AMD Phenom II X2 565              | 1,442 |
| AMD Athlon II X3 415e             | 1,441 |
| Intel Core i7-620LM @ 2.00GHz     | 1,440 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| AMD Athlon X3 440                                  | 1,438 |
| Intel Core i5-2467M @ 1.60GHz                      | 1,433 |
| Intel Pentium G850 @ 2.90GHz                       | 1,433 |
| AMD A4-6300 APU                                    | 1,432 |
| AMD Phenom II X2 B59                               | 1,431 |
| MediaTek MT6762V/WB                                | 1,431 |
| Intel Pentium G2020T @ 2.50GHz                     | 1,430 |
| Intel Xeon E3113 @ 3.00GHz                         | 1,429 |
| ARM Cortex-A73 6 Core 2016 MHz                     | 1,428 |
| AMD A10 Micro-6700T APU                            | 1,426 |
| Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP    | 1,426 |
| Samsung M13 EUR OPEN REV02 board based on EXYNOS85 | 1,425 |
| Unisoc SC9863a                                     | 1,425 |
| AMD Phenom II X3 740                               | 1,424 |
| Intel Atom C2558 @ 2.40GHz                         | 1,424 |
| Qualcomm MSM8996                                   | 1,424 |
| Intel Atom C2550 @ 2.40GHz                         | 1,422 |
| Qualcomm Technologies, Inc MSM8996                 | 1,421 |
| Intel Celeron N4000 @ 1.10GHz                      | 1,419 |
| AMD A6-3500 APU                                    | 1,417 |
| MT6750V/C  | 1,417 |
| Unisoc T310  | 1,417 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |       |
|----------------------------------|-------|
| Hisilicon Kirin 930              | 1,415 |
| AMD Phenom 9150e Quad-Core       | 1,414 |
| AMD GX-415GA SOC                 | 1,413 |
| Intel Pentium 2030M @ 2.50GHz    | 1,413 |
| AMD A8-3500M APU                 | 1,412 |
| Intel Core i7-2610UE @ 1.50GHz   | 1,409 |
| Intel Core2 Duo E8290 @ 2.83GHz  | 1,408 |
| Intel Xeon E3120 @ 3.16GHz       | 1,408 |
| AMD PRO A6-7350B                 | 1,407 |
| Intel Xeon E3-1220L v3 @ 1.10GHz | 1,407 |
| Intel Celeron 1020E @ 2.20GHz    | 1,406 |
| MT8176                           | 1,406 |
| Unisoc SC9863A1                  | 1,399 |
| Intel Celeron N4000C @ 1.10GHz   | 1,397 |
| MT6755V/WS                       | 1,389 |
| AMD Athlon 5150 APU              | 1,388 |
| Intel Celeron G555 @ 2.70GHz     | 1,388 |
| Intel Pentium G645 @ 2.90GHz     | 1,388 |
| AMD Phenom II P960 Quad-Core     | 1,386 |
| Intel Pentium N3710 @ 1.60GHz    | 1,386 |
| AMD E1-6050J APU                 | 1,385 |
| Intel Xeon L5310 @ 1.60GHz       | 1,385 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel Pentium G6951 @ 2.80GHz   | 1,383 |
| Intel Celeron G1610T @ 2.30GHz  | 1,377 |
| Intel Pentium 2020M @ 2.40GHz   | 1,377 |
| AMD Phenom II X2 560            | 1,375 |
| MT6763V/WT                      | 1,375 |
| AMD Phenom II X2 521            | 1,374 |
| Intel Pentium 3825U @ 1.90GHz   | 1,373 |
| AMD PRO A6-9500B                | 1,371 |
| Intel Core2 Duo E8600 @ 3.33GHz | 1,370 |
| Intel Core i3-2370M @ 2.40GHz   | 1,365 |
| AMD A4-5300 APU                 | 1,364 |
| Samsung EXYNOS5430              | 1,364 |
| Intel Core i3-3217UE @ 1.60GHz  | 1,362 |
| Intel Celeron 4205U @ 1.80GHz   | 1,361 |
| AMD Phenom II X2 570            | 1,360 |
| Intel Core i3-4010Y @ 1.30GHz   | 1,358 |
| AMD Athlon II X2 280            | 1,355 |
| Qualcomm                        | 1,354 |
| Intel Core i3-2332M @ 2.20GHz   | 1,353 |
| VIA QuadCore C4650@2.0GHz       | 1,352 |
| Intel Pentium G640 @ 2.80GHz    | 1,351 |
| AMD A4-5100 APU                 | 1,346 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |       |
|-----------------------------------|-------|
| AMD A9-9400                       | 1,346 |
| Intel Xeon L3110 @ 3.00GHz        | 1,338 |
| Intel Xeon L5240 @ 3.00GHz        | 1,337 |
| Intel Atom x7-Z8700 @ 1.60GHz     | 1,336 |
| Qualcomm Technologies, Inc SDM450 | 1,336 |
| AMD A8-4555M APU                  | 1,335 |
| AMD Athlon II X3 405e             | 1,331 |
| Intel Pentium 3550M @ 2.30GHz     | 1,330 |
| AMD A4-5050 APU                   | 1,328 |
| AMD A4-6300B APU                  | 1,328 |
| AMD Athlon X2 280                 | 1,327 |
| Intel Core i5 750S @ 2.40GHz      | 1,326 |
| AMD A6-9225                       | 1,324 |
| AMD Phenom II N870 Triple-Core    | 1,324 |
| Intel Xeon @ 2.20GHz              | 1,324 |
| AMD Athlon II X3 400e             | 1,320 |
| AMD Phenom II P940 Quad-Core      | 1,319 |
| Intel Core i5-480M @ 2.67GHz      | 1,319 |
| Intel Pentium G630 @ 2.70GHz      | 1,319 |
| AMD Opteron 2393 SE               | 1,317 |
| Intel Celeron 3865U @ 1.80GHz     | 1,316 |
| Qualcomm Snapdragon 810           | 1,316 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| MT8768WE                        | 1,314 |
| ARM Cortex-A73 6 Core 1992 MHz  | 1,311 |
| AMD Athlon X2 340 Dual Core     | 1,307 |
| ARM Cortex-A57 4 Core 2091 MHz  | 1,307 |
| Intel Xeon E5310 @ 1.60GHz      | 1,306 |
| ARM Cortex-A15 4 Core 1500 MHz  | 1,304 |
| AMD A6-9230                     | 1,303 |
| AMD Phenom II X2 555            | 1,301 |
| Intel Core i5-460M @ 2.53GHz    | 1,300 |
| AMD Phenom X4 Quad-Core GP-9500 | 1,297 |
| AMD Athlon X2 450               | 1,295 |
| ARM Cortex-A72 4 Core 2400 MHz  | 1,295 |
| AMD A4-5000 APU                 | 1,294 |
| Intel Pentium G6960 @ 2.93GHz   | 1,293 |
| Intel Xeon X3210 @ 2.13GHz      | 1,293 |
| AMD A6-3420M APU                | 1,292 |
| Hisilicon Kirin 935             | 1,291 |
| MT6795                          | 1,290 |
| AMD Athlon II X2 270            | 1,289 |
| Intel Core i3-3227U @ 1.90GHz   | 1,288 |
| Intel Core i7-660UM @ 1.33GHz   | 1,284 |
| AMD Phenom 8850B Triple-Core    | 1,281 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |       |
|---|-------|
| AMD Phenom 9100e Quad-Core                      | 1,279 |
| Unisoc UIS8581E                                 | 1,279 |
| AMD Sempron 240                                 | 1,278 |
| Intel Core i3-4012Y @ 1.50GHz                   | 1,278 |
| MT6755  | 1,278 |
| Intel Celeron 1020M @ 2.10GHz                   | 1,275 |
| AMD Athlon II X2 B28                            | 1,274 |
| Intel Atom x7-Z8750 @ 1.60GHz                   | 1,274 |
| Intel Celeron 3855U @ 1.60GHz                   | 1,274 |
| Mediatek MT8365                                 | 1,274 |
| Intel Core i3-2348M @ 2.30GHz                   | 1,273 |
| AMD Embedded G-Series GX-224IJ Radeon R4E       | 1,271 |
| MT6750V/DN                                      | 1,271 |
| Samsung M13 SWA INS 00 board based on EXYNOS850 | 1,269 |
| AMD A4-4020 APU                                 | 1,268 |
| AMD Athlon II X2 265                            | 1,265 |
| AMD Phenom II X2 511                            | 1,265 |
| Intel Celeron J3160 @ 1.60GHz                   | 1,265 |
| AMD A6-9220                                     | 1,264 |
| AMD A6-3410MX APU                               | 1,263 |
| AMD A6-5400K APU                                | 1,262 |
| AMD Phenom II N850 Triple-Core                  | 1,262 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| AMD Phenom II X620 Dual-Core    | 1,262 |
| Intel Core i3-330E @ 2.13GHz    | 1,260 |
| Intel Core2 Duo E8500 @ 3.16GHz | 1,258 |
| Intel Core i3-2350M @ 2.30GHz   | 1,257 |
| Qualcomm MSM8992                | 1,255 |
| AMD A4-5300B APU                | 1,254 |
| ARM Cortex-A72 4 Core 2394 MHz  | 1,254 |
| Intel Celeron 3765U @ 1.90GHz   | 1,252 |
| Intel Pentium J2900 @ 2.41GHz   | 1,252 |
| AMD Phenom II P860 Triple-Core  | 1,250 |
| Intel Celeron G550 @ 2.60GHz    | 1,250 |
| Intel Pentium A1020 @ 2.41GHz   | 1,249 |
| Rockchip RK                     | 1,246 |
| Intel Pentium N3700 @ 1.60GHz   | 1,243 |
| Intel Xeon E3110 @ 3.00GHz      | 1,242 |
| BCM2835                         | 1,239 |
| AMD A6-9210                     | 1,238 |
| Intel Pentium G6950 @ 2.80GHz   | 1,238 |
| Intel Pentium G840 @ 2.80GHz    | 1,238 |
| Intel Xeon X5260 @ 3.33GHz      | 1,238 |
| AMD Phenom 8650 Triple-Core     | 1,237 |
| Intel Atom x5-Z8500 @ 1.44GHz   | 1,237 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| Intel Core i3-390M @ 2.67GHz                       | 1,237 |
| Intel Core i3-2328M @ 2.20GHz                      | 1,235 |
| Intel Core i5-450M @ 2.40GHz                       | 1,231 |
| Samsung A13 EUR OPEN REV02B board based on EXYNOS8 | 1,230 |
| AMD Phenom II N830 Triple-Core                     | 1,229 |
| ARM Cortex-A57 4 Core 2014 MHz                     | 1,229 |
| Intel Celeron 2950M @ 2.00GHz                      | 1,229 |
| MT6755M  | 1,229 |
| AMD Phenom X4 Quad-Core GP-9530                    | 1,228 |
| Intel Pentium G645T @ 2.50GHz                      | 1,228 |
| ARM Cortex-A15 4 Core 1400 MHz                     | 1,227 |
| AMD Phenom 8450e Triple-Core                       | 1,225 |
| MediaTek MT6762V/CA                                | 1,225 |
| Nvidia Tegra T132                                  | 1,224 |
| Intel Core i3-2330M @ 2.20GHz                      | 1,223 |
| AMD Phenom II X2 545                               | 1,222 |
| AMD Phenom II X3 705e                              | 1,222 |
| Intel Core i3-2310M @ 2.10GHz                      | 1,221 |
| AMD A4-9120  | 1,219 |
| Intel Core i3-3217U @ 1.80GHz                      | 1,219 |
| MT6755V/BM   | 1,219 |
| Mediatek MT8766B                                   | 1,218 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel Pentium G620 @ 2.60GHz    | 1,217 |
| AMD Phenom 8450 Triple-Core     | 1,216 |
| AMD A6-5350M APU                | 1,215 |
| AMD R-272F APU                  | 1,215 |
| MediaTek MT6762G                | 1,213 |
| AMD A4-9125                     | 1,212 |
| Intel Core2 Duo T9800 @ 2.93GHz | 1,211 |
| AMD Phenom 8600 Triple-Core     | 1,210 |
| Intel Pentium A1018 @ 2.10GHz   | 1,210 |
| Intel Pentium N3540 @ 2.16GHz   | 1,209 |
| Intel Core i3-380M @ 2.53GHz    | 1,205 |
| Intel Core i5-2537M @ 1.40GHz   | 1,202 |
| Intel Core i5-430M @ 2.27GHz    | 1,202 |
| Intel Pentium N3530 @ 2.16GHz   | 1,201 |
| AMD Opteron 2222                | 1,198 |
| Intel Celeron J3355 @ 2.00GHz   | 1,197 |
| Intel Celeron N3150 @ 1.60GHz   | 1,197 |
| Intel Core2 Duo E8400 @ 3.00GHz | 1,197 |
| ROC-RK3568-PC HDMI (Android)    | 1,197 |
| Intel Core i7-680UM @ 1.47GHz   | 1,196 |
| Intel Celeron 3965Y @ 1.50GHz   | 1,194 |
| MT6762V/CR                      | 1,194 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| AMD Athlon II X2 B26            | 1,193 |
| AMD A6-3400M APU                | 1,190 |
| AMD Phenom II X2 B57            | 1,189 |
| AMD Phenom 8750B Triple-Core    | 1,188 |
| Intel Atom Z3795 @ 1.60GHz      | 1,188 |
| MediaTek MT6750T                | 1,187 |
| ARM Cortex-A73 4 Core 2100 MHz  | 1,185 |
| AMD Phenom II X2 B55            | 1,183 |
| ARM Cortex-A72 6 Core 1512 MHz  | 1,183 |
| Intel Core i7-640UM @ 1.20GHz   | 1,183 |
| Intel Celeron 3755U @ 1.70GHz   | 1,182 |
| Intel Core2 Duo T9900 @ 3.06GHz | 1,180 |
| Intel Pentium 3805U @ 1.90GHz   | 1,180 |
| Qualcomm MSM8939                | 1,180 |
| Intel Celeron N3160 @ 1.60GHz   | 1,178 |
| Intel Celeron G540 @ 2.50GHz    | 1,172 |
| AMD Athlon II X2 245e           | 1,171 |
| Intel Core i3-2312M @ 2.10GHz   | 1,171 |
| AMD A8-7050                     | 1,170 |
| AMD Athlon II X2 255            | 1,170 |
| ARM Cortex-A57 4 Core 1734 MHz  | 1,170 |
| Intel Pentium E5800 @ 3.20GHz   | 1,169 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| Intel Pentium E6700 @ 3.20GHz       | 1,169 |
| AMD A6-5357M APU                    | 1,165 |
| AMD Phenom II X640 Dual-Core        | 1,165 |
| AMD Phenom 8400 Triple-Core         | 1,164 |
| Intel Xeon W3505 @ 2.53GHz          | 1,161 |
| MT6757WH                            | 1,161 |
| ARM Cortex-A15 8 Core 1400 MHz      | 1,160 |
| Intel Atom x5-Z8550 @ 1.44GHz       | 1,160 |
| Intel Core2 Duo E7600 @ 3.06GHz     | 1,159 |
| Intel Core2 Extreme X9100 @ 3.06GHz | 1,159 |
| Samsung EXYNOS5433                  | 1,159 |
| AMD Phenom II X2 550                | 1,158 |
| MTK6757                             | 1,158 |
| AMD Athlon II X2 250e               | 1,155 |
| AMD QC-4000                         | 1,155 |
| MediaTek MT6750V/WT                 | 1,153 |
| Intel Celeron J1900 @ 1.99GHz       | 1,151 |
| Intel Pentium E6800 @ 3.33GHz       | 1,151 |
| AMD A4-4000 APU                     | 1,149 |
| MediaTek MT6753T                    | 1,149 |
| AMD E2-3800 APU                     | 1,148 |
| AMD Phenom II P840 Triple-Core      | 1,148 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |       |
|---|-------|
| AMD A6 Micro-6500T APU                            | 1,146 |
| Intel Core i3-370M @ 2.40GHz                      | 1,145 |
| Rockchip RK3399 Excavator Board edp avb (Android) | 1,143 |
| AMD Phenom 8850 Triple-Core                       | 1,142 |
| AMD Sempron 3850 APU                              | 1,142 |
| Intel Pentium E6500 @ 2.93GHz                     | 1,142 |
| AMD Athlon II X2 260                              | 1,141 |
| Intel Pentium N3520 @ 2.16GHz                     | 1,141 |
| AMD Athlon II X2 250                              | 1,139 |
| Intel Pentium G640T @ 2.40GHz                     | 1,139 |
| Intel Core2 Extreme X7800 @ 2.60GHz               | 1,138 |
| AMD Phenom II X2 B53                              | 1,137 |
| Intel Celeron G540T @ 2.10GHz                     | 1,137 |
| Intel Core2 Duo E7500 @ 2.93GHz                   | 1,132 |
| Intel Core2 Duo P9700 @ 2.80GHz                   | 1,131 |
| AMD PRO A6-8530B                                  | 1,127 |
| mocha   | 1,125 |
| AMD A9-9420e                                      | 1,124 |
| AMD PRO A4-4350B                                  | 1,123 |
| Intel Celeron 3215U @ 1.70GHz                     | 1,123 |
| Qualcomm Technologies, Inc SCUBAPIOT              | 1,123 |
| AMD A6-5345M APU                                  | 1,122 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |       |
|-------------------------------------|-------|
| MT8768WD                            | 1,122 |
| Intel Pentium E6600 @ 3.06GHz       | 1,121 |
| AMD Athlon II X2 B24                | 1,120 |
| Intel Core2 Duo E6850 @ 3.00GHz     | 1,118 |
| Intel Xeon L5320 @ 1.86GHz          | 1,118 |
| AMD A6-9200                         | 1,117 |
| AMD E2-6110 APU                     | 1,117 |
| Intel Celeron G530 @ 2.40GHz        | 1,117 |
| Intel Xeon W3503 @ 2.40GHz          | 1,116 |
| AMD Phenom 8250 Triple-Core         | 1,114 |
| Intel Core2 Duo E8135 @ 2.66GHz     | 1,112 |
| Intel Atom x6214RE @ 1.40GHz        | 1,109 |
| Intel Celeron N3350 @ 1.10GHz       | 1,108 |
| Intel Core2 Duo E8200 @ 2.66GHz     | 1,108 |
| AMD Opteron 2220                    | 1,106 |
| Intel Celeron 1005M @ 1.90GHz       | 1,106 |
| Rockchip RK3568 EVB7 DDR4 V10 Board | 1,106 |
| AMD Athlon II X2 210e               | 1,105 |
| Intel Core2 Duo E8435 @ 3.06GHz     | 1,104 |
| Intel Core2 Extreme X7900 @ 2.80GHz | 1,104 |
| Intel Celeron G550T @ 2.20GHz       | 1,102 |
| Intel Core2 Extreme X9000 @ 2.80GHz | 1,099 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |       |
|------------------------------------|-------|
| AMD Athlon II X2 245               | 1,097 |
| Intel Xeon 3075 @ 2.66GHz          | 1,096 |
| Intel Pentium B970 @ 2.30GHz       | 1,094 |
| AMD E2-9010                        | 1,093 |
| Mediatek MT6761                    | 1,092 |
| Intel Celeron 2002E @ 1.50GHz      | 1,091 |
| AMD GX-412HC                       | 1,090 |
| Intel Pentium G630T @ 2.30GHz      | 1,090 |
| MT6755V/WM                         | 1,090 |
| AMD Opteron 1222                   | 1,089 |
| Qualcomm MSM 8939 HUAWEI KIWI-L21  | 1,088 |
| Intel Celeron G1101 @ 2.27GHz      | 1,086 |
| Intel Core2 Duo P9600 @ 2.66GHz    | 1,086 |
| Qualcomm MSM 8939 HUAWEI TEXAS-A1  | 1,085 |
| AMD Phenom 8250e Triple-Core       | 1,084 |
| Qualcomm Technologies, Inc MSM8937 | 1,084 |
| AMD A4 Micro-6400T APU             | 1,082 |
| Rockchip RK3562                    | 1,082 |
| AMD A4-3400 APU                    | 1,081 |
| MT8732T                            | 1,081 |
| AMD Athlon II X2 235e              | 1,080 |
| Intel Core i3-350M @ 2.27GHz       | 1,080 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |       |
|--|-------|
| Intel Pentium E5700 @ 3.00GHz              | 1,080 |
| AMD Phenom X3 8550                         | 1,079 |
| Intel Core2 Duo T9600 @ 2.80GHz            | 1,079 |
| Rockchip RK3566 BOX DEMO V10 ANDROID Board | 1,079 |
| Grandstream GXV3480 Video Phone            | 1,078 |
| Intel Celeron 1000M @ 1.80GHz              | 1,074 |
| MT8768WB                                   | 1,074 |
| Intel Pentium B980 @ 2.40GHz               | 1,073 |
| Intel Xeon 3085 @ 3.00GHz                  | 1,070 |
| MT6755BM                                   | 1,070 |
| AMD Phenom II P820 Triple-Core             | 1,068 |
| Qualcomm MSM 8939 HUAWEI KIWI-L24          | 1,065 |
| AMD Embedded G-Series GX-215JJ Radeon R2E  | 1,064 |
| Intel Pentium 2127U @ 1.90GHz              | 1,064 |
| Rockchip RK3568 EVB1 DDR4 V10 Board        | 1,064 |
| AMD Phenom II N660 Dual-Core               | 1,063 |
| AMD Phenom X4 Quad-Core GS-6560            | 1,063 |
| ARM Cortex-A72 6 Core 1416 MHz             | 1,059 |
| AMD Athlon 7850 Dual-Core                  | 1,058 |
| Intel Atom E3845 @ 1.91GHz                 | 1,058 |
| Intel Core2 Duo E8335 @ 2.66GHz            | 1,057 |
| Intel Celeron 2980U @ 1.60GHz              | 1,056 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |       |
|---------------------------------|-------|
| Intel Celeron G530T @ 2.00GHz   | 1,056 |
| Mediatek MT6761V/CAB            | 1,056 |
| MT6592T                         | 1,056 |
| Intel Pentium 3556U @ 1.70GHz   | 1,055 |
| AMD A4-3420 APU                 | 1,054 |
| Snapdragon 435                  | 1,054 |
| AMD A6-9220C                    | 1,053 |
| AMD Athlon II X2 B22            | 1,053 |
| MT8168B                         | 1,052 |
| Amlogic AMLT982                 | 1,047 |
| AMD A6-1450 APU                 | 1,045 |
| AMD GX-222GC SOC                | 1,044 |
| Intel Pentium E6300 @ 2.80GHz   | 1,044 |
| Intel Core2 Duo T9500 @ 2.60GHz | 1,042 |
| Intel Celeron N2940 @ 1.83GHz   | 1,041 |
| Intel Core2 Duo P9600 @ 2.53GHz | 1,040 |
| MediaTek MT6750                 | 1,040 |
| JLQ JR510                       | 1,039 |
| MT8783                          | 1,039 |
| AMD Opteron 1220                | 1,036 |
| AMD Opteron 2218                | 1,036 |
| Intel Pentium 3558U @ 1.70GHz   | 1,035 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |       |
|---|-------|
| AMD Turion II Ultra Dual-Core Mobile M640 | 1,034 |
| AMD Athlon II X2 240                      | 1,032 |
| Qualcomm MSM8937                          | 1,032 |
| AMD Athlon II X2 220                      | 1,030 |
| MediaTek MT8168                           | 1,029 |
| Intel Atom C3338 @ 1.50GHz                | 1,028 |
| Intel Celeron U1900 @ 1.99GHz             | 1,028 |
| Intel Xeon 3070 @ 2.66GHz                 | 1,025 |
| tn8                                       | 1,024 |
| Intel Pentium E5500 @ 2.80GHz             | 1,023 |
| ARM Cortex-A57 8 Core 1500 MHz            | 1,022 |
| Intel Celeron G1820TE @ 2.20GHz           | 1,020 |
| Intel Core2 Duo E8235 @ 2.80GHz           | 1,020 |
| Intel Core i3-330M @ 2.13GHz              | 1,018 |
| MediaTek MT6753                           | 1,018 |
| Intel Core2 Duo E7400 @ 2.80GHz           | 1,017 |
| Intel Pentium 2117U @ 1.80GHz             | 1,017 |
| Samsung Exynos 7870                       | 1,017 |
| Intel Pentium J2850 @ 2.41GHz             | 1,016 |
| AMD Athlon X2 240e                        | 1,015 |
| Intel Celeron B840 @ 1.90GHz              | 1,015 |
| Intel Core i5-560UM @ 1.33GHz             | 1,015 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |       |
|---|-------|
| AMD Phenom II N620 Dual-Core              | 1,014 |
| Intel Celeron N2930 @ 1.83GHz             | 1,013 |
| Intel Core2 Duo E6750 @ 2.66GHz           | 1,013 |
| AMD Turion II Ultra Dual-Core Mobile M660 | 1,011 |
| AMD A6-7000                               | 1,010 |
| AMD Phenom X2 Dual-Core GE-7060           | 1,010 |
| DO-Regular                                | 1,010 |
| Intel Core i7-620UM @ 1.07GHz             | 1,010 |
| Rockchip RK3566 RK817 TABLET LP4X Board   | 1,010 |
| AMD A6 PRO-7050B APU                      | 1,009 |
| AMD A6-4400M APU                          | 1,007 |
| ARM Cortex-A57 4 Core 1912 MHz            | 1,007 |
| AMD Phenom II P920 Quad-Core              | 1,006 |
| Rockchip RK3566                           | 1,006 |
| Intel Core i3-3229Y @ 1.40GHz             | 1,004 |
| AMD Athlon II X2 240e                     | 1,002 |
| Intel Core i5-540UM @ 1.20GHz             | 1,002 |
| Intel Core2 Duo T9400 @ 2.53GHz           | 1,002 |
| Intel Core2 Duo E7200 @ 2.53GHz           | 1,001 |
| AMD A4-4300M APU                          | 1,000 |
| AMD Athlon 64 X2 Dual Core 6400+          | 998   |
| Intel Core2 Duo E8300 @ 2.83GHz           | 997   |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |     |
|---|-----|
| AMD Athlon X2 215                           | 996 |
| Intel Pentium B950 @ 2.10GHz                | 995 |
| Qualcomm Technologies, Inc SDM429           | 995 |
| Intel Celeron 1037U @ 1.80GHz               | 994 |
| Rockchip RK3566 EVB3 DDR3 V10 Board         | 994 |
| AMD Athlon 64 FX-62 Dual Core               | 993 |
| Intel Core2 Duo P9500 @ 2.53GHz             | 993 |
| Intel Core2 Extreme X6800 @ 2.93GHz         | 993 |
| Intel Celeron 2981U @ 1.60GHz               | 991 |
| AMD Athlon II X2 4300e                      | 990 |
| Intel Core2 Duo E6700 @ 2.66GHz             | 990 |
| MT8766A                                     | 990 |
| AMD A6-9220e                                | 989 |
| AMD Turion II P540 Dual-Core                | 987 |
| Intel Pentium Extreme Edition 965 @ 3.73GHz | 987 |
| ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz       | 984 |
| AMD E2-9030                                 | 983 |
| Intel Core2 Duo T9300 @ 2.50GHz             | 983 |
| Intel Xeon 3060 @ 2.40GHz                   | 983 |
| AMD Opteron 1218 HE                         | 979 |
| AMD Athlon 7750 Dual-Core                   | 978 |
| AMD Athlon II X2 4400e                      | 978 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |     |
|---|-----|
| Intel Core i3-2340UE @ 1.30GHz            | 976 |
| Intel Core2 Duo T7800 @ 2.60GHz           | 976 |
| Intel Core2 Duo E8335 @ 2.93GHz           | 975 |
| Intel Core2 Duo P8700 @ 2.53GHz           | 975 |
| Intel Core2 Duo E8135 @ 2.40GHz           | 973 |
| AMD Athlon 64 FX-74                       | 972 |
| Unisoc ums312                             | 972 |
| Intel Pentium E5400 @ 2.70GHz             | 968 |
| MT6795M                                   | 968 |
| AMD Phenom II N640 Dual-Core              | 965 |
| Intel Pentium B960 @ 2.20GHz              | 965 |
| Intel Core2 Duo T9550 @ 2.66GHz           | 964 |
| Intel Core2 Duo E7300 @ 2.66GHz           | 963 |
| Intel Xeon 5160 @ 3.00GHz                 | 963 |
| AMD A4-3300 APU                           | 962 |
| AMD Athlon II X2 215                      | 961 |
| Intel Atom C2538 @ 2.40GHz                | 960 |
| Qualcomm Technologies, Inc MSM8939        | 959 |
| Rockchip RK3566 EVB2 LP4X V10 Board       | 958 |
| AMD Opteron 285                           | 956 |
| AMD Turion II Ultra Dual-Core Mobile M600 | 955 |
| MT6750V/CS                                | 955 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |     |
|------------------------------------|-----|
| AMD R-260H APU                     | 954 |
| MediaTek MT8166B                   | 954 |
| AMD E2-3200 APU                    | 953 |
| AMD Opteron 290                    | 952 |
| Intel Core2 Duo P9300 @ 2.26GHz    | 952 |
| ARM Cortex-A57 4 Core 1479 MHz     | 951 |
| Intel Celeron N2920 @ 1.86GHz      | 950 |
| Intel Core2 Duo P8800 @ 2.66GHz    | 949 |
| Intel Celeron 3205U @ 1.50GHz      | 947 |
| AMD E2-9000                        | 945 |
| Intel Core2 Duo T7700 @ 2.40GHz    | 945 |
| Intel Atom x5-E8000 @ 1.04GHz      | 943 |
| MT8165                             | 943 |
| Intel Celeron J1850 @ 1.99GHz      | 942 |
| Intel Core2 Duo E6600 @ 2.40GHz    | 939 |
| AMD Athlon X2 255                  | 938 |
| Intel Celeron E3500 @ 2.70GHz      | 935 |
| MT6750V/WS                         | 934 |
| AMD Phenom II P650 Dual-Core       | 933 |
| Pentium Dual-Core T4500 @ 2.30GHz  | 932 |
| Qualcomm Technologies, Inc MSM8994 | 932 |
| AMD Athlon 64 X2 Dual Core 6000+   | 931 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| AMD Sempron X2 198 Dual-Core                     | 930 |
| Intel Pentium E5300 @ 2.60GHz                    | 929 |
| Intel Atom x5-E3930 @ 1.30GHz                    | 928 |
| Intel Xeon L3406 @ 2.27GHz                       | 928 |
| ARM Cortex-A72 4 Core 1416 MHz                   | 927 |
| Intel Pentium E5200 @ 2.50GHz                    | 927 |
| Samsung J7 Max LTE SWA board based on MT6757V/WL | 925 |
| Intel Xeon 5150 @ 2.66GHz                        | 924 |
| ARM Cortex-A15 4 Core 2000 MHz                   | 923 |
| AMD Athlon X2 240                                | 921 |
| Qualcomm Technologies, Inc MSM8952               | 915 |
| AMD Athlon Dual Core 5400B                       | 914 |
| Mediatek MT8766A                                 | 913 |
| AMD Turion II Dual-Core Mobile M540              | 912 |
| Intel Xeon 5148 @ 2.33GHz                        | 912 |
| AMD Opteron 1218                                 | 910 |
| Intel Pentium P6200 @ 2.13GHz                    | 910 |
| MT6761V/CBB                                      | 910 |
| AMD Opteron 2220 SE                              | 909 |
| Intel Core i5-520UM @ 1.07GHz                    | 908 |
| AMD Athlon 64 X2 Dual Core 5400+                 | 907 |
| AMD Athlon 64 X2 Dual Core 5600+                 | 907 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |     |
|--------------------------------------|-----|
| VIA Eden X4 C4250 @ 1.2+GHz          | 904 |
| Intel Xeon 3.73GHz                   | 901 |
| AMD Athlon 7550 Dual-Core            | 900 |
| Intel Core i3-2375M @ 1.50GHz        | 900 |
| AMD Athlon II N370 Dual-Core         | 899 |
| Intel Pentium G620T @ 2.20GHz        | 896 |
| Rockchip RK3568 EVB2 LP4X V10 Board  | 895 |
| AMD E2-9000e                         | 894 |
| Intel Core2 Duo T8300 @ 2.40GHz      | 894 |
| UGOOS UT8 Board                      | 894 |
| AMD RX-225FB                         | 892 |
| Intel Atom x5-Z8350 @ 1.44GHz        | 890 |
| Intel Core2 Duo E6550 @ 2.33GHz      | 889 |
| MT8365                               | 889 |
| Intel Celeron 1017U @ 1.60GHz        | 888 |
| Rockchip RK3528 DEMO4 DDR4 V10 Board | 888 |
| Intel Xeon 5133 @ 2.20GHz            | 887 |
| AMD Phenom X2 Dual-Core GP-7730      | 884 |
| ARM FT-2000/4 4 Core 2200 MHz        | 881 |
| AMD Sempron X2 190                   | 879 |
| AMD Turion II P560 Dual-Core         | 878 |
| Intel Pentium N3510 @ 1.99GHz        | 878 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |     |
|------------------------------------|-----|
| Samsung Exynos 7580                | 878 |
| SAMSUNG Exynos7580                 | 878 |
| AMD Turion II N550 Dual-Core       | 877 |
| Athlon 64 Dual Core 5600+          | 875 |
| Intel Pentium P6100 @ 2.00GHz      | 875 |
| Qualcomm Technologies, Inc MSM8992 | 873 |
| AMD Athlon 5000 Dual-Core          | 872 |
| Intel Celeron 2955U @ 1.40GHz      | 872 |
| ARM Cortex-A72 4 Core 2300 MHz     | 870 |
| rockchip,rk3368                    | 870 |
| AMD Athlon 5200 Dual-Core          | 869 |
| AMD Athlon II X2 4450e             | 867 |
| Intel Xeon 3065 @ 2.33GHz          | 867 |
| AMD Turion 64 X2 Mobile TL-68      | 866 |
| Intel Core2 Duo P7550 @ 2.26GHz    | 865 |
| Intel Celeron P4600 @ 2.00GHz      | 863 |
| Intel Core2 Duo E4600 @ 2.40GHz    | 862 |
| Intel Core2 Duo E4700 @ 2.60GHz    | 862 |
| Synaptics VS640                    | 862 |
| Intel Celeron 2957U @ 1.40GHz      | 861 |
| Intel Pentium B940 @ 2.00GHz       | 860 |
| Intel Xeon 5140 @ 2.33GHz          | 857 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                       |     |
|---------------------------------------|-----|
| MT8161AA                              | 857 |
| AMD Athlon Dual Core 5000B            | 856 |
| AMD Athlon X2 250                     | 855 |
| AMD Turion II N530 Dual-Core          | 855 |
| Intel Core2 Duo SP9400 @ 2.40GHz      | 855 |
| AMD Turion II Neo N54L Dual-Core      | 853 |
| Intel Core2 Duo P8600 @ 2.40GHz       | 853 |
| BCM2711                               | 852 |
| Intel Pentium E2220 @ 2.40GHz         | 852 |
| Athlon 64 Dual Core 5000+             | 850 |
| Intel Pentium 3560Y @ 1.20GHz         | 849 |
| Intel Celeron P4500 @ 1.87GHz         | 848 |
| MT8168M                               | 846 |
| Intel Core i3-2377M @ 1.50GHz         | 845 |
| Intel Core2 Duo P7570 @ 2.26GHz       | 845 |
| MT6750V/W                             | 845 |
| MT9950                                | 845 |
| AMD Turion II Dual-Core Mobile M520   | 844 |
| ARM ARMv7 rev 1 (v7l) 4 Core 1800 MHz | 843 |
| Intel Celeron B830 @ 1.80GHz          | 843 |
| Intel Core i3-2367M @ 1.40GHz         | 842 |
| MTK8257                               | 842 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| AMD TurionX2 Ultra DualCore Mobile ZM-85   | 841 |
| Intel Core2 Duo P8400 @ 2.26GHz            | 841 |
| Intel Xeon 3050 @ 2.13GHz                  | 841 |
| AMD Athlon 64 X2 Dual Core 5200+           | 840 |
| Intel Celeron E1600 @ 2.40GHz              | 840 |
| Intel Celeron E3400 @ 2.60GHz              | 840 |
| AMD Opteron 275                            | 839 |
| Intel Celeron E3200 @ 2.40GHz              | 839 |
| Thor                                       | 839 |
| Intel Xeon E5205 @ 1.86GHz                 | 838 |
| AMD A4-9120e                               | 837 |
| Intel Xeon E5502 @ 1.87GHz                 | 837 |
| Intel Celeron 1007U @ 1.50GHz              | 836 |
| ARM Cortex-A72 4 Core 2200 MHz             | 834 |
| Intel Pentium P6300 @ 2.27GHz              | 834 |
| AArch64                                    | 831 |
| AMD A4-9120C                               | 830 |
| AMD Turion X2 Ultra Dual-Core Mobile ZM-85 | 828 |
| Rockchip RK3368                            | 827 |
| AMD Sempron X2 180                         | 826 |
| AMD Athlon Dual Core 5200B                 | 823 |
| Intel Pentium T4500 @ 2.30GHz              | 823 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| Intel Core2 Duo T7500 @ 2.20GHz            | 821 |
| Intel Core i3-2365M @ 1.40GHz              | 819 |
| MT6761V/WAB                                | 816 |
| Intel Celeron B820 @ 1.70GHz               | 815 |
| AMD Turion II Ultra Dual-Core Mobile M620  | 814 |
| Intel Atom x5-Z8300 @ 1.44GHz              | 814 |
| MT8766B                                    | 813 |
| Intel Core2 Duo T6670 @ 2.20GHz            | 812 |
| Intel Atom x5-Z8330 @ 1.44GHz              | 811 |
| AMD Athlon Dual Core 5050e                 | 809 |
| Intel Pentium 997 @ 1.60GHz                | 809 |
| Intel Core2 Duo E6540 @ 2.33GHz            | 808 |
| AMD Athlon II Dual-Core M340               | 807 |
| AMD A4-4355M APU                           | 806 |
| AMD Opteron 1214 HE                        | 806 |
| Intel Xeon E5503 @ 2.00GHz                 | 804 |
| MT8173                                     | 804 |
| AMD Athlon64 X2 Dual Core 4600+            | 803 |
| nxp IMX8MQ                                 | 803 |
| AMD Turion X2 Ultra Dual-Core Mobile ZM-84 | 802 |
| Intel Atom Z3580 @ 1.33GHz                 | 802 |
| AMD Turion II P520 Dual-Core               | 801 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |     |
|---|-----|
| Intel Core2 Duo T7600 @ 2.33GHz               | 801 |
| MT6761V/CAB                                   | 801 |
| MT8161A                                       | 800 |
| AMD Turion X2 Dual-Core Mobile RM-76          | 799 |
| AMD Athlon 64 X2 Dual Core 5800+              | 797 |
| Intel Pentium P6000 @ 1.87GHz                 | 797 |
| hi6210sft                                     | 796 |
| Mediatek MT8696                               | 796 |
| Intel Celeron E3300 @ 2.50GHz                 | 795 |
| Intel Xeon 5130 @ 2.00GHz                     | 795 |
| Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board | 795 |
| Intel Atom Z3775D @ 1.49GHz                   | 794 |
| AMD A6-4455M APU                              | 793 |
| Intel Core2 Duo P7450 @ 2.13GHz               | 792 |
| Intel Core2 Duo P7370 @ 2.00GHz               | 790 |
| Intel Xeon 3040 @ 1.86GHz                     | 790 |
| AMD Athlon 7450 Dual-Core                     | 789 |
| AC8257V/WAB                                   | 788 |
| Intel Core i3-2357M @ 1.30GHz                 | 788 |
| Intel Core2 Duo L9600 @ 2.13GHz               | 788 |
| AMD GX-217GA SOC                              | 784 |
| Intel Core2 Duo T6600 @ 2.20GHz               | 784 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |     |
|-----------------------------------|-----|
| MT6761V/CD                        | 784 |
| AMD Athlon Dual Core 4850e        | 783 |
| AMD A4-3310MX APU                 | 782 |
| AMD Opteron 1216                  | 781 |
| Intel Core i5-470UM @ 1.33GHz     | 778 |
| AMD Athlon 64 X2 Dual Core 5000+  | 776 |
| ARM Cortex-A72 4 Core 2000 MHz    | 775 |
| Intel Celeron B810 @ 1.60GHz      | 775 |
| Pentium Dual-Core T4200 @ 2.00GHz | 775 |
| Mediatek MT8168B                  | 774 |
| ARM Cortex-A17 4 Core 1800 MHz    | 773 |
| Intel Celeron N2910 @ 1.60GHz     | 773 |
| VIA QuadCore L4700 @ 1.2+ GHz     | 773 |
| Intel Atom Z3735G @ 1.33GHz       | 772 |
| Intel Core2 Duo E6400 @ 2.13GHz   | 772 |
| AMD Opteron 1212 HE               | 771 |
| Athlon Dual Core 4850e            | 769 |
| MediaTek MT6761V/WBB              | 768 |
| AMD Athlon II N350 Dual-Core      | 767 |
| Intel Core2 Duo P7350 @ 2.00GHz   | 766 |
| AMD A4-5150M APU                  | 765 |
| AMD Opteron 280                   | 765 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |     |
|--------------------------------------|-----|
| ARM Cortex-A72 4 Core 1900 MHz       | 763 |
| Intel Core2 Duo T8100 @ 2.10GHz      | 763 |
| Intel Pentium T4400 @ 2.20GHz        | 763 |
| Intel Xeon 5120 @ 1.86GHz            | 763 |
| Intel Pentium T4300 @ 2.10GHz        | 762 |
| Intel Atom Z3735D @ 1.33GHz          | 761 |
| Intel Core2 Duo SL9400 @ 1.86GHz     | 761 |
| Intel Core2 Duo T7400 @ 2.16GHz      | 761 |
| rockchip,rk3328                      | 761 |
| Intel Core2 Duo E6420 @ 2.13GHz      | 760 |
| Qualcomm Technologies, Inc SCUBAIIOT | 759 |
| M7221                                | 758 |
| MT6797D                              | 758 |
| AMD A4-3330MX APU                    | 756 |
| AMD Turion II Dual-Core Mobile M500  | 756 |
| Intel Core2 Duo T6570 @ 2.10GHz      | 756 |
| AMD GX-218GL SOC                     | 754 |
| Intel Celeron 887 @ 1.50GHz          | 754 |
| Qualcomm MSM8994                     | 754 |
| Celeron Dual-Core T3500 @ 2.10GHz    | 752 |
| Rockchip RK3566 EVB1 DDR4 V10 Board  | 751 |
| Intel Atom Z3560 @ 1.00GHz           | 749 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| Dual-Core AMD Opteron 1220 SE              | 748 |
| Intel Celeron 1047UE @ 1.40GHz             | 748 |
| Spreadtrum SC9853I-IA                      | 748 |
| AMD Opteron 180                            | 746 |
| Intel Core2 Duo E4500 @ 2.20GHz            | 746 |
| Intel Pentium Dual T2390 @ 1.86GHz         | 745 |
| Intel Core i3-380UM @ 1.33GHz              | 744 |
| AMD Athlon II Dual-Core M320               | 743 |
| Intel Pentium D 960 @ 3.60GHz              | 743 |
| MediaTek MT6761V/WE                        | 743 |
| ARM Cortex-A55 4 Core 2124 MHz             | 742 |
| Intel Core2 Duo T6500 @ 2.10GHz            | 739 |
| MT8696                                     | 738 |
| AMD Athlon Dual Core 5600B                 | 737 |
| AMD Opteron 270                            | 736 |
| Athlon 64 Dual Core 3800+                  | 736 |
| Intel Atom Z3770 @ 1.46GHz                 | 736 |
| Intel Pentium D 3.40GHz                    | 736 |
| Intel Celeron E1400 @ 2.00GHz              | 735 |
| Intel Core2 Duo T7200 @ 2.00GHz            | 735 |
| AMD Turion X2 Ultra Dual-Core Mobile ZM-82 | 733 |
| MT8735A                                    | 731 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                       |     |
|---------------------------------------|-----|
| Qualcomm Technologies, Inc APQ8096pro | 730 |
| AMD A4-3305M APU                      | 729 |
| AMD Athlon II P360 Dual-Core          | 728 |
| AMD Athlon Dual Core 4850B            | 727 |
| AMD Opteron 1216 HE                   | 727 |
| AMD E2-3000 APU                       | 726 |
| Intel Core2 Duo T6400 @ 2.00GHz       | 724 |
| Qualcomm MSM8974                      | 724 |
| Intel Celeron B815 @ 1.60GHz          | 723 |
| MT3561S                               | 723 |
| Intel Pentium E2200 @ 2.20GHz         | 721 |
| AMD Athlon 64 X2 Dual Core 4600+      | 720 |
| AMD Athlon Dual Core 4450B            | 719 |
| Intel Core2 Duo E6320 @ 1.86GHz       | 717 |
| Intel Pentium T4200 @ 2.00GHz         | 715 |
| Qualcomm Technologies, Inc SDA429W    | 715 |
| AMD Athlon II X2 260u                 | 713 |
| ARM Cortex-A72 6 Core 1008 MHz        | 712 |
| MediaTek MT8168A                      | 712 |
| AMD A4-3300M APU                      | 710 |
| AMD Athlon 64 FX-60 Dual Core         | 709 |
| AMD Turion X2 Dual-Core Mobile RM-75  | 708 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| ARM Cortex-A72 4 Core 1800 MHz             | 708 |
| Rockchip RK3288                            | 708 |
| ARM Cortex-A55 4 Core 1992 MHz             | 707 |
| ARM Cortex-A55 4 Core 2100 MHz             | 707 |
| AMD Athlon Dual Core 4450e                 | 705 |
| Intel Core2 Duo T7250 @ 2.00GHz            | 705 |
| Intel Atom E3840 @ 1.91GHz                 | 704 |
| MT8735T                                    | 704 |
| Intel Atom Z3775 @ 1.46GHz                 | 703 |
| Intel Pentium E2210 @ 2.20GHz              | 702 |
| MT5893                                     | 702 |
| Intel Core2 Duo T5870 @ 2.00GHz            | 698 |
| Allwinner A133                             | 696 |
| AMD Opteron 1214                           | 696 |
| AMD Turion 64 X2 Mobile TL-66              | 696 |
| AMD Opteron 185                            | 695 |
| AMD Turion X2 Ultra Dual-Core Mobile ZM-86 | 695 |
| AMD Athlon II P320 Dual-Core               | 694 |
| Intel Core2 Duo T5750 @ 2.00GHz            | 693 |
| MT6738                                     | 692 |
| Samsung EXYNOS5420                         | 692 |
| AMD Athlon II P340 Dual-Core               | 691 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| AMD Turion X2 Dual Core Mobile RM-76         | 691 |
| Intel Atom Z3560 @ 1.83GHz                   | 690 |
| Intel Core2 Duo L9300 @ 1.60GHz              | 690 |
| AMD Athlon 64 X2 Dual Core 4200+             | 689 |
| AMD Turion X2 Ultra Dual-Core Mobile ZM-87   | 689 |
| Intel Celeron P4505 @ 1.87GHz                | 689 |
| Celeron Dual-Core T3000 @ 1.80GHz            | 687 |
| Intel Core2 Duo T5850 @ 2.16GHz              | 687 |
| Intel Pentium E2180 @ 2.00GHz                | 687 |
| AMD Athlon 64 X2 Dual Core 4000+             | 686 |
| Qualcomm MSM8974PRO-AB                       | 686 |
| Rockchip RK3566 RK817 TABLET RKG11 LP4 Board | 686 |
| AMD Turion II Neo K685 Dual-Core             | 684 |
| Intel Celeron 2961Y @ 1.10GHz                | 684 |
| Qualcomm APQ 8084 (Flattened Device Tree)    | 683 |
| AMD Opteron 175                              | 682 |
| ARM Cortex-A53 8 Core 1512 MHz               | 681 |
| Athlon Dual Core 4450e                       | 681 |
| Intel Core2 Duo L7800 @ 2.00GHz              | 680 |
| AMD Athlon 64 X2 Dual Core 4800+             | 679 |
| Intel Core2 Duo T7300 @ 2.00GHz              | 678 |
| AMD Athlon 64 X2 Dual Core 4400+             | 677 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |     |
|---------------------------------|-----|
| Intel Pentium D 950 @ 3.40GHz   | 677 |
| AMD Athlon II X2 270u           | 675 |
| AMD Turion 64 X2 Mobile TL-64   | 675 |
| Intel Celeron 877 @ 1.40GHz     | 675 |
| AMD Athlon Dual Core 4050e      | 674 |
| AMD Athlon X2 Dual Core BE-2400 | 674 |
| ARM Cortex-A72 4 Core 2100 MHz  | 674 |
| Intel Core2 Duo E4400 @ 2.00GHz | 673 |
| Qualcomm MSM8974PRO-AA          | 672 |
| AMD Athlon II Dual-Core M300    | 670 |
| Athlon Dual Core 4050e          | 670 |
| AMD A4-3320M APU                | 668 |
| AMD E2-3000M APU                | 668 |
| ARM Cortex-A72 4 Core 1600 MHz  | 667 |
| VIA QuadCore U4650 @ 1.0+ GHz   | 666 |
| AMD Athlon II N330 Dual-Core    | 665 |
| Intel Celeron J3060 @ 1.60GHz   | 665 |
| MediaTek MT6737T                | 664 |
| AMD E2-7015 APU                 | 662 |
| AMD Turion Dual-Core RM-75      | 659 |
| Intel Celeron N3060 @ 1.60GHz   | 659 |
| Intel Core2 Duo T5600 @ 1.83GHz | 657 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |     |
|--------------------------------------|-----|
| Rockchip (Device Tree)               | 656 |
| AMD Turion X2 Dual-Core Mobile RM-74 | 655 |
| Intel Pentium 987 @ 1.50GHz          | 655 |
| AMD Turion X2 Dual-Core Mobile RM-72 | 653 |
| Intel Celeron B800 @ 1.50GHz         | 652 |
| Intel Core2 Duo T5900 @ 2.20GHz      | 652 |
| AMD Athlon 64 X2 QL-65               | 651 |
| Intel Pentium T3400 @ 2.16GHz        | 651 |
| AMD Turion 64 X2 Mobile TL-62        | 649 |
| AMD Turion Dual-Core RM-72           | 649 |
| Qualcomm MSM8917                     | 649 |
| AMD Opteron 170                      | 648 |
| Broadcom STB (Flattened Device Tree) | 646 |
| Qualcomm MSM8974PRO-AC               | 645 |
| Intel Pentium 967 @ 1.30GHz          | 643 |
| AMD Athlon 64 X2 QL-66               | 641 |
| Intel Core2 Duo L7500 @ 1.60GHz      | 641 |
| AMD GX-212JC SOC                     | 640 |
| AMD Turion 64 X2 Mobile TL-60        | 639 |
| ARM Cortex-A72 4 Core 1500 MHz       | 639 |
| AMD GX-412TC SOC                     | 638 |
| ARM Cortex-A53 4 Core 1908 MHz       | 638 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |     |
|--------------------------------------|-----|
| Intel Core2 Duo E6300 @ 1.86GHz      | 638 |
| AMD Athlon 64 X2 Dual Core 3800+     | 636 |
| Intel Pentium E2160 @ 1.80GHz        | 636 |
| AMD Turion X2 Dual-Core Mobile RM-77 | 635 |
| Intel Atom Z3740 @ 1.33GHz           | 634 |
| Intel Core2 Duo T5550 @ 1.83GHz      | 632 |
| Intel Core2 Duo T5800 @ 2.00GHz      | 628 |
| Intel Core i5-430UM @ 1.20GHz        | 627 |
| Amlogic                              | 626 |
| Intel Celeron E1500 @ 2.20GHz        | 626 |
| Intel Pentium U5600 @ 1.33GHz        | 624 |
| ARM Cortex-A55 4 Core 1800 MHz       | 623 |
| Intel Pentium T3200 @ 2.00GHz        | 623 |
| AMD Athlon 64 X2 Dual Core 3600+     | 622 |
| Intel Pentium 957 @ 1.20GHz          | 622 |
| Intel Atom Z3745 @ 1.33GHz           | 621 |
| AMD Athlon 64 X2 Dual-Core TK-57     | 620 |
| Celeron Dual-Core T3300 @ 2.00GHz    | 620 |
| AMD Turion II Neo K625 Dual-Core     | 618 |
| MT6795MM                             | 618 |
| AMD Athlon 64 X2 QL-64               | 617 |
| Allwinner H618                       | 616 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| Intel Celeron N3000 @ 1.04GHz                      | 616 |
| Intel Atom Z3740D @ 1.33GHz                        | 614 |
| AMD Athlon 64 X2 QL-60                             | 612 |
| AMD Turion X2 Dual-Core Mobile RM-70               | 612 |
| MediaTek MT6762V/CN                                | 611 |
| Intel U4100 @ 1.30GHz                              | 610 |
| ARM Cortex-A72 4 Core 1000 MHz                     | 608 |
| Intel Core2 Duo L7700 @ 1.80GHz                    | 607 |
| MediaTek MT8163                                    | 606 |
| Intel Core2 Duo T7100 @ 1.80GHz                    | 604 |
| AMD Turion X2 Dual Core L510                       | 603 |
| Qualcomm APQ8084                                   | 603 |
| AMD Turion II Neo N40L Dual-Core                   | 602 |
| AMD E1 Micro-6200T APU                             | 600 |
| Generic DT based system                            | 600 |
| AMD TurionX2 Ultra DualCore Mobile ZM-87           | 599 |
| Celeron Dual-Core T3100 @ 1.90GHz                  | 599 |
| Intel Atom Z3745D @ 1.33GHz                        | 599 |
| Samsung GrandPrimePlus LTE LTN DTV rev04 board bas | 599 |
| AMD Athlon II X2 250u                              | 597 |
| AMD E1-7010 APU                                    | 597 |
| AMD Sempron 150                                    | 597 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |     |
|------------------------------------|-----|
| Intel Celeron N3010 @ 1.04GHz      | 597 |
| Intel Celeron J1750 @ 2.41GHz      | 595 |
| rk3566                             | 595 |
| AMD Athlon 64 X2 Dual Core BE-2300 | 594 |
| AMD E1-2500 APU                    | 593 |
| AMD Opteron 1212                   | 593 |
| Intel Core2 Duo E4300 @ 1.80GHz    | 593 |
| Mediatek MT8175B                   | 592 |
| AMD Athlon X2 Dual Core BE-2350    | 591 |
| Intel Celeron N3050 @ 1.60GHz      | 590 |
| Intel Core2 Duo T5470 @ 1.60GHz    | 590 |
| AMD Turion Dual-Core RM-74         | 588 |
| Intel Celeron N2840 @ 2.16GHz      | 588 |
| Intel Pentium 2129Y @ 1.10GHz      | 587 |
| Intel Atom C2338 @ 1.74GHz         | 584 |
| Intel Celeron 847E @ 1.10GHz       | 584 |
| AMD Athlon 64 X2 QL-67             | 582 |
| Intel Xeon MV 3.20GHz              | 582 |
| MT6761V/WD                         | 580 |
| Intel Celeron U3600 @ 1.20GHz      | 579 |
| Intel Atom C2358 @ 1.74GHz         | 578 |
| Intel Core2 Duo T5450 @ 1.66GHz    | 578 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| AMD Athlon 64 X2 Dual-Core TK-42                     | 577 |
| AMD E1-6015 APU                                      | 577 |
| Intel Core2 Duo T5670 @ 1.80GHz                      | 577 |
| Intel Celeron 1019Y @ 1.00GHz                        | 576 |
| AMD Sempron 2650 APU                                 | 574 |
| ARM Cortex-A72 4 Core 1700 MHz                       | 574 |
| AMD Athlon 64 X2 Dual Core BE-2350                   | 573 |
| AMD E2-7015  | 572 |
| Intel Celeron @ 1.30GHz                              | 572 |
| Intel Celeron J1800 @ 2.41GHz                        | 572 |
| AMD Athlon X2 Dual Core BE-2300                      | 570 |
| Intel Celeron 857 @ 1.20GHz                          | 569 |
| MediaTek MT6735                                      | 569 |
| Intel Celeron G470 @ 2.00GHz                         | 568 |
| Intel Pentium T2390 @ 1.86GHz                        | 568 |
| AMD Athlon 64 X2 3800+                               | 566 |
| Intel Core2 Duo U9600 @ 1.60GHz                      | 566 |
| Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tree) | 566 |
| ap201  | 565 |
| Intel Atom Z3530 @ 1.33GHz                           | 565 |
| Intel Pentium T2410 @ 2.00GHz                        | 565 |
| AMD Athlon X2 Dual Core 6850e                        | 564 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |     |
|------------------------------------|-----|
| Mediatek MT8765WA                  | 564 |
| AMD Sempron Dual Core 2200         | 563 |
| Intel Celeron 867 @ 1.30GHz        | 562 |
| Intel Celeron T1600 @ 1.66GHz      | 562 |
| AMD Turion Dual-Core RM-70         | 561 |
| Intel Pentium E2140 @ 1.60GHz      | 561 |
| MT8735P                            | 561 |
| Qualcomm Technologies, Inc MSM8929 | 560 |
| AMD Athlon 64 X2 Dual-Core TK-53   | 558 |
| Intel Atom Z3735E @ 1.33GHz        | 557 |
| MT8765WA                           | 557 |
| AMD Athlon Neo X2 Dual Core L325   | 556 |
| ARM Cortex-A53 4 Core 1704 MHz     | 556 |
| AMD Sempron Dual Core 2300         | 555 |
| QCT APQ8064 FLO                    | 553 |
| Intel Core2 Duo T5250 @ 1.50GHz    | 552 |
| Intel Celeron E1200 @ 1.60GHz      | 551 |
| Intel Celeron N2830 @ 2.16GHz      | 550 |
| Intel Pentium D 830 @ 3.00GHz      | 550 |
| MT6737H                            | 550 |
| Intel T1400 @ 1.73GHz              | 548 |
| Intel T1500 @ 1.86GHz              | 548 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |     |
|-------------------------------------|-----|
| Intel Celeron G465 @ 1.90GHz        | 547 |
| Intel Pentium T2370 @ 1.73GHz       | 543 |
| Intel Pentium D 940 @ 3.20GHz       | 540 |
| SAMSUNG JF                          | 540 |
| Intel Atom Z3735F @ 1.33GHz         | 539 |
| Intel Pentium T2310 @ 1.46GHz       | 539 |
| Intel Pentium T2330 @ 1.60GHz       | 538 |
| Intel Pentium U5400 @ 1.20GHz       | 538 |
| mt6762m                             | 538 |
| AMD TurionX2 Dual Core Mobile RM-70 | 536 |
| AMD E1-6010 APU                     | 534 |
| AMD Turion 64 X2 Mobile TL-52       | 534 |
| AMD Sempron Dual Core 2100          | 533 |
| MT6739CH                            | 533 |
| AMD Athlon 64 X2 Dual Core 3400+    | 531 |
| AMD Opteron 165                     | 531 |
| Intel Core2 Duo T5300 @ 1.73GHz     | 530 |
| Qualcomm Technologies, Inc APQ8017  | 530 |
| AMD Athlon Neo X2 Dual Core L335    | 529 |
| AMD Athlon II Neo K345 Dual-Core    | 527 |
| Intel Atom S1260 @ 2.00GHz          | 526 |
| AMD Athlon 64 X2 QL-62              | 525 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |     |
|------------------------------------|-----|
| Intel Core2 Duo U7300 @ 1.30GHz    | 522 |
| Qualcomm Technologies, Inc MSM8917 | 522 |
| MT6592                             | 521 |
| Intel Atom C2350 @ 1.74GHz         | 520 |
| Intel Core2 Duo SU9400 @ 1.40GHz   | 520 |
| AMD Turion 64 X2 Mobile TL-56      | 519 |
| AMD Athlon 64 X2 Dual-Core TK-55   | 518 |
| Spreadtrum SC9832E                 | 518 |
| AMD Athlon 64 FX-57                | 517 |
| MT8167D                            | 517 |
| Intel Celeron U3400 @ 1.07GHz      | 516 |
| Intel Core2 Duo L7400 @ 1.50GHz    | 516 |
| Intel T2050 @ 2.00GHz              | 516 |
| Intel Core i3-330UM @ 1.20GHz      | 515 |
| Intel Core2 Duo T5500 @ 1.66GHz    | 514 |
| Intel Core2 Duo L7300 @ 1.40GHz    | 513 |
| AMD Sempron 130                    | 511 |
| Intel Atom D2701 @ 2.13GHz         | 511 |
| sun50iw6                           | 511 |
| Intel Celeron N2808 @ 1.58GHz      | 510 |
| ARM Cortex-A53 4 Core 1800 MHz     | 508 |
| MT8161P                            | 508 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| Rockchip RK3288 (Flattened Device Tree)    | 508 |
| AMD Sempron 145                            | 506 |
| AMD Turion X2 Ultra Dual-Core Mobile ZM-80 | 506 |
| Intel Atom Z3736F @ 1.33GHz                | 503 |
| Intel Celeron N2820 @ 2.13GHz              | 502 |
| ARM Cortex-A53 4 Core 2016 MHz             | 500 |
| ARM Cortex-A55 4 Core 1416 MHz             | 500 |
| Intel Celeron N2807 @ 1.58GHz              | 500 |
| Intel Core Duo T2700 @ 2.33GHz             | 498 |
| Unisoc SC9832e                             | 498 |
| AMD Turion X2 Dual Core Mobile RM-70       | 497 |
| Intel Celeron N2815 @ 1.86GHz              | 495 |
| MT8735                                     | 495 |
| Rockchip RK3328 box liantong avb           | 491 |
| AMD E2-2000 APU                            | 490 |
| Intel Atom Z3770D @ 1.49GHz                | 488 |
| AMD Athlon II Neo N36L Dual-Core           | 487 |
| AMD E-350D APU                             | 486 |
| AMD Sempron 140                            | 486 |
| Intel Celeron N2806 @ 1.60GHz              | 485 |
| Intel Pentium SU4100 @ 1.30GHz             | 485 |
| AMD Athlon 64 3100+                        | 484 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|   |     |
|---|-----|
| AMD G-T56N                                  | 484 |
| Intel Celeron 847 @ 1.10GHz                 | 483 |
| Intel Celeron SU2300 @ 1.20GHz              | 482 |
| Intel Xeon 3.20GHz                          | 478 |
| MT8167A                                     | 478 |
| Intel Celeron 925 @ 2.30GHz                 | 477 |
| AMD E1-2200 APU                             | 474 |
| AMD Turion 64 X2 Mobile TL-50               | 474 |
| AMD TurionX2 Dual Core Mobile RM-72         | 471 |
| ARM Cortex-A53 4 Core 1512 MHz              | 471 |
| Qualcomm Technologies, Inc MSM8920          | 471 |
| Intel Celeron G460 @ 1.80GHz                | 469 |
| Intel Pentium Extreme Edition 955 @ 3.46GHz | 469 |
| Intel Atom D2700 @ 2.13GHz                  | 467 |
| Intel Core2 Duo L7100 @ 1.20GHz             | 467 |
| AMD Athlon 64 FX-59                         | 465 |
| ARM Cortex-A53 4 Core 1300 MHz              | 464 |
| Intel Atom E3827 @ 1.74GHz                  | 463 |
| Rockchip rk3326 evb board                   | 463 |
| ARM Cortex-A53 4 Core 1608 MHz              | 462 |
| Intel Core2 Duo T5200 @ 1.60GHz             | 459 |
| AMD Opteron 154                             | 457 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |     |
|-----------------------------------|-----|
| Qualcomm Technologies, Inc QM215  | 457 |
| Samsung Exynos 7570               | 457 |
| AMD Athlon Neo X2 Dual Core 6850e | 456 |
| Intel Core Duo T2600 @ 2.16GHz    | 456 |
| MediaTek MT6737                   | 456 |
| ARM Cortex-A53 4 Core 1600 MHz    | 453 |
| QCT APQ8064 DEB                   | 453 |
| AMD Opteron 254                   | 451 |
| AMD E2-1800 APU                   | 446 |
| Intel Atom N2800 @ 1.86GHz        | 444 |
| Intel Pentium D 915 @ 2.80GHz     | 443 |
| AMD G-T56E                        | 442 |
| Intel Core2 Duo U9300 @ 1.20GHz   | 440 |
| MediaTek MT6739WW                 | 437 |
| AMD Turion 64 X2 Mobile TL-58     | 436 |
| AMD E-450 APU                     | 434 |
| Intel Atom D2560 @ 2.00GHz        | 433 |
| AMD Turion Neo X2 Dual Core L625  | 432 |
| AMD Athlon LE-1640                | 430 |
| AMD G-T48E                        | 429 |
| Intel Core2 Duo U7700 @ 1.33GHz   | 429 |
| MT8127                            | 429 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| AMD Opteron 152                                    | 428 |
| Sony Mobile fusion3                                | 428 |
| Intel Core2 Duo T5270 @ 1.40GHz                    | 427 |
| MediaTek MT6737M                                   | 427 |
| Intel Celeron G440 @ 1.60GHz                       | 425 |
| Intel Xeon 3.00GHz                                 | 425 |
| Qualcomm MSM8916                                   | 424 |
| AMD E-350 APU                                      | 423 |
| Rockchip RK3326                                    | 423 |
| AMD Athlon LE-1620                                 | 421 |
| ARM Cortex-A53 4 Core 1296 MHz                     | 421 |
| AMD E-350  | 420 |
| Intel Celeron N2810 @ 2.00GHz                      | 420 |
| MT8765WB   | 419 |
| MediaTek MT8735B                                   | 418 |
| AMD Athlon II Neo K325 Dual-Core                   | 417 |
| AMD Sempron LE-1300                                | 417 |
| ARM Cortex-A53 4 Core 1392 MHz                     | 417 |
| AMD Athlon LE-1660                                 | 416 |
| Intel Celeron 450 @ 2.20GHz                        | 415 |
| Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba | 415 |
| AMD Athlon 1640B                                   | 412 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                       |     |
|---------------------------------------|-----|
| AMD Athlon LE-1600                    | 412 |
| AMD A4-1250 APU                       | 411 |
| Intel Core Duo T2450 @ 2.00GHz        | 411 |
| Intel Atom D2550 @ 1.86GHz            | 409 |
| Qualcomm Technologies, Inc QCM2150    | 409 |
| Intel Core Duo T2500 @ 2.00GHz        | 408 |
| ARM Cortex-A53 4 Core 1199 MHz        | 407 |
| Intel Atom D510 @ 1.66GHz             | 406 |
| Intel Atom E3805 @ 1.33GHz            | 406 |
| Intel Xeon 5110 @ 1.60GHz             | 405 |
| AMD Athlon 64 FX-55                   | 404 |
| Intel Core Duo L2500 @ 1.83GHz        | 404 |
| Qualcomm Technologies, Inc APQ8016    | 404 |
| ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz | 403 |
| Intel Xeon 3.60GHz                    | 403 |
| MediaTek MT6739WA                     | 403 |
| AMD Geode NX 2400+                    | 400 |
| AMD Turion 64 Mobile ML-42            | 400 |
| Intel Core i7-2630UM @ 1.60GHz        | 400 |
| VIA Nano X2 U4025 @ 1.2 GHz           | 400 |
| AMD E1-2100 APU                       | 399 |
| ARM ARMv7 rev 4 (v7l) 4 Core 1400 MHz | 399 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |     |
|------------------------------------|-----|
| QCT APQ8064 MAKO                   | 399 |
| Rockchip rk3326 863 rkisp1 board   | 399 |
| AMD E1-1500 APU                    | 398 |
| Intel Atom D525 @ 1.80GHz          | 398 |
| Qualcomm Technologies, Inc MSM8916 | 398 |
| AMD V140                           | 397 |
| AMD Athlon 64 3500+                | 396 |
| Intel Celeron 900 @ 2.20GHz        | 395 |
| AMD Athlon 64 3700+                | 394 |
| AMD Opteron 150                    | 393 |
| Intel Xeon 3.80GHz                 | 393 |
| AMD Opteron 148                    | 392 |
| Intel Celeron 807 @ 1.50GHz        | 392 |
| Intel Core2 Duo U7500 @ 1.06GHz    | 392 |
| QCT APQ8064 MTP                    | 389 |
| MT8735M                            | 388 |
| Intel Core Duo L2300 @ 1.50GHz     | 387 |
| Intel Core Duo T2350 @ 1.86GHz     | 385 |
| Intel Pentium 4 3.73GHz            | 385 |
| MediaTek MT8167B                   | 385 |
| AMD Turion 64 Mobile ML-44         | 384 |
| Intel Pentium T2130 @ 1.86GHz      | 382 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                |     |
|--------------------------------|-----|
| QCT APQ8064 AWIFI              | 382 |
| AMD E1-1200 APU                | 380 |
| Intel Atom E3825 @ 1.33GHz     | 378 |
| Qualcomm MSM8212               | 378 |
| AMD Athlon 64 3300+            | 375 |
| Intel Xeon 3.40GHz             | 375 |
| Intel Pentium D 805 @ 2.66GHz  | 374 |
| Intel Celeron D 360 @ 3.46GHz  | 372 |
| Intel Celeron 827E @ 1.40GHz   | 371 |
| AMD A4-1200 APU                | 369 |
| Intel Celeron 440 @ 2.00GHz    | 368 |
| MT6735P                        | 368 |
| AMD Sempron 3600+              | 364 |
| ARM Cortex-A53 4 Core 1500 MHz | 364 |
| Intel Atom 330 @ 1.60GHz       | 363 |
| AMD Turion 64 Mobile MK-38     | 362 |
| Intel Core Duo T2400 @ 1.83GHz | 361 |
| AMD Sempron 3800+              | 360 |
| Intel Atom N2600 @ 1.60GHz     | 360 |
| AMD Athlon II 160u             | 358 |
| Intel Pentium 4 3.80GHz        | 358 |
| AMD Athlon X2 Dual Core 3250e  | 357 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |     |
|---------------------------------|-----|
| Manta                           | 356 |
| Mobile AMD Athlon 64 3700+      | 356 |
| ARM Cortex-A7 4 Core 1368 MHz   | 354 |
| AMD V120                        | 352 |
| Intel Core Duo T2250 @ 1.73GHz  | 350 |
| AMD Sempron LE-1200             | 349 |
| Intel Core Duo L2400 @ 1.66GHz  | 348 |
| Intel Core2 Duo U7600 @ 1.20GHz | 347 |
| AMD Opteron 146                 | 346 |
| ARM Cortex-A53 4 Core 1152 MHz  | 344 |
| Intel Celeron 570 @ 2.26GHz     | 344 |
| Mobile Intel Pentium 4 3.33GHz  | 344 |
| ARM Cortex-A7 4 Core 1300 MHz   | 341 |
| Intel 2.80GHz                   | 341 |
| Intel Atom N570 @ 1.66GHz       | 341 |
| AMD Athlon 64 4000+             | 340 |
| AMD Athlon II 170u              | 340 |
| Unisoc SC7731e                  | 340 |
| Intel Celeron 560 @ 2.13GHz     | 339 |
| Intel Pentium T2080 @ 1.73GHz   | 339 |
| AMD Athlon TF-36                | 338 |
| AMD E-300 APU                   | 338 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |     |
|------------------------------------|-----|
| AMD Sempron M100                   | 338 |
| MT6739WM                           | 338 |
| AMD V160                           | 337 |
| Qualcomm MSM8928                   | 337 |
| AMD Turion 64 Mobile ML-40         | 336 |
| ARM Cortex-A72 4 Core 1750 MHz     | 335 |
| Intel Celeron N2805 @ 1.46GHz      | 335 |
| Mobile AMD Sempron 3800+           | 335 |
| Qualcomm Technologies, Inc APQ8009 | 335 |
| sun8iw11p1                         | 335 |
| AMD Athlon 64 3000+                | 334 |
| AMD Turion 64 Mobile MK-36         | 334 |
| AMD Turion 64 Mobile ML-37         | 334 |
| ARM Cortex-A35 4 Core 1296 MHz     | 334 |
| AMD Athlon 2850e                   | 333 |
| Mobile AMD Athlon 64 3400+         | 333 |
| Qualcomm APQ8026                   | 332 |
| Qualcomm MSM8228                   | 332 |
| Intel Pentium 4 3.20GHz            | 330 |
| Intel Pentium T2060 @ 1.60GHz      | 330 |
| ARM Cortex-A35 4 Core 1200 MHz     | 329 |
| VIA Eden X2 U4200 @ 1.0+ GHz       | 327 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|  |     |
|--|-----|
| Mobile AMD Athlon 64 3200+                         | 326 |
| Intel Core Duo T2050 @ 1.60GHz                     | 325 |
| Intel Core Duo T2300 @ 1.66GHz                     | 325 |
| ARM Cortex-A53 4 Core 1368 MHz                     | 322 |
| Qualcomm MSM8226                                   | 322 |
| AMD Turion 64 Mobile ML-34                         | 319 |
| Intel Celeron 550 @ 2.00GHz                        | 319 |
| Rockchip RK3328                                    | 319 |
| ARM Cortex-A57 2 Core 1479 MHz                     | 318 |
| AMD Athlon 64 3400+                                | 317 |
| Intel Pentium 4 3.00GHz                            | 317 |
| AMD Opteron 144                                    | 316 |
| AMD Athlon II Neo K125                             | 315 |
| AMD C-70 APU                                       | 315 |
| AMD Sempron 3300+                                  | 315 |
| AMD Sempron LE-1100                                | 315 |
| Intel Pentium 4 3.60GHz                            | 315 |
| ARM Cortex-A72 4 Core 2800 MHz                     | 314 |
| Intel Celeron D 420 @ 1.60GHz                      | 313 |
| Mobile AMD Athlon 64 4000+                         | 313 |
| AMD C-60 APU                                       | 312 |
| Samsung GrandPrimePlus LTE CIS rev04 board based o | 312 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                |     |
|--------------------------------|-----|
| Spreadtrum SC7731e             | 311 |
| AMD Athlon X2 Dual Core L310   | 309 |
| ARM Cortex-A53 4 Core 1008 MHz | 308 |
| MT6735M                        | 308 |
| Intel Celeron 3.06GHz          | 307 |
| ARM Cortex-A53 4 Core 1400 MHz | 306 |
| msm8960dt                      | 306 |
| AMD Athlon 64 3200+            | 305 |
| AMD Z-01                       | 305 |
| Intel Celeron 540 @ 1.86GHz    | 305 |
| Intel Atom E3826 @ 1.46GHz     | 304 |
| AMD Sempron LE-1250            | 301 |
| UNIVERSAL3475                  | 301 |
| Qualcomm MSM8926               | 300 |
| AMD G-T40N                     | 299 |
| AMD Athlon II Neo K145         | 298 |
| AMD Sempron 3100+              | 298 |
| Intel Atom Z2760 @ 1.80GHz     | 298 |
| AMD Athlon 64 2800+            | 295 |
| Intel Pentium 4 3.40GHz        | 295 |
| Intel Pentium 4 3.46GHz        | 295 |
| Mobile AMD Sempron 3300+       | 294 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |     |
|------------------------------------|-----|
| Qualcomm MSM8626                   | 294 |
| AMD Athlon 64 3800+                | 292 |
| AMD Sempron 3400+                  | 292 |
| Intel Pentium M 2.10GHz            | 292 |
| Qualcomm Technologies, Inc MSM8216 | 292 |
| AMD Athlon 2800+                   | 291 |
| Intel Celeron M 530 @ 1.73GHz      | 291 |
| AMD C-60                           | 290 |
| AMD G-T40E                         | 289 |
| AMD Sempron SI-40                  | 288 |
| AMD Sempron 3000+                  | 286 |
| AMD Turion 64 Mobile MT-32         | 286 |
| AMD Turion 64 Mobile ML-32         | 285 |
| Mobile AMD Sempron 3600+           | 284 |
| Qualcomm Technologies, Inc MSM8909 | 284 |
| Intel Atom N550 @ 1.50GHz          | 283 |
| AMD Athlon XP 3100+                | 282 |
| ARM Cortex-A53 4 Core 1200 MHz     | 282 |
| AMD Athlon XP 3200+                | 281 |
| Intel Celeron 430 @ 1.80GHz        | 280 |
| Intel Pentium M 1.80GHz            | 280 |
| AMD Turion 64 Mobile MT-34         | 279 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                |     |
|--------------------------------|-----|
| ARM Cortex-A72 4 Core 800 MHz  | 279 |
| VIA Nano L2100@1800MHz         | 279 |
| AMD Turion 64 Mobile ML-30     | 277 |
| Mobile AMD Sempron 3100+       | 277 |
| AMD Athlon XP 2900+            | 276 |
| AMD Athlon Neo MV-40           | 275 |
| Intel Celeron 743 @ 1.30GHz    | 275 |
| AMD Athlon 2650e               | 274 |
| AMD Turion 64 Mobile MT-37     | 274 |
| Intel Celeron D 352 @ 3.20GHz  | 274 |
| ARM Cortex-A7 4 Core 1200 MHz  | 270 |
| Intel Pentium M 2.00GHz        | 270 |
| ARM Cortex-A7 4 Core 1008 MHz  | 269 |
| Mobile AMD Sempron 3000+       | 269 |
| Mobile AMD Sempron 3400+       | 269 |
| Intel Celeron 530 @ 1.73GHz    | 268 |
| AMD Sempron 210U               | 267 |
| Intel Celeron 3.20GHz          | 267 |
| Intel Celeron M 723 @ 1.20GHz  | 267 |
| Intel Pentium SU2700 @ 1.30GHz | 266 |
| AMD Athlon TF-20               | 265 |
| AMD C-50                       | 265 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |     |
|----------------------------------|-----|
| Intel Celeron 3.33GHz            | 263 |
| VIA Eden C1050@1.06GHz           | 263 |
| AMD Athlon XP 3000+              | 262 |
| AMD Z-60 APU                     | 262 |
| AMD Athlon XP 2800+              | 260 |
| Intel Xeon 2.80GHz               | 260 |
| Mobile AMD Sempron 3500+         | 259 |
| AMD Athlon XP 2700+              | 256 |
| Mobile AMD Sempron 2600+         | 256 |
| Intel Core Duo U2400 @ 1.06GHz   | 255 |
| AMD Turion 64 Mobile ML-28       | 254 |
| AMD Sempron 2600+                | 253 |
| Intel Core Solo T1400 @ 1.83GHz  | 253 |
| Intel Celeron M 1.70GHz          | 252 |
| Intel Core2 Solo U3500 @ 1.40GHz | 252 |
| AMD Sempron 3200+                | 251 |
| AMD Sempron LE-1150              | 251 |
| Intel Celeron D 356 @ 3.33GHz    | 251 |
| Intel Pentium 4 3.06GHz          | 249 |
| AMD GX-210JA SOC                 | 248 |
| ARM Cortex-A53 4 Core 1000 MHz   | 248 |
| AMD Sempron M120                 | 247 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                               |     |
|-------------------------------|-----|
| AMD Turion 64 Mobile MT-30    | 246 |
| Intel Atom D2500 @ 1.86GHz    | 246 |
| AMD Sempron SI-42             | 245 |
| Mobile AMD Sempron 3200+      | 245 |
| Rockchip RK3229               | 244 |
| AMD Athlon 64 2600+           | 243 |
| AMD Athlon XP2400+            | 243 |
| AMD Sempron 2800+             | 243 |
| AMD Athlon XP 2600+           | 242 |
| Intel Celeron 807UE @ 1.00GHz | 241 |
| Mobile AMD Athlon 2500+       | 241 |
| Mobile AMD Athlon XP-M 2600+  | 241 |
| Intel Pentium M 1.50GHz       | 240 |
| Intel Celeron M 520 @ 1.60GHz | 239 |
| Intel Pentium M 1.70GHz       | 239 |
| SAMSUNG SERRANO               | 239 |
| Mobile AMD Athlon XP-M 2800+  | 238 |
| Mobile AMD Athlon XP-M 3000+  | 238 |
| VIA Nano L2007@1600MHz        | 238 |
| Intel Pentium 4 2.80GHz       | 237 |
| Intel Pentium M 1700MHz       | 237 |
| Mobile AMD Athlon XP-M 2200+  | 237 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |     |
|----------------------------------|-----|
| Mobile AMD Sempron 2800+         | 237 |
| Intel Celeron 420 @ 1.60GHz      | 235 |
| AMD Athlon XP 2400+              | 234 |
| Intel Pentium M 2.13GHz          | 234 |
| Intel Core2 Solo U2100 @ 1.06GHz | 233 |
| Mobile AMD Athlon 4 2400+        | 233 |
| AMD Sempron 3500+                | 232 |
| Intel Celeron D 347 @ 3.06GHz    | 232 |
| Mobile Intel Pentium 4 3.20GHz   | 232 |
| AMD Athlon XP 2500+              | 231 |
| Intel Celeron 2.93GHz            | 230 |
| Intel Celeron M 450 @ 2.00GHz    | 230 |
| ARM Cortex-A7 4 Core 900 MHz     | 228 |
| Intel Pentium M 2.26GHz          | 227 |
| Mobile AMD Athlon XP-M 2500+     | 226 |
| ARM Cortex-A7 4 Core 1296 MHz    | 225 |
| Intel Pentium M 1.40GHz          | 225 |
| Mobile AMD Athlon XP-M 2400+     | 225 |
| Intel Atom N470 @ 1.83GHz        | 224 |
| Intel Celeron 2.53GHz            | 222 |
| Intel Pentium M 1.86GHz          | 222 |
| Intel Celeron M 360 1.40GHz      | 221 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |     |
|---------------------------------|-----|
| ARM Cortex-A53 4 Core 600 MHz   | 220 |
| Intel Core Duo U2500 @ 1.20GHz  | 220 |
| Mobile Intel Pentium 4 3.06GHz  | 220 |
| Intel Celeron M 1500MHz         | 217 |
| Intel Celeron M 1.50GHz         | 216 |
| Intel Pentium 4 2.60GHz         | 215 |
| AMD Athlon XP 2200+             | 214 |
| Intel Celeron 723 @ 1.20GHz     | 213 |
| AMD Athlon XP 2100+             | 210 |
| Intel Core Solo T1300 @ 1.66GHz | 210 |
| Intel Celeron 220 @ 1.20GHz     | 209 |
| ARM Cortex-A53 4 Core 1536 MHz  | 208 |
| Intel Pentium M 1400MHz         | 208 |
| AMD Sempron 2300+               | 207 |
| AMD Sempron 2500+               | 207 |
| ARM Cortex-A53 4 Core 1333 MHz  | 207 |
| AMD Sempron 2400+               | 205 |
| Intel Celeron M 1.30GHz         | 205 |
| Intel Pentium M 1.73GHz         | 205 |
| Mobile Intel Pentium 4 2.80GHz  | 205 |
| AMD Athlon XP 1900+             | 203 |
| Intel Atom N450 @ 1.66GHz       | 203 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                   |     |
|-----------------------------------|-----|
| ARM Cortex-A72 4 Core 1850 MHz    | 199 |
| Intel Atom D425 @ 1.80GHz         | 199 |
| Intel Pentium M 1.20GHz           | 199 |
| VIA Nano U2500@1200MHz            | 199 |
| RK30board                         | 198 |
| AMD Athlon L110                   | 197 |
| Intel Celeron M 1300MHz           | 197 |
| Intel Pentium M 1300MHz           | 197 |
| Intel Pentium M 1.30GHz           | 196 |
| Mobile AMD Athlon XP-M 2000+      | 196 |
| AMD Athlon XP 1800+               | 195 |
| AMD Athlon XP 2000+               | 195 |
| AMD E-240                         | 195 |
| Intel Core Solo T1350 @ 1.86GHz   | 194 |
| Intel Pentium III 1400S @ 1400MHz | 194 |
| Intel Pentium M 1.60GHz           | 194 |
| Intel Atom N455 @ 1.66GHz         | 193 |
| Intel Pentium III 1400 @ 1400MHz  | 193 |
| Intel Pentium M 1600MHz           | 193 |
| Mobile AMD Athlon XP-M 1800+      | 193 |
| Mobile AMD Athlon MP-M 2400+      | 192 |
| AMD Athlon 1500+                  | 191 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |     |
|---------------------------------|-----|
| Intel Celeron 2.80GHz           | 190 |
| Intel Celeron M 1.60GHz         | 190 |
| Intel Atom N2100 @ 1.60GHz      | 188 |
| Intel Pentium M 1500MHz         | 188 |
| Google R11 BtWifi Evt1.1        | 187 |
| VIA Nano U2250 (1.6GHz Capable) | 187 |
| AMD Sempron 2200+               | 184 |
| AMD V105                        | 184 |
| Intel Atom E3815 @ 1.46GHz      | 184 |
| Intel Pentium M 1.10GHz         | 184 |
| VIA Nano U3500@1000MHz          | 184 |
| AMD Athlon XP1600+              | 183 |
| Intel Atom Z530 @ 1.60GHz       | 183 |
| Mobile Intel Celeron 1333MHz    | 183 |
| Intel Celeron 2.26GHz           | 182 |
| Mobile Intel Pentium 4 2.66GHz  | 182 |
| Intel Atom D410 @ 1.66GHz       | 180 |
| Intel Xeon 2.40GHz              | 180 |
| Intel Atom N475 @ 1.83GHz       | 179 |
| VIA Nano U2250@1300+MHz         | 179 |
| AMD C-30                        | 178 |
| AMD G-T52R                      | 177 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                  |     |
|----------------------------------|-----|
| AMD Athlon XP 1700+              | 176 |
| Intel Atom N270 @ 1.60GHz        | 175 |
| AMD Athlon XP 1600+              | 174 |
| ARM Cortex-A72 4 Core 1200 MHz   | 174 |
| Intel Celeron 215 @ 1.33GHz      | 174 |
| Mobile AMD Athlon MP-M 1800+     | 173 |
| Intel Atom 230 @ 1.60GHz         | 169 |
| Intel Celeron M 430 @ 1.73GHz    | 169 |
| Intel Celeron M 440 @ 1.86GHz    | 169 |
| Mobile AMD Athlon XP-M 1600+     | 169 |
| AMD Athlon XP 1500+              | 167 |
| Intel Celeron 2.13GHz            | 166 |
| VIA Nano L2207@1600MHz           | 165 |
| Intel Celeron 2.50GHz            | 164 |
| Intel Core Solo U1500 @ 1.33GHz  | 164 |
| Intel Pentium III Mobile 1133MHz | 164 |
| Intel XEON 2.20GHz               | 164 |
| Mobile AMD Sempron 2100+         | 164 |
| Intel Pentium 4 2.53GHz          | 162 |
| Intel Pentium 4 2.50GHz          | 160 |
| Intel Pentium III Mobile 1066MHz | 160 |
| Intel Celeron 1200MHz            | 159 |



**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                      |     |
|--------------------------------------|-----|
| Intel Celeron 2.70GHz                | 159 |
| Intel Atom Z670 @ 1.50GHz            | 158 |
| Intel Atom N280 @ 1.66GHz            | 157 |
| Intel Pentium 4 2.20GHz              | 157 |
| Intel Pentium 4 2.66GHz              | 157 |
| Intel Pentium III Mobile 1200MHz     | 156 |
| Intel Pentium M 1000MHz              | 156 |
| Intel Pentium M 1200MHz              | 155 |
| AMD Athlon 64 2000+                  | 154 |
| Intel Pentium 4 3.83GHz              | 154 |
| Mobile Intel Celeron 2.40GHz         | 154 |
| Intel Atom N435 @ 1.33GHz            | 153 |
| Intel Xeon 2.00GHz                   | 152 |
| Intel Pentium 4 2.26GHz              | 151 |
| Intel Pentium 4 2.93GHz              | 150 |
| VIA C7-D 1800MHz                     | 150 |
| Intel Celeron M 1.00GHz              | 149 |
| Intel Celeron 2.30GHz                | 148 |
| Mobile Intel Celeron 2.20GHz         | 147 |
| Mobile Intel Pentium III - M 1200MHz | 146 |
| VIA C7-M 6300MHz                     | 145 |
| Intel Celeron 2.40GHz                | 143 |





**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                     |     |
|-------------------------------------|-----|
| Intel Celeron 2.60GHz               | 143 |
| Mobile Intel Pentium 4 - M 2.20GHz  | 143 |
| ARM Cortex-A7 2 Core 1080 MHz       | 142 |
| Intel Pentium M 900MHz              | 141 |
| Intel Celeron 1000MHz               | 139 |
| Intel Celeron 2.20GHz               | 139 |
| Intel Celeron M 420 @ 1.60GHz       | 139 |
| Mobile Intel Pentium 4 - M 2.40GHz  | 139 |
| ARM Cortex-A7 2 Core 996 MHz        | 138 |
| Mobile Intel Pentium 4 - M 2.00GHz  | 138 |
| Intel Pentium 4 Mobile 1.90GHz      | 136 |
| VIA Esther 1500MHz                  | 135 |
| Intel Pentium 4 2.00GHz             | 133 |
| Mobile Intel Celeron 2.00GHz        | 133 |
| Intel Pentium 4 Mobile 2.00GHz      | 132 |
| Intel Celeron 2.66GHz               | 131 |
| Intel Pentium 4 2.40GHz             | 131 |
| Intel Core Solo U1400 @ 1.20GHz     | 130 |
| Mobile Intel Pentium III - M 933MHz | 130 |
| Intel Core Solo U1300 @ 1.06GHz     | 127 |
| AMD Sempron 200U                    | 125 |
| Intel Celeron 2.00GHz               | 125 |

**WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK**Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                    |     |
|------------------------------------|-----|
| Intel Celeron M 443 @ 1.20GHz      | 125 |
| Intel Celeron M 410 @ 1.46GHz      | 123 |
| Intel Celeron M 900MHz             | 123 |
| Intel Atom Z520 @ 1.33GHz          | 122 |
| Mobile Intel Celeron 1.80GHz       | 121 |
| Mobile Intel Pentium 4 - M 1.70GHz | 121 |
| AMD G-T40R                         | 120 |
| AMD G-T44R                         | 120 |
| Intel Pentium III Mobile 800MHz    | 119 |
| Mobile Intel Pentium 4 - M 1.80GHz | 119 |
| Mobile Intel Celeron 1.70GHz       | 118 |
| Intel Pentium 4 Mobile 1.60GHz     | 116 |
| VIA C7-M 1600MHz                   | 116 |
| Intel Pentium 4 1.80GHz            | 115 |
| Intel Pentium 4 1800MHz            | 114 |
| Intel Pentium 4 Mobile 1.80GHz     | 114 |
| Intel Celeron 1100MHz              | 113 |
| VIA C7-M 1200MHz                   | 112 |
| ARM Cortex-A7 2 Core 960 MHz       | 110 |
| Intel Celeron B710 @ 1.60GHz       | 106 |
| Intel Pentium 4 1.90GHz            | 104 |
| Intel Celeron 1.70GHz              | 101 |





## WYNIK WYDAJNOŚCI – PASSMARK CPU BENCHMARK

Dane ze strony: [https://www.cpubenchmark.net/cpu\\_list.php](https://www.cpubenchmark.net/cpu_list.php)

Aktualne na dzień 13 marca 2024

|                                 |     |
|---------------------------------|-----|
| VIA Nehemiah                    | 101 |
| Intel Pentium 4 1700MHz         | 100 |
| Intel Pentium III Mobile 866MHz | 99  |
| Intel Celeron 1.80GHz           | 96  |
| VIA Esther 1000MHz              | 95  |
| VIA Eden 1200MHz                | 93  |
| Intel Pentium 4 1.50GHz         | 86  |
| Intel Pentium 4 1.70GHz         | 86  |
| Intel Pentium 4 1.60GHz         | 84  |
| Intel Pentium 4 1400MHz         | 83  |
| Intel Pentium 4 1500MHz         | 81  |
| VIA Eden 1000MHz                | 80  |
| Intel Pentium 4 1300MHz         | 77  |