

MONITORING MIEJSKI

CIECHANOWIEC - PARK

MASFERA Zbigniew Majewski

8/23/2024


Version 2

Site Plan. MONITORING MIEJSKI
Ground floor



Camera 1P



Bullet 5MP HDR 3.4~10.2mm IP66/67 IK10



Camera ID	Type	Installation Height, m	Resolution	Focal Length	Sensor Size	Pixels On Target
1P	Dome	4	2592x1944	10.5	1/2.7" 4:3	71 ppm

Camera 2P


Fixed dome 20MP 3.7-7.7mm IR IP66



Camera ID	Type	Installation Height, m	Resolution	Focal Length	Sensor Size	Pixels On Target
2P	Dome	4		3.7	1/2.7" 16:3	154 ppm
2P-1		4	2592x1944	3.7	1/2.7" 4:3	154 ppm
2P-2		4	2592x1944	7.7	1/2.7" 4:3	78 ppm
2P-3		4	2592x1944	5.77	1/2.7" 4:3	71 ppm
2P-4		4	2592x1944	7.7	1/2.7" 4:3	47 ppm

Camera 3P



Fixed dome camera 5MP resolution; Essential Video Analytics; 3.2-10 mm lens; outdoor vandal resistant; integrated IR illuminator



Camera ID	Type	Installation Height, m	Resolution	Focal Length	Sensor Size	Pixels On Target
3P	Dome	4	3072x1728	10	1/2.9" 16:9	91 ppm

Camera 4P

Fixed dome camera 5MP resolution; Essential Video Analytics; 3.2-10 mm lens; outdoor vandal resistant; integrated IR illuminator




Camera ID	Type	Installation Height, m	Resolution	Focal Length	Sensor Size	Pixels On Target
4P	Dome	4	3072x1728	10	1/2.9" 16:9	64 ppm

Camera ID	Description	Installation Height, m	Resolution	Focal Length	Sensor Size	Pixels On Target
1P	Bullet 5MP HDR 3.4~10.2mm IP66/67 IK10	4	2592x1944	10.5	1/2.7" 4:3	71 ppm
2P	Fixed dome 20MP 3.7-7.7mm IR IP66	4		3.7	1/2.7" 16:3	154 ppm
3P	Fixed dome camera 5MP resolution; Essential Video Analytics; 3.2-10 mm lens; outdoor vandal resistant; integrated IR illuminator	4	3072x1728	10	1/2.9" 16:9	91 ppm
4P	Fixed dome camera 5MP resolution; Essential Video Analytics; 3.2-10 mm lens; outdoor vandal resistant; integrated IR illuminator	4	3072x1728	10	1/2.9" 16:9	64 ppm

Camera 1P

Bullet 5MP HDR 3.4~10.2mm IP66/67 IK10




Resolution: 2592x1944
Sensor Size: 1/2.7" ; 4:3
Focal Length: 10.5
Installation Height: 4 m
Tilt: 11°
Viewing Angles, °: 29°; 22°
Distance: 71 m
FOV Width: 36 m
Pixels On Target: 71 ppm
Dead Zone: 9.9 m (Width: 5.03 m)



Camera 2P

Fixed dome 20MP 3.7-7.7mm IR IP66




Resolution:
Sensor Size: 1/2.7" ; 16:3
Focal Length: 3.7
Installation Height: 4 m
Tilt: 0°
Viewing Angles, °: 360°; 15.5°
Distance: 15 m
FOV Width: 23.6 m
Pixels On Target: 154 ppm
Dead Zone: 2.13 m (Width: 3.35 m)



Camera 3P

Fixed dome camera 5MP resolution; Essential Video Analytics; 3.2-10 mm lens; outdoor vandal resistant; integrated IR illuminator




Resolution: 3072x1728
Sensor Size: 1/2.9" ; 16:9
Focal Length: 10
Installation Height: 4 m
Tilt: 10.3°
Viewing Angles, °: 30°; 17°
Distance: 63.6 m
FOV Width: 33.7 m
Pixels On Target: 91 ppm
Dead Zone: 11.75 m (Width: 6.39 m)



Camera 4P

Fixed dome camera 5MP resolution; Essential Video Analytics; 3.2-10 mm lens; outdoor vandal resistant; integrated IR illuminator



Resolution: 3072x1728
Sensor Size: 1/2.9" ; 16:9
Focal Length: 10
Installation Height: 4 m
Tilt: 9.8°
Viewing Angles, °: 30°; 17°
Distance: 89.8 m
FOV Width: 47.6 m
Pixels On Target: 64 ppm
Dead Zone: 12.11 m (Width: 6.58 m)




Camera 1P

Bullet 5MP HDR 3.4~10.2mm IP66/67 IK10



Camera 2P

Fixed dome 20MP 3.7-7.7mm IR IP66



Camera 3P

Fixed dome camera 5MP resolution; Essential Video Analytics; 3.2-10 mm lens; outdoor vandal resistant; integrated IR illuminator



Camera 4P

Fixed dome camera 5MP resolution; Essential Video Analytics; 3.2-10 mm lens; outdoor vandal resistant; integrated IR illuminator

