

nr pręta	#	długość	ilość szt.	długość ogólna							
				6	8	10	12	14	16	18	20
Zbrojenie stropu											
POZ 1.1											
1	10	8,00	42			336,00					
2	10	7,40	41			303,40					
3	10	4,30	42			180,60					
4	10	3,83	83			317,89					
5	10	3,50	41			143,50					
6	6	16,50	40	660,00							
7	10	2,70	16			43,20					
8	10	2,02	12			24,24					
POZ 1.2											
9	10	5,85	34			198,90					
10	10	5,90	33			194,70					
11	10	5,47	34			185,98					
12	10	5,50	33			181,50					
6	6	12,50	33	412,50							
POZ 1.3											
13	10	5,82	92			535,44					
14	10	5,78	90			520,20					
6	6	18,00	33	594,00							
POZ 1.4											
15	10	3,86	68			262,48					
16	10	7,00	68			476,00					
6	6	6,00	33	198,00							
POZ 1.5 szt. 2											
17	10	3,08	64			197,12					
6	6	5,80	22	127,60							
Zbrojenie podciągów											
POZ 2.0											
1	12	2,84	3				8,52				
2	12	2,70	2				5,40				
3	6	1,24	16	19,84							
POZ 2.1											
1	16	4,49	4						17,96		
2	16	4,89	1						4,89		
3	12	4,35	2				8,70				
4	6	1,34	22	29,48							
POZ 2.2											
1	12	3,84	4				15,36				
2	12	4,24	2				8,48				
3	12	3,70	2				7,40				
4	6	1,34	19	25,46							
POZ 2.3											

Przeworsk ul. Lubomirskich

1	12	2,75	4				11,00				
2	12	2,75	2				5,50				
3	6	1,24	15	18,60							
<b>POZ 2.4</b>											
1	16	5,30	2					10,60			
2	16	6,10	2					12,20			
3	16	6,42	1					6,42			
4	16	6,42	1					6,42			
5	16	7,02	1					7,02			
6	16	7,02	1					7,02			
7	16	3,30	3					9,90			
8	12	3,60	2				7,20				
9	12	4,20	2				8,40				
10	6	1,34	52	69,68							
<b>Zbrojenie słupów</b>											
<b>POZ 3.1 szt.2</b>											
1	12	2,00	8				16,00				
2	12	3,95	8				31,60				
3	12	2,85	8				22,80				
4	6	1,12	80	89,60							
<b>POZ 3.2</b>											
1	12	2,00	4				8,00				
2	12	3,95	4				15,80				
3	12	2,85	4				11,40				
4	6	1,30	40	52,00							
<b>POZ 3.3</b>											
1	12	6,11	2				12,22				
2	12	5,95	2				11,90				
3	12	2,65	1				2,65				
4	12	2,65	1				2,65				
5	12	1,21	2				2,42				
6	12	2,48	4				9,92				
7	6	1,00	53	53,00							
<b>POZ 3.4</b>											
1	12	5,34	2				10,68				
2	12	5,18	2				10,36				
3	12	2,65	1				2,65				
4	12	2,65	1				2,65				
5	12	1,21	2				2,42				
6	12	2,48	4				9,92				
7	6	1,00	38	38,00							
<b>POZ 3.5</b>											
1	12	2,50	30				75,00				
2	12	1,20	30				36,00				
3	6	6,15	14	86,10							
<b>POZ 3.6</b>											

Przeworsk ul. Lubomirskich

1	12	5,34	2			10,68				
2	12	5,18	2			10,36				
3	12	2,76	1			2,76				
4	12	2,76	1			2,76				
5	12	1,21	2			2,42				
6	12	2,75	4			11,00				
7	6	1,00	43	43,00						
<b>POZ 3.7</b>										
1	12	2,99	2			5,98				
2	12	2,83	2			5,66				
3	12	2,76	1			2,76				
4	12	2,76	1			2,76				
5	12	1,21	2			2,42				
6	12	2,75	4			11,00				
7	6	1,00	31	31,00						
<b>POZ 3.8</b>										
1	12	2,65	30			79,50				
2	12	1,20	30			36,00				
3	6	6,15	15	92,25						
<b>Zbrojenie schodów</b>										
<b>POZ 4.1</b>										
<b>Bieg</b>										
1	10	2,53	4			10,12				
2	10	2,78	3			8,34				
5	10	3,98	12			47,76				
6	10	4,00	9			36,00				
7	6	1,20	68	81,60						
8	12	1,20	2			2,40				
<b>Spocznik szt.4</b>										
3	10	1,82	32			58,24				
4	10	2,36	32			75,52				
7	6	2,60	44	114,40						
<b>Poz. 4.1.1 szt.4</b>										
8	12	3,10	24			74,40				
10	6	1,10	76	83,60						
<b>Poz. 4.1.2 szt.4</b>										
8	12	3,10	16			49,60				
9	6	1,10	88	96,80						
<b>POZ 4.2</b>										
<b>Bieg</b>										
5	10	3,98	4			15,92				
6	10	4,00	3			12,00				
7	6	1,20	44	52,80						
11	10	5,47	4			21,88				

12	10	5,67	3			17,01					
8	12	1,20	2				2,40				
<b>Spocznik szt.2</b>											
3	10	1,82	16			29,12					
4	10	2,36	16			37,76					
7	6	2,60	22	57,20							
<b>Poz. 4.1.1 szt.2</b>											
8	12	3,10	12				37,20				
10	6	1,10	38	41,80							
<b>Poz. 4.1.2 szt.2</b>											
8	12	3,10	8								
9	6	1,10	44				112,00				
<b>Ławy i stopy fundamentowe</b>											
<b>Ł-1</b>											
1	12	28,00	4				112,00				
2	6	1,44	102	146,88							
3	12	1,00	32				32,00				
<b>Ł-2</b>											
1	12	6,20	8				49,60				
2	6	1,44	38	54,72							
<b>Ł-3</b>											
1	12	12,80	4				51,20				
2	6	1,44	43	61,92							
<b>Ł-4</b>											
1	12	8,00	4				32,00				
2	6	1,44	27	38,88							
<b>SF-1</b>											
3	12	0,85	9				7,65				
4	12	0,80	9				7,20				
<b>SF-2</b>											
5	12	0,65	11				7,15				
6	12	1,05	7				7,35				
<b>SF-3 do SF-5</b>											
7	12	1,35	84				113,40				

<b>Σ</b>	3470,7	0	4470,82	1267	0	82,43	0	0
	0,222	0,395	0,617	0,888	1,208	1,578	1,998	2,466
	770,5	0	2758,5	1125	0	130,07	0	0
	<b>4784</b>							