

Zestawienie traw i innej roślinności do zlecenia wykoszenia firmie zewnętrznej na linii 213 Reda - Hel w 2025 roku											
str.	km	dług.	szerokość [m]	powierzchnia [m2]	uwagi	str.	km	dług.	szerokość pasa traw i innej roślinności [m]	powierzchnia [m2]	uwagi
	Reda - Mrzezino						Reda - Mrzezino				
L	0,358 - 0,700	342	5,0	1710		P	0,358 - 0,900	542	5,0	2710	
L	0,700 - 1,200	500	3,0	1500		P	0,900 - 1,100	200	3,0	600	
L	1,200 - 1,300	100	5,0	500		P	1,100 - 1,300	200	5,0	1000	
L	1,300 - 1,830	530	3,0	1590		P	1,300 - 1,400	100	3,0	300	
L	1,830 - 2,070	250	5,0	1250		P	1,500 - 1,830	330	3,0	990	
L	2,070 - 2,200	130	3,0	390		P	1,830 - 2,070	250	5,0	1250	
L	2,200 - 2,600	400	5,0	2000		P	2,070 - 2,200	130	10,0	1300	
L	2,600 - 2,700	100	10,0	1000		P	2,200 - 2,600	400	5,0	2000	
L	2,700 - 3,030	330	5,0	1650		P	2,600 - 2,700	100	10,0	1000	
L	3,030 - 3,600	570	3,0	1710		P	2,700 - 3,030	330	5,0	1650	
L	3,600 - 3,740	140	5,0	700		P	3,030 - 3,600	570	7,0	3990	
L	3,740 - 4,000	260	7,0	1820		P	3,600 - 3,740	140	5,0	700	
L	4,000 - 4,070	70	3,0	210		P	3,740 - 4,500	760	7,0	5320	
L	4,070 - 4,600	530	7,0	3710		P	4,500 - 4,730	230	5,0	1150	
L	4,600 - 5,500	900	5,0	4500		P	4,850 - 5,500	650	5,0	3250	
L	5,500 - 5,600	100	7,0	700		P	5,500 - 5,600	100	7,0	700	
L	5,600 - 5,900	300	10,0	3000		P	5,600 - 5,900	300	10,0	3000	
L	5,900 - 6,000	100	5,0	500		P	5,900 - 6,000	100	5,0	500	
L	6,000 - 6,100	100	3,0	300		P	6,000 - 6,100	100	3,0	300	
L	6,100 - 6,400	300	7,0	2100		P	6,100 - 6,400	300	7,0	2100	
L	6,400 - 6,500	100	3,0	300		P	6,400 - 6,600	200	10,0	2000	
L	6,500 - 6,600	100	10,0	1000		P	6,600 - 6,900	300	5,0	1500	
L	6,600 - 6,900	300	5,0	1500		P	6,900 - 7,000	100	7,0	700	
L	6,900 - 7,000	100	7,0	700		P	7,000 - 7,100	100	3,0	300	
L	7,000 - 7,100	100	3,0	300		P	7,100 - 7,200	100	5,0	500	
L	7,100 - 7,200	100	5,0	500		P	7,200 - 7,300	100	10,0	1000	
L	7,200 - 7,300	100	10,0	1000		P	7,300 - 7,400	100	7,0	700	
L	7,300 - 7,400	100	7,0	700		P	7,400 - 7,500	100	3,0	300	
L	7,400 - 7,500	100	5,0	500		P	7,500 - 7,700	100	5,0	500	
L	7,500 - 7,700	100	7,0	700		P	7,700 - 7,800	100	3,0	300	
L	7,700 - 7,800	100	5,0	500		P	7,800 - 8,000	200	5,0	1000	
L	7,800 - 8,000	200	7,0	1400		P	8,000 - 8,100	100	7,0	700	
L	8,000 - 8,100	100	7,0	700		P	8,100 - 8,200	100	10,0	1000	
L	8,100 - 8,200	100	10,0	1000		P	8,200 - 8,300	100	5,0	500	
L	8,200 - 8,300	100	5,0	500		P	8,300 - 8,500	200	10,0	2000	
L	8,300 - 8,500	200	10,0	2000		P	8,500 - 8,600	100	12,0	1200	
L	8,500 - 8,600	100	12,0	1200							
	Stacja Mrzezino						Stacja Mrzezino				
L	8,600 - 8,800	200	10,0	2000		P	8,600 - 8,700	100	5,0	500	
L	8,900 - 9,000	100	7,0	700		P	8,700 - 8,900	200	7,0	1400	
L	9,000 - 9,100	100	8,0	800		P	8,900 - 9,050	150	3,0	450	
L	9,100 - 9,150	50	10,0	500		P	9,050 - 9,150	100	8,0	800	
	Mrzezino - Puck						Mrzezino - Puck				
L	9,150 - 9,250	100	3,0	300		P	9,150 - 9,300	150	3,0	450	
L	9,250 - 9,550	300	5,0	1500		P	9,300 - 9,550	250	5,0	1250	
L	9,550 - 9,730	180	12,0	2160		P	9,550 - 9,730	180	12,0	2160	
L	9,730 - 9,900	170	7,0	1190		P	9,730 - 9,900	170	7,0	1190	
L	9,900 - 10,100	200	5,0	1000		P	9,900 - 10,100	200	5,0	1000	
L	10,100 - 10,650	550	3,0	1650		P	10,100 - 10,650	550	3,0	1650	
L	10,650 - 10,800	150	5,0	750		P	10,650 - 10,800	150	5,0	750	
L	10,800 - 11,000	300	7,0	2100		P	10,800 - 11,000	300	7,0	2100	
L	11,000 - 11,200	200	10,0	2000		P	11,000 - 11,200	200	10,0	2000	
L	11,350 - 11,550	200	3,0	600		P	11,350 - 11,550	200	3,0	600	
L	11,550 - 11,750	200	5,0	1000		P	11,550 - 11,750	200	5,0	1000	
L	11,750 - 11,900	150	3,0	450		P	11,750 - 11,900	150	10,0	1500	
L	11,900 - 12,100	200	7,0	1400		P	11,900 - 12,100	200	7,0	1400	
	12,100 - 12,250	150	3,0	450		P	12,100 - 12,250	150	3,0	450	
L	12,250 - 12,350	100	7,0	700		P	12,250 - 12,350	100	7,0	700	
L	12,350 - 12,930	580	5,0	2900		P	12,350 - 12,930	580	5,0	2900	
L	12,930 - 13,030	100	10,0	1000		P	12,930 - 13,030	100	10,0	1000	
L	13,030 - 13,160	130	3,0	390		P	13,030 - 13,160	130	3,0	390	
L	13,160 - 13,450	290	10,0	2900		P	13,160 - 13,450	290	10,0	2900	
L	13,450 - 14,250	800	5,0	4000		P	13,450 - 14,250	800	5,0	4000	
L	14,250 - 14,350	100	10,0	1000		P	14,250 - 14,350	100	10,0	1000	
L	14,350 - 15,350	1000	5,0	5000		P	14,350 - 15,350	1000	5,0	5000	

	Stacja Puck						Stacja Puck					
L	15,350 - 15,400	50	10,0	500			P	15,350 - 15,400	50	10,0	500	
L	15,400 - 15,600	200	5,0	1000			P	15,400 - 16,170	770	5,0	3850	
L	15,600 - 15,750	150	10,0	1500			P	16,170 - 16,350	180	2,0	360	
L	15,750 - 16,350	600	5,0	3000			P	16,350 - 16,450	100	10,0	1000	
L	16,350 - 16,450	100	10,0	1000								
	Puck - Władysławowo						Puck - Władysławowo					
L	16,450 - 16,850	400	5,0	2000			P	16,450 - 16,850	400	5,0	2000	
L	16,850 - 17,000	150	10,0	1500			P	16,850 - 17,000	150	10,0	1500	
L	17,000 - 17,250	250	5,0	1250			P	17,000 - 17,250	250	5,0	1250	
L	17,250 - 17,350	100	10,0	1000			P	17,250 - 17,350	100	10,0	1000	
L	17,350 - 18,500	1150	5,0	5750,0			P	17,350 - 18,500	150	2,0	300,0	
L	18,500 - 18,700	200	3,0	600,0			P	18,500 - 18,950	450	5,0	2250,0	
L	18,700 - 18,950	250	5,0	1250,0			P	19,200 - 19,950	650	5,0	3250,0	
L	18,950 - 19,150	200	3,0	600,0			P	19,950 - 20,230	280	3,0	840,0	
L	19,150 - 19,250	100	10,0	1000,0			P	20,230 - 20,270	40	5,0	200,0	
L	19,250 - 19,950	700	5,0	3500,0			P	20,270 - 20,320	50	10,0	500,0	
L	19,950 - 20,230	280	3,0	840,0			P	20,320 - 20,700	380	5,0	1900,0	
L	20,230 - 20,270	40	10,0	400,0			P	20,700 - 20,900	200	3,0	600,0	
L	20,270 - 20,320	50	3,0	150,0			P	21,060 - 21,600	540	5,0	2700,0	
L	20,320 - 21,600	1280	5,0	6400,0			P	21,600 - 22,150	550	3,0	1650,0	
L	21,600 - 22,150	550	3,0	1650,0			P	22,150 - 22,400	250	5,0	1250	
L	22,150 - 22,400	250	5,0	1250,0			P	22,400 - 22,900	500	3,0	1500,0	
L	22,400 - 22,900	500	3,0	1500,0			P	22,900 - 23,250	350	5,0	1750,0	
L	22,900 - 23,250	350	5,0	1750,0			P	23,250 - 24,200	950	3,0	2850,0	
L	23,250 - 24,200	950	3,0	2850,0			P	24,200 - 25,600	1400	5,0	7000,0	
L	24,200 - 25,600	1400	5,0	7000,0			P	25,600 - 25,800	200	7,0	1400,0	
L	25,600 - 25,800	200	7,0	1400,0			P	25,800 - 26,000	200	5,0	1000,0	
L	25,800 - 26,000	200	5,0	1000,0								
	Stacja Władysławowo						Stacja Władysławowo					
L	26,000 - 26,500	500	7,0	3500,0			P	26,000 - 26,500	500	7,0	3500,0	
L	26,700 - 26,900	200	7,0	1400,0			P	26,930 - 27,100	170	7,0	1190,0	
L	27,000 - 27,100	100	7,0	700,0								
	Władysławowo - Kuźnica(Hel)						Władysławowo - Kuźnica(Hel)					
L	27,100 - 27,200	100	3,0	300,0			P	27,100 - 27,200	100	3,0	300,0	
L	27,200 - 27,400	200	5,0	1000,0	do plotu		P	27,200 - 27,400	200	5,0	1000,0	do plotu
L	27,400 - 27,500	100	4,0	400,0			P	27,400 - 27,500	100	4,0	400,0	
L	27,500 - 27,600	100	5,0	500,0	były tor boczny Kogi		P	27,500 - 27,600	100	3,0	300,0	do plotu
L	27,600 - 27,700	100	3,0	300,0			P	27,600 - 27,700	100	5,0	500,0	
L	27,700 - 28,100	400	4,0	1600,0	do plotu		P	27,700 - 28,100	400	3,0	1200,0	do plotu
L	28,300 - 28,900	600	5,0	3000,0			P	28,100 - 28,200	100	4,0	400,0	
L	28,900 - 30,500	1600	3,0	4800,0			P	28,300 - 28,800	500	3,0	1500,0	
L	30,400 - 30,500	100	3,0	300,0			P	28,900 - 29,000	100	3,0	300,0	
L	30,500 - 31,900	1400	4,0	5600,0			P	29,000 - 29,100	100	4,0	400,0	
L	31,900 - 32,000	100	5,0	500,0			P	29,100 - 30,400	1300	3,0	3900,0	
L	32,000 - 32,200	200	3,0	600,0			P	30,400 - 30,500	100	4,0	400,0	
L	32,200 - 32,350	150	5,0	750,0			P	30,500 - 31,900	1400	3,0	4200,0	
L	32,350 - 32,880	530	3,0	1590,0			P	31,900 - 32,000	100	5,0	500,0	
L	32,880 - 33,000	120	5,0	600,0			P	32,000 - 32,200	200	3,0	600,0	
L	33,000 - 33,770	770	3,0	2310,0			P	32,200 - 32,350	150	5,0	750,0	
L	33,770 - 33,850	110	5,0	550,0			P	32,350 - 32,880	530	3,0	1590,0	
L	33,850 - 34,500	150	3,0	450,0			P	32,880 - 33,000	120	5,0	600,0	
L	34,500 - 34,550	50	5,0	250,0			P	33,000 - 33,770	770	3,0	2310,0	
L	34,550 - 35,300	750	3,0	2250,0			P	33,770 - 33,850	110	5,0	550,0	
L	35,300 - 35,500	200	4,0	800,0			P	33,850 - 34,500	150	3,0	450,0	
L	35,500 - 35,900	400	3,0	1200,0			P	34,500 - 34,550	50	5,0	250,0	
L	35,900 - 36,000	100	4,0	400,0			P	34,550 - 34,700	150	3,0	450,0	
L	36,000 - 40,100	4100	3,0	12300,0			P	35,000 - 35,300	300	2,0	600,0	
							P	35,300 - 35,500	200	3,0	600,0	
							P	35,500 - 35,900	400	4,0	1600,0	
							P	35,900 - 38,400	2500	3,0	7500,0	
							P	38,400 - 38,600	200	4,0	800,0	
							P	38,600 - 39,400	800	3,0	2400,0	
							P	39,400 - 40,100	700	4,0	2800,0	
	Stacja Kuźnica(Hel)						Stacja Kuźnica(Hel)					
L	40,100 - 40,500	400	3,0	1200,0	do plotu		P	40,100 - 40,500	400	3,0	1200,0	do drogi
L	40,500 - 40,600	100	7,0	700,0	skarpa		P	40,500 - 40,600	100	2,0	200,0	
	Kuźnica(Hel) - Jastarnia						Kuźnica(Hel) - Jastarnia					
L	40,600 - 40,700	100	3,0	300,0			P	40,600 - 40,700	100	3,0	300,0	
L	40,700 - 40,850	150	3,0	450,0	skarpa		P	40,700 - 40,850	150	2,0	300,0	
L	40,850 - 45,770	4920	3,0	14760,0			P	40,850 - 41,200	350	3,0	1050,0	
L	45,770 - 46,300	530	3,0	1590,0	do plotu		P	41,200 - 41,400	200	2,0	400,0	
L	46,440 - 46,750	310	3,0	930,0	do plotu		P	41,400 - 42,600	1200	3,0	3600,0	
L	46,750 - 47,500	750	3,0	2250,0			P	42,600 - 42,800	200	2,0	400,0	
L	47,500 - 47,660	160	3,0	480,0	do plotu		P	42,800 - 45,770	2970	3,0	8910,0	
L	47,660 - 47,900	240	3,0	720,0	do plotu		P	45,770 - 46,300	530	3,0	1590,0	do plotu
							P	46,300 - 46,440	140	3,0	420,0	
							P	46,440 - 46,750	310	3,0	930,0	do plotu
							P	46,750 - 47,500	750	3,0	2250,0	
							P	47,500 - 47,660	160	3,0	480,0	do plotu

	Stacja Jastarnia						Stacja Jastarnia			0,0	
	47,770 - 47,830	60	4,0	240,0	międzytorze	P	47,660 - 47,900	240	2,0	480,0	do plotu
L	47,900 - 48,040	140	6,0	840,0		P	47,900 - 48,040	140	2,0	280,0	
L	48,040 - 48,200	160	4,0	640,0		P	48,040 - 48,200	160	3,0	480,0	
	48,060 - 48,160	100	4,0	400,0	międzytorze	P	48,200 - 48,300	100	2,0	200,0	do plotu
L	48,200 - 48,300	100	5,0	500,0							
	Jastarnia - Hel						Jastarnia - Hel			0,0	
L	48,300 - 48,500	200	3,0	600,0		P	48,300 - 48,500	200	3,0	600,0	
L	48,500 - 48,750	250	3,0	750,0	do plotu	P	48,500 - 48,600	100	3,0	300,0	do plotu
L	48,750 - 49,250	500	5,0	2500,0	skarpa	P	48,600 - 48,750	150	4,0	600,0	do plotu
L	49,250 - 49,600	350	3,0	1050,0		P	48,750 - 49,250	500	5,0	2500,0	nowa skarpa
L	49,600 - 49,800	200	5,0	1000,0	skarpa	P	49,250 - 49,600	350	3,0	1050,0	
L	49,800 - 49,900	100	3,0	300,0		P	49,600 - 49,800	200	5,0	1000,0	skarpa
L	49,900 - 50,250	350	5,0	1750,0	skarpa	P	49,800 - 49,900	100	3,0	300,0	
L	50,250 - 51,500	1250	3,0	3750,0		P	49,900 - 50,250	350	5,0	1750,0	skarpa
L	51,500 - 51,650	150	4,0	600,0	skarpa	P	50,250 - 51,500	1250	3,0	3750,0	
L	51,650 - 51,830	180	2,0	360,0		P	51,500 - 51,650	150	4,0	600,0	skarpa
L	51,830 - 52,000	170	3,0	510,0		P	51,650 - 52,000	350	3,0	1050,0	
L	52,000 - 52,140	140	4,0	560,0		P	52,000 - 52,140	140	5,0	700,0	
L	52,140 - 52,900	760	3,0	2280,0		P	52,140 - 52,200	60	3,0	180,0	
L	52,900 - 53,000	100	4,0	400,0	skarpa	P	52,200 - 52,500	300	4,0	1200,0	do plotu
L	53,000 - 53,030	30	3	90		P	52,500 - 52,900	400	3,0	1200,0	
L	53,030 - 53,270	240	4,0	960,0	skarpa	P	52,900 - 53,000	100	4,0	400,0	skarpa
L	53,270 - 54,260	1990	3,0	5970,0		P	53,000 - 53,030	30	3,0	90	
L	54,260 - 54,800	540	4,0	2160,0	skarpa	P	53,030 - 53,270	240	4,0	960,0	skarpa
L	54,800 - 54,900	100	3,0	300,0		P	53,270 - 54,260	990	3,0	2970	
L	54,900 - 55,120	220	3,0	660,0	skarpa	P	54,260 - 54,800	540	4,0	2160,0	skarpa
L	55,120 - 55,900	780	3,0	2340,0		P	54,800 - 54,900	100	3,0	300,0	
L	55,900 - 56,100	200	4,0	800,0		P	54,900 - 55,120	220	3,0	660,0	skarpa
L	56,100 - 57,130	1030	3,0	3090,0		P	55,120 - 57,130	2010	3,0	6030,0	
L	57,130 - 57,400	270	4,0	1080,0	skarpa	P	57,130 - 57,400	270	4,0	1080,0	skarpa
L	57,400 - 59,300	1900	3,0	5700,0		P	57,400 - 58,100	700	3,0	2100,0	
L	59,300 - 59,400	100	4,0	400,0	skarpa	P	58,100 - 58,500	400	4,0	1600,0	
L	59,400 - 60,900	1500	3,0	4500,0		P	58,500 - 59,300	800	3,0	2400,0	
						P	59,300 - 59,400	100	4,0	400,0	skarpa
						P	59,400 - 60,900	1500	3,0	4500,0	
	Stacja Hel						Stacja Hel				
L	60,900 - 61,270	370	5,0	1850,0		P	60,900 - 61,270	370	5,0	1850,0	
	61,200 - 61,520	320	9,0	2880,0	międzytorze tory nr 1 - 3						
	61,000 - 61,400	400	3,5	1400,0	międzytorze tory nr nr 1 - 4						
	61,150 - 61,500	350	4,0	1400,0	międzytorze tory nr 3 - 25						
	61,030 - 61,400	370	3,5	1295,0	międzytorze tory nr 4 - 8						
	61,100 - 61,500	400	3,0	1200,0	międzytorze tory nr 25 - 27						
	61,100 - 61,500	400	3,0	1200,0	międzytorze tory nr 27 - 29						
	61,100 - 51,500	400	3,0	1200,0	zewnątrzna strona toru nr 29						
	61,400 - 61,500	100	12,0	1200,0	lewa strona toru nr 1						
	61,500 - 61,700	200	5,0	1000,0	zewnątrzna strona toru nr 4 (skarpa)						
	61,500 - 61,900	400	5,0	2000,0	prawa strona toru nr 7						
	61,700 - 62,090	390	5,0	1950,0	lewa strona toru nr 1						
	61,900 - 62,090	190	3,0	570,0	prawa strona toru nr 11						
			suma:	272 975	[m2]				suma:	240 540	[m2]
				27,298	[ha]					24,054	[ha]

Szerokość wycięcia traw i innej roślinności mierzono od przyzmy podsypki(bankietu)
Powierzchnia do wycięcia znajdująca się w obrębie stacji

CAŁOŚCIOWO	513 515	[m2]
	51,352	[ha]