


















OBIEKT : <b>Budynek mieszkalny D Rudzie Śląskiej</b>				w <b>WYKAZ STALI 18</b>									
ELEMENT : <b>ŚCIANY 1 KONDYGNACJI</b>				NR RYSUNKU : K18, 19									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT ( mm )	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
1	A-IIIN	12		3,6	960					3456,0			
2	A-IIIN	10		3,5	90				315,0				
łącznik z wieńca do siatek													
3	A-IIIN	8		1,41	380			535,8					
4	A-IIIN	8		1,47	220			323,4					
5	A-0	6		0,21	860	180,6							
6	A-0	6		0,27	350	94,5							
łączniki w narożach													
8	A-IIIN	8		0,91	210			191,1					
9	A-IIIN	8		1,17	143			167,3					
łączniki przy otworach													
10	A-IIIN	8		0,61	823			502,0					
11	A-IIIN	8		0,67	112			75,0					
strzemiona filarów													
13	A-IIIN	6		1,42	48								68,2
14	A-IIIN	6		1,52	72								109,4
15	A-IIIN	6		1,7	20								34,0
16	A-IIIN	6		1,92	40								76,8
17	A-IIIN	6		1,04	13								13,5
20	A-IIIN	6		1,26	13								16,4
21	A-IIIN	6		0,74	13								9,6

OBIEKT : <b>Budynek mieszkalny D Rudzie Śląskiej</b>				<b>WYKAZ STALI 18</b>									
ELEMENT : <b>ŚCIANY 1 KONDYGNACJI</b>				NR RYSUNKU : K18, 19           STRONA 2 z 3									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
			No1 szt.12										
31	A-IIIN	6		1,24	132								163,7
32	A-IIIN	12		4	24					96,0			
33	A-IIIN	8		3,5	24			84,0					
			No1A szt.12										
31	A-IIIN	6		1,24	132								163,7
32	A-IIIN	12		4	48					192,0			
33	A-IIIN	8		3,5	120			420,0					
34	A-IIIN	8		0,9	264			237,6					
			No2 szt.5, No4 szt.1										
31	A-IIIN	6		1,24	36								44,6
40	A-IIIN	6		1,36	8								10,9
35	A-IIIN	10		3	24				72,0				
36	A-IIIN	8		3	60			180,0					
34	A-IIIN	8		0,9	120			108,0					
			No3 szt.6 i No5 szt.2										
31	A-IIIN	6		1,24	36								44,6
40	A-IIIN	6		1,36	12								16,3
37	A-IIIN	10		2,5	32				80,0				
38	A-IIIN	8		2,5	80			200,0					
34	A-IIIN	8		0,9	112			100,8					

